

SAFETY DATA SHEET

SDS NUMBER: 1000631397-15-LPI

SDS REVISIONS: NEW

DATE OF ISSUE: 01/15/15

EL CAZADOR 16-0-8

SUPERSEDES: NEW

FOR CHEMICAL EMERGENCY, SPILL, LEAK, FIRE, EXPOSURE OR ACCIDENT, CALL CHEMTREC - DAY OR NIGHT 1-800-424-9300**1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER****1.1 PRODUCT IDENTIFIER:****TRADE NAME:** EL CAZADOR 16-0-8**1.2 RECOMMENDED USE:** FERTILIZER**1.3 SUPPLIER DETAILS:**

LOVELAND PRODUCTS, INC.

P.O. Box 1286 • Greeley, CO 80632-1286

1.4 24-Hour Emergency Phone: 1-800-424-9300 - **Medical Emergencies:** 1-866-944-8565**U.S. Coast Guard National Response Center:** 1-800-424-8802**2. HAZARDS IDENTIFICATION****2.1 Classification of the substance or mixture****Classification according to 29 CFR 1910.1200**

Eye Irritation

Category 2B

H320

Acute Toxicity (Oral)

Category 5

H303

2.2 Label elements

Signal word:

WARNING

Hazard Statement:

H320 – Causes eye irritation.

H313 – May be harmful in contact with skin.

H303 – May be harmful if swallowed

Precautionary Statement:

P261 – Avoid breathing dust / fume / gas / mist / vapors / spray

P273 - Avoid release to the environment

P280 - Wear protective gloves and eye / face protection

(Prevention):

Precautionary Statement:

P337 + P313 – If eye irritation persists: get medical attention

(Response):

P305 + P351 + P338 – IF IN EYES: Rinse with water for 15 to 20 minutes. Remove contact lenses, if present, and continue rinsing eyes.

P302 + P352 – IF ON SKIN: Wash with plenty of water for 15 to 20 minutes

Precautionary Statement:

(General):

P101 + P102 + P103 – If medical advice is needed, have product container or label available. Keep out of reach of children. Read label before use

2.3 Other hazards

None known

KEEP OUT OF REACH OF CHILDREN –

Appearance and odor: Multi-colored granules with dusty odor.

WARNING – CATEGORY 2B CAUSES EYE IRRITATION, CATEGORY 5 MAY BE HARMFUL IN CONTACT WITH SKIN, CATEGORY 5 MAY BE HARMFUL IF SWALLOWED**Potential Health effects****Routes of exposure**

Eye contact, skin contact, inhalation. Avoid breathing spray mist.

Eyes

Causes eye irritation.

Skin

Can cause skin irritation.

Inhalation

May be irritating to respiratory system.

Ingestion

May be irritating to mouth, throat, and stomach.

Target organs

Eyes. Skin. Inhalation.

Signs and symptoms

May be harmful if swallowed, absorbed through skin or inhaled.

Potential environmental effects

This product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have harmful or damaging effect on the environment.

SAFETY DATA SHEET

SDS NUMBER: 1000631397-15-LPI

SDS REVISIONS: NEW

DATE OF ISSUE: 01/15/15

EL CAZADOR 16-0-8

SUPERSEDES: NEW

3. COMPOSITION, INFORMATION ON INGREDIENTS

3.1 Substances

Classification according to 29 CFR 1910.1200

3.2 Mixtures

Chemical Name:	CAS No.	Classification	Concentration [%]
Muriate of Potash	7447-40-7	H320, 2B, Eye irritation.	~13.00
Iron Oxide	1317-61-9		~10.00
Urea	57-13-6		~35.00
Dolomite	16389-88-1		~42.00

4. FIRST AID MEASURES

4.1 Description of First Aid Measures

General Advice: Get medical attention if symptoms occur.

- Eye contact:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
- Ingestion:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
- Skin contact:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
- Inhalation:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferable by mouth-to-mouth, if possible. Call a poison control center or doctor for treatment advice.

4.2 Most Important Symptoms and Effects, Acute and Delayed

Symptoms: Eye irritation.

4.3 Immediate Medical Attention and Special Treatment

Treatment: Treat symptomatically. Symptoms may be delayed.

FOR A MEDICAL EMERGENCY INVOLVING THIS PRODUCT CALL: 1-866-944-8565

Take container, label or product name with you when seeking medical attention.

NOTES TO PHYSICIAN: No specific antidote. Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient.

5. FIRE FIGHTING MEASURES

5.1 EXTINGUISHING MEDIA:Suitable Extinguishing Media: Foam, carbon dioxide (CO₂), dry powder, water spray. Do not use water jet as this will spread the fire.**5.2 SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE:**

Specific Hazards During Firefighting: During a fire, oxides of carbon and silicon dioxide can be released.

5.3 SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIREFIGHTERS

Special Protective Equipment for Firefighters: Self-contained breathing apparatus and full protective gear should be worn in fighting large fires involving chemicals. Use water spray to keep fire exposed containers cool. Keep people away. Isolate fire and deny unnecessary entry.

SAFETY DATA SHEET

SDS NUMBER: 1000631397-15-LPI

SDS REVISIONS: NEW

DATE OF ISSUE: 01/15/15

EL CAZADOR 16-0-8

SUPERSEDES: NEW

6. ACCIDENTAL RELEASE MEASURES**6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES**

Personal Precautions: Avoid inhalation of vapors, dusts and spray mist and contact with skin and eyes. Ensure adequate ventilation. Wear suitable protective clothing.

6.2 ENVIRONMENTAL PRECAUTIONS

Environmental Precautions: Prevent further leakage or spillage if safe to do so. Do not contaminate water. Do not allow to enter drains, sewers, or watercourses.

6.3 METHODS AND MATERIALS FOR CONTAINMENT AND CLEAN-UP

Methods for Clean-Up: Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. After removal flush contaminated area thoroughly with water.
Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to Remove residual contamination.
Never return spills to original containers for re-use.

7. HANDLING AND STORAGE**7.1 PRECAUTIONS FOR SAFE HANDLING:**

Advice on Safe Handling: Avoid inhalation of dusts, vapors / spray and contact with eyes, skin and clothing. Do not breathe dusts, mist or vapor. Wear personal protective equipment. Do not use in areas without adequate ventilation. Avoid prolonged exposure. Wash thoroughly after handling. Do not empty into drains. Handle and open container with care. Use care in handling/storage. Wash before eating, drinking and/or smoking.

7.2 CONDITIONS FOR SAFE STORAGE:

Requirements for Storage Areas and Containers: Store in original container. Keep tightly closed. Do not reuse empty container. Do not contaminate water, food or feed by storage or disposal.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION**8.1 CONTROL PARAMETERS:****OCCUPATIONAL EXPOSURE LIMITS****U.S. Workplace Exposure Level (AIHA) WEELs**

Components	Type	Value
Urea (CAS: 57-13-6)	TWA	10 mg/m ³

Biological limit values**ACGIH Biological Exposure Indices**

Components	Value	Specimen
No listings		

8.2 EXPOSURE CONTROLS:**Engineering Measures**

Provide adequate general and local exhaust ventilation. Observe Occupational Exposure Limits and minimize the risk of inhalation of vapors and spray mists. Provide eyewash station and safety shower.

Individual Protection Measures:

Eye / Face Protection: Goggles or shielded safety glasses are recommended.

Skin Protection: Chemical resistant clothing is recommended. Routinely wash work clothing and protective equipment to remove contaminants. The use of chemical-resistant gloves is recommended when handling undiluted product. Be aware that the liquid may penetrate the gloves. Frequent change is advisable.

Respiratory Protection: In case of inadequate ventilation or risk of inhalation of dusts or vapors, use suitable respiratory equipment such as MSHA/NIOSH TC-21C or NIOSH approved respirator with N, R, P or HE filter. Wear respiratory protection during operations where spraying or misting occurs. If respirators are used, a program should be in place to assure compliance with 29 CFR 1910.134, the OSHA Respiratory Protection standard. Wear air supplied respiratory protection if exposure concentrations are unknown.

SAFETY DATA SHEET

SDS NUMBER: 1000631397-15-LPI

SDS REVISIONS: NEW

DATE OF ISSUE: 01/15/15

EL CAZADOR 16-0-8

SUPERSEDES: NEW

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 APPEARANCE :	Granular solid
ODOR:	Dusty.
ODOR THRESHOLD:	No data available.
COLOR:	Multi-colored.
pH:	No data available.
MELTING POINT / FREEZING POINT:	No data available
BOILING POINT:	No data available
FLASH POINT:	No data available
FLAMMABILITY (solid, gas):	No data available.
UPPER / LOWER FLAMMABILITY OR EXPLOSIVE LIMITS:	No data available.
VAPOR PRESSURE:	No data available.
SOLUBILITY:	Appreciable
PARTITION CO-EFFICIENT, n-OCTANOL / WATER:	No data available.
AUTO-IGNITION TEMPERATURE:	No data available.
DECOMPOSITION TEMPERATURE:	No data available
VISCOSITY, dynamic:	No data available
SPECIFIC GRAVITY (Water = 1):	1.0412 g/ml
BULK DENSITY:	65 lbs./ft ³ / 1041 kg/m ³

Note: These physical data are typical values based on material tested but may vary from sample to sample.
Typical values should not be construed as a guaranteed analysis of any specific lot or as specification items.

10. STABILITY AND REACTIVITY

10.1 REACTIVITY

Stable

10.2 CHEMICAL STABILITY

Stable under normal temperature conditions

10.3 POSSIBILITY OF HAZARDOUS REACTIONS

No reactions known under normal use conditions. Will not polymerize.

10.4 CONDITIONS TO AVOID

None known.

10.5 INCOMPATIBLE MATERIALS

None known.

10.6 HAZARDOUS DECOMPOSITION PRODUCTS

May include but are not limited to oxides of carbon, hydrogen chloride, hydrogen fluoride, oxides of nitrogen, ammonia, oxides of phosphorus, oxides of sulfur, hydrogen sulfide.

11. TOXICOLOGICAL INFORMATION

11.1 LIKELY ROUTES OF EXPOSURE

Eye contact, skin contact.

LC₅₀ (rat): No data available

LD₅₀ Oral (rat): 2,600 mg/kg (Muriate of Potash); 8,471 mg/kg (Urea)

LD₅₀ Dermal (rat): No data available

Acute Toxicity Estimates: No data available

Skin Irritation (rabbit): No data available

Eye Irritation (rabbit): No data available

Specific Target Organ Toxicity: Single exposure: No data available.

Aspiration: No data available

Skin Sensitization (guinea pig): Not a sensitizer

Carcinogenicity: No data available

Germ Cell Mutagenicity: No data available

Interactive Effects: None known

SAFETY DATA SHEET

SDS NUMBER: 1000631397-15-LPI

SDS REVISIONS: NEW

DATE OF ISSUE: 01/15/15

EL CAZADOR 16-0-8

SUPERSEDES: NEW

12. ECOLOGICAL INFORMATION**12.1 ECOTOXICITY**

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment. This product is not intended for use in aquatic settings.

Ecotoxicological Data

Components	Species	Test Results
Muriate of Potash	Gambusia affinis	435 mg/l, 96-hour LC ₅₀
	Daphnia magna	149 mg/l, 48-hour EC ₅₀
Urea	Daphnia magna	3,910 mg/l 96-hour EC ₅₀

Drift or runoff may adversely affect non-target plants.

Do not apply directly to water.

Do not contaminate water when disposing of equipment wash water.

Do not apply when weather conditions favor drift from target area.

12.2 PERSISTENCE AND DEGRADABILITY

Biodegradability: No data available

12.3 BIOACCUMULATIVE POTENTIAL

Bioaccumulation: No data available.

12.4 MOBILITY IN SOIL

No data available.

12.5 OTHER ADVERSE EFFECTS

Assessment: No data available.

13. DISPOSAL CONSIDERATIONS**13.1 WASTE TREATMENT METHODS**

Do not reuse empty bag. Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill, or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke. Do not contaminate water, food or feed by storage or disposal.

14. TRANSPORT INFORMATION**14.1 LAND TRANSPORT**

DOT Shipping Description: NOT REGULATED.

U.S. Surface Freight Classification: FERTILIZING COMPOUNDS (MANUFACTURED FERTILIZERS), NOI, DRY (NMFC 68140, SUB 5; CLASS 50)

15. REGULATORY INFORMATION**15.1 SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS****NFPA & HMIS Hazard Ratings:****NFPA**

1 Health	0 Least
0 Flammability	1 Slight
0 Instability	2 Moderate
	3 High
	4 Severe

HMIS

1 Health
0 Flammability
0 Reactivity
B PPE

SARA Hazard Notification/Reporting

SARA Title III Hazard Category: Immediate Y Fire N Sudden Release of Pressure N
 Delayed N Reactive N

Reportable Quantity (RQ) under U.S. CERCLA: No listings

SARA, Title III, Section 313: No listings

RCRA Waste Code: Not listed

CA Proposition 65: **WARNING:** This product contains chemicals known to the State of California to cause cancer or birth defects or other reproductive harm.

SAFETY DATA SHEET

SDS NUMBER: 1000631397-15-LPI

SDS REVISIONS: NEW

DATE OF ISSUE: 01/15/15

EL CAZADOR 16-0-8

SUPERSEDES: NEW

16. OTHER INFORMATION

SDS STATUS: New**PREPARED BY:** Registrations and Regulatory Affairs**REVIEWED BY:** Environmental Health and Safety

Disclaimer and Limitation of Liability: This data sheet was developed from information on the constituent materials identified herein and does not relate to the use of such materials in combination with any other material or process. No warranty is expressed or implied with respect to the completeness or ongoing accuracy of the information contained in this data sheet, and LOVELAND PRODUCTS, INC. disclaims all liability for reliance on such information. This data sheet is not a guarantee of safety. Users are responsible for ensuring that they have all current information necessary to safely use the product described by this data sheet for their specific purpose.