

FIFRA 24(c) Special Local Need Label (SLN)

For Distribution and use only in the State of California For use on Alfalfa for control of Aphids and Lygus bugs

EPA REG. No. 71512-10-279

SLN No. CA-140006

This label expires and must not be distributed or used in accordance with this SLN registration after May 31, 2020.

Directions for Use

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- This state-specific Section 24(c) labeling must be in the possession of the user at the time of application.
- Follow all applicable directions, restrictions, and precautions on the EPA registered label for EPA Reg. No. 71512-10-279.

Crop	Pest	Rate of Application
Alfalfa	Aphids Lygus Bugs (nymphs and adults)	2.8 oz per acre

Specific Directions for Use:

Begin applications before populations begin to build and before damage is evident, according to local pest management guidelines. Scout fields often and retreat as necessary to maintain populations below damaging levels. Rapidly growing plants may need retreatment.

To control Lygus Bugs and Aphids, apply Beleaf 50 SG Insecticide at the rate of 2.8 ounces (0.089 lb. active) per acre. Beleaf 50SG Insecticide controls aphids and Lygus bugs by contact and ingestion provoking rapid and irreversible feeding cessation. Aphids and other insects could remain on the plant until they desiccate.

Thorough spray coverage of plant foliage is essential for optimum control. Apply in sufficient water to ensure good coverage; use a minimum of 20 gallons of water per acre when applied by ground equipment; use a minimum of 10 gallons of water per acre when applied by air. Finished spray volumes should be increased under extreme pest populations of dense plant foliage. This product may be applied through irrigation systems. Refer to the EPA registered label for chemigation directions.

Follow the spray drift reduction advisory on the EPA registered label.

Specific Use Restrictions:

Do not apply more than 2.8 ounces (0.089 lb. active) per acre per application.

Do not make more than 2 applications in a crop year.

Do not apply more than 5.6 ounces (0.178 lb. active) per acre per season. Allow a minimum of 7 days between applications.

Do not allow foraging of fields within 14 days of the last application.

Do not allow harvest of hay within 62 days of the last application.

Rotational crops may be planted no sooner than 30 days after last application.

