

Max-In® Magnesium

Safety Data Sheet

NFPA HAZARD RATING

U.S. TRANSPORT SUMMARY

0	Least		
1	Slight	1	Health
2	Moderate	0	Flammability
3	High	0	Reactivity
4	Severe		

Not regulated by the U.S. DOT as a hazardous material. See Section 14 for additional information.

SECTION 1: IDENTIFICATION

Product Name: Max-In® Magnesium or Max-In® Magnesium 5% 6-0-0

EPA Registration #: Exempt

Product ID/Unity #: 1408878, 1408879, 1482551, 1482552

Common Name: Magnesium fertilizer Chemical Description: Magnesium nitrate

Recommended Uses: Fertilizer product – See product label for full directions for use.

Restrictions for Use: See product label for any potential restrictions on use.

Manufactured For: MEDICAL EMERGENCY TELEPHONE NUMBER: 1-877-424-7452 (24hrs)

WINFIELD SOLUTIONS, LLC

P. O. Box 64589 Non-Emergency Business Inquiries: 1-855-494-6343 St. Paul, MN 55164-0589 Mon – Fri 8am – 5pm (Central Standard Time)

FOR EMERGENCY, SPILL, LEAK, FIRE, EXPOSURE, OR ACCIDENT, CALL:

CHEMTREC 1-800-424-9300 (24 hours)

SECTION 2: HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW: Colorless to light yellow liquid with faint sweet odor. Causes eye and skin irritation. Harmful if swallowed. May cause respiratory irritation.

POTENTIAL HEALTH FEFFCTS:

Eyes: Causes moderate but temporary eye irritation. **Skin:** Causes moderate but temporary skin irritation.

Inhalation: May cause irritation of the upper respiratory tract and effects to the central nervous system.

Ingestion: Harmful if swallowed.

Preexisting Conditions: Pre-existing respiratory and skin conditions may be aggravated by exposure.

Chronic Health Effects: None known

Carcinogenicity NTP: Not listed IARC: Not listed OSHA: Not listed

OSHA HCS 2012 CLASSIFICATION: Acute Oral Toxicity Category 4; Skin Irritation Category 2; Eye Irritation Category 2B;

Specific Target Organ Toxicity – Single Exposure Category 3

SIGNAL WORD: WARNING

HAZARD STATEMENTS:

Harmful if swallowed. Causes skin irritation. Causes eye irritation.

May cause respiratory irritation.



Percent of product with unknown toxicity: 10%

PRECAUTIONARY STATEMENTS:

Prevention: Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective

gloves. Avoid breathing mist or vapor. Use only outdoors in a well-ventilated area.

Max-In® Magnesium

Response: If Swallowed: Immediately call a poison control center (1-877-424-7452) or doctor for treatment advice. Rinse

mouth. **If on skin**: Wash with plenty of water. If skin irritation occurs: Get medical attention. Take off contaminated clothing and wash before reuse. **If in eyes**: Rinse cautiously with water for 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention. **If inhaled**: Remove person to fresh air and keep comfortable for breathing. Call a poison control center (1-877-

424-7452) or doctor for treatment advice if you feel unwell.

Storage: Store in a well-ventilated place. Keep container tightly closed. Store locked up.

Disposal: Dispose of contents/container in accordance with Federal, state and local regulations.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS		
Ingredient	% (wt)	CAS Reg. #
Magnesium nitrate	21.0 – 31.0%	10377-60-3
*Ingredients not specifically listed are non-hazardous and are considered to be confidential business information under 29 CFR 1910.1200(i).		

	SECTION 4: FIRST AID MEASURES
Inhalation:	Remove person from contaminated area to fresh air and assist breathing as needed. Seek medical attention if irritation occurs.
Ingestion:	Seek medical attention or call a poison control center for treatment advice. Do not induce vomiting unless instructed to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
Eyes:	Flush eyes with clean water for at least 15 minutes. Lift eyelids to facilitate irrigation. If present, remove contact lenses after 5 minutes and continue rinsing. Seek medical attention if irritation persists.
Skin:	Remove contaminated clothing and wash before re-using. Flush skin with water and then wash with soap and water. Seek medical attention if irritation persists.

SECTION 5: FIRE FIGHTING MEASURES

Suitable Extinguishing Media: Water fog, foam, dry chemical powder, carbon dioxide (CO2)

Unsuitable Extinguishing Media: Water jet – this may spread the fire

Special Fire Fighting Procedures: Wear NIOSH/MSHA approved self-contained breathing apparatus and full bunker gear. Dike area to prevent runoff and contamination of water sources. Dispose of fire control water later. Avoid breathing vapors; keep upwind.

Hazardous Combustion Products: Carbon oxides and nitrogen oxides may be formed under fire conditions.

Unusual Fire and Explosion Hazards: None known

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions: Refer to Section 8 for personal protective equipment to be worn during containment and clean-up of a spill involving this product.

Environmental Precautions: Do not allow spilled product to enter sewers or waterways.

Methods for Containment: Contain spilled product by diking area with sand or earth.

Methods for Clean-up: Cover contained spill with an inert absorbent material such as sand, vermiculite or other appropriate material. Vacuum, scoop or sweep up material and place in a container for disposal. Do not place spilled material back in original container.

Other Information: None known

See Section 8 for exposure limits.

SECTION 7: HANDLING AND STORAGE

Handling: Ensure adequate ventilation during handling and use. Immediately clean up spills that occur during handling. Keep containers closed when not in use. Practice good hygiene after using this material, especially before eating, drinking, smoking, using the toilet, or applying cosmetics.

Storage: Store in a secured area, away from children, feed and food products. Store in original container only and in a cool, well-ventilated dry place above the minimum storage temperature.

Minimum Storage Temperature: 40°F

Other Precautions: Consult Federal, state and local laws and regulations pertaining to storage.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION			
Exposure Guidelines			
Component:	OSHA PEL	ACGIH TLV	NIOSH REL
No components have established limits			
Respiratory Protection : For most well-ventilated conditions, no respiratory protection should be needed. If used in areas where ventilation is inadequate or if a pre-existing respiratory condition exists, use a NIOSH approved air-purifying respirator with cartridges/canisters approved for general particulates.			
Engineering Controls: Local Exhaust: Pr concentrations belo preferred.		ust ventilation systems to mecified exposure limits. Loca	
Protective Gloves: Wear chemically protective	gloves to prevent exposure	e to skin.	
Eye Protection : Wear chemical goggles or safety glasses and full face shield. Contact lenses are not protective eye devices.			
An emergency eyewash or water supply should be readily accessible to the work area.			
Other Protective Clothing or Equipment: Wear long-sleeve shirt, long pants and shoes plus socks to prevent skin contact.			
Work/Hygienic Practices: Never eat, drink, nor use tobacco in work areas. Practice good hygiene after using this material,			
especially before eating, drinking, smoking, using the toilet, or applying cosmetics.			

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES			
Physical State:	Liquid	Specific Gravity (H ₂ O=1):	1.32 (typical)
Vapor Pressure (mm Hg):	0.09 hPa (estimated)	Density (lbs/gallon):	11.01 lbs/gallon (typical)
Vapor Density (Air=1):	Not available	Melting Point/Freezing Point:	Not determined
Solubility in Water (wt %):	100%	Boiling Point/Range:	Not determined
Viscosity:	Not determined	pH:	2.5 – 3.5 (concentrate)
			5.0 – 7.0 (1% in water)
Appearance and odor:	Colorless to light yellow with	Flash Point:	Not determined
	faint sweet odor		

SECTION 10: STABILITY AND REACTIVITY

Reactivity: None known

Chemical Stability: Product is stable at ambient temperature and pressure, under normal storage and handling conditions.

Possibility of Hazardous Reactions: Will not occur.

Conditions to Avoid: Extreme temperatures and contact with incompatible materials.

Incompatible Materials: Strong oxidizing agents.

Hazardous Decomposition Products: No hazardous decomposition products are known.

SECTION 11: TOXICOLOGICAL INFORMATION

ACUTE TOXICITY

Eye Effects: Causes moderate but temporary eye irritation. Skin Effects: Causes moderate but temporary skin irritation.

Acute Inhalation Effects: May cause irritation to the respiratory system and may have effects on the central nervous

system.

Acute Oral Effects: Harmful if swallowed.

Specific Target Organ

Toxicity:

None known

CHRONIC TOXICITY

Chronic Effects: None known
Carcinogenicity: None known
Mutagenicity: None known
Teratogenicity: None known
Reproductive Toxicity: None known

POTENTIAL HEALTH EFFECTS:

Eyes: Causes moderate but temporary eye irritation. **Skin:** Causes moderate but temporary skin irritation.

Inhalation: May cause irritation of the upper respiratory tract and effects to the central nervous system.

Ingestion: Harmful if swallowed.

SECTION 12: ECOLOGICAL INFORMATION

ENVIRONMENTAL SUMMARY: Not determined

ECOTOXICITY DATA:

Fish Acute and Prolonged Toxicity:
Aquatic Invertebrate Acute Toxicity:
Aquatic Plant Toxicity:
Bird Acute and Prolonged Toxicity:
Honeybee Toxicity:

Not determined
Not determined
Not determined
Not determined

ENVIRONMENTAL EFFECTS:

Soil Absorption/Mobility: Not determined
Persistence and degradability: Not determined
Bioaccumulative Potential: Not determined
Other adverse effects: Not determined

SECTION 13: DISPOSAL CONSIDERATIONS

Waste: Dispose of in accordance with applicable Federal, state and local laws and regulations.

Container: Triple rinse and recycle the container or dispose of in accordance with Federal, state and local laws and regulations. **RCRA Characteristics:** It is the responsibility of the individual disposing of this product to determine the RCRA classification and hazard status of the waste.

	SECTION 14: TRANSPORT INFORMATION
DOT: (Ground)	This product is not regulated by the U.S. Department of Transportation as a hazardous material for ground shipment.
IMDG: (Sea)	This product is not regulated by the IMDG code as a hazardous material for shipment by sea.
IATA: (Air)	This product is not regulated by the IATA as a hazardous material for air shipment.
TDG: (Canada)	Not determined

SECTION 15: REGULATORY INFORMATION

TSCA Inventory: All components are either listed or exempt from listing on the TSCA inventory.

SARA Title III Information:

Section 302 - Extremely hazardous substances: None listed Section 311/312 - Hazard Categories: Immediate (Acute)

Section 313 - The following chemicals are subject to the reporting requirements of Section 313 of Title III, Superfund

Amendments and Reauthorization Act of 1986 and 40 CFR 372:

None listed

CERCLA - This product contains the following chemicals which have a reportable quantity (RQ) under the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA):

None listed

California Proposition 65: This product does not contain any chemicals known to the state of California to cause cancer and/or reproductive harm.

U.S. State Worker and Community Right-To-Know (RTK) Information (CT, IL, MA, MN, NH, NJ, PA, RI):

Chemical NameCAS #State(s)Magnesium nitrate10377-60-3MA, PA

Canadian Domestic Substances List: All components are either listed or exempt from listing on the DSL

WHMIS Classification: D2B

SECTION 16: OTHER

Disclaimer: The information presented herein is based on available data from reliable sources and is correct to the best of WinField Solutions' knowledge. WinField Solutions, LLC makes no warranty, express nor implied, regarding the accuracy of the data or the results obtained from the use of this product. Nothing herein may be construed as recommending any practice or any product in violation of any law or regulations. The user is solely responsible for determining the suitability of any material or product for a specific purpose and for adopting any appropriate safety precautions. We disclaim all liability for injury or damage stemming from any improper use of the material or product described herein.

Revision Date: October 10, 2018 Supersedes document dated: August 12, 2013