

Revision Date: 09/23/2016

Print Date: 09/24/2018

# BROADFORM™

Version 1.0 / USA 102000012886

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

**Product identifier** 

Trade name BROADFORM™

Product code (UVP) 84469882

**SDS Number** 102000012886

**EPA Registration No.** 432-1537

Relevant identified uses of the substance or mixture and uses advised against

**Use** Fungicide

**Restrictions on use**See product label for restrictions.

Information on supplier

Supplier Bayer Environmental Science

2 T.W. Alexander Drive

Research Triangle PK, NC 27709

USA

Responsible Department Email: SDSINFO.BCS-NA@bayer.com

Emergency telephone no.

Emergency Telephone Number (24hr/ 7 days) 1-800-334-7577

Product Information Telephone Number

1-800-331-2867

## **SECTION 2: HAZARDS IDENTIFICATION**

Classification in accordance with regulation HCS 29CFR §1910.1200

Acute toxicity(Oral): Category 4

Labelling in accordance with regulation HCS 29CFR §1910.1200



Signal word: Warning

**Hazard statements** 

Harmful if swallowed.

**Precautionary statements** 

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

IF SWALLOWED: Call a POISON CENTER/doctor/physician if you feel unwell.



**BROADFORM™** 

Version 1.0 / USA Revision Date: 09/23/2016
102000012886 Print Date: 09/24/2018

Rinse mouth.

Dispose of contents/container in accordance with local regulation.

## **Hazards Not Otherwise Classified (HNOC)**

No physical hazards not otherwise classified. No health hazards not otherwise classified.

#### **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

Hazardous Component Name	CAS-No.	Concentration % by weight		
Fluopyram	658066-35-4	21.4		
Trifloxystrobin	141517-21-7	21.4		
1,2-Propanediol	57-55-6	9.0		

## **SECTION 4: FIRST AID MEASURES**

#### Description of first aid measures

General advice When possible, have the product container or label with you when

calling a poison control center or doctor or going for treatment.

**Inhalation** Move to fresh air. If person is not breathing, call 911 or an ambulance,

then give artificial respiration, preferably mouth-to-mouth if possible.

Call a physician or poison control center immediately.

Skin contact Take off contaminated clothing and shoes immediately. Wash off

immediately with plenty of water for at least 15 minutes. Call a

physician or poison control center immediately.

**Eye contact** Hold eye open and rinse slowly and gently with water for 15-20

minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center

immediately.

**Ingestion** Call a physician or poison control center immediately. Rinse out mouth

and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim

unattended.

Most important symptoms and effects, both acute and delayed

**Symptoms** To date no symptoms are known.

Indication of any immediate medical attention and special treatment needed

**Treatment** Appropriate supportive and symptomatic treatment as indicated by the

patient's condition is recommended. There is no specific antidote.



## BROADFORM™

Version 1.0 / USA 102000012886

Revision Date: 09/23/2016 Print Date: 09/24/2018

#### **SECTION 5: FIREFIGHTING MEASURES**

**Extinguishing media** 

Suitable Use water spray, alcohol-resistant foam, dry chemical or carbon

dioxide.

**Unsuitable** High volume water jet

Special hazards arising from the substance or

mixture

In the event of fire the following may be released:, Hydrogen chloride (HCl), Hydrogen cyanide (hydrocyanic acid), Hydrogen fluoride,

Carbon monoxide (CO), Nitrogen oxides (NOx)

Advice for firefighters

Special protective

equipment for firefighters

Firefighters should wear NIOSH approved self-contained breathing

apparatus and full protective clothing.

Further information Keep out of smoke. Fight fire from upwind position. Cool closed

containers exposed to fire with water spray. Do not allow run-off from

fire fighting to enter drains or water courses.

Flash point > 100 °C

Auto-ignition temperature370 °C / 698 °FLower explosion limitNo data availableUpper explosion limitNo data available

**Explosivity** Not explosive

92/69/EEC, A.14 / OECD 113

#### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures

**Precautions** Keep unauthorized people away. Isolate hazard area. Avoid contact

with spilled product or contaminated surfaces.

Methods and materials for containment and cleaning up

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid

binder, universal binder, sawdust). Collect and transfer the product

into a properly labelled and tightly closed container. Clean

contaminated floors and objects thoroughly, observing environmental

regulations.

Additional advice Use personal protective equipment. If material is accidentally spilled,

do not allow to enter soil, waterways or waste water canal.

**Reference to other sections** Information regarding safe handling, see section 7.

Information regarding personal protective equipment, see section 8.

Information regarding waste disposal, see section 13.



# **BROADFORM™**

Version 1.0 / USA 102000012886

Revision Date: 09/23/2016 Print Date: 09/24/2018

#### **SECTION 7: HANDLING AND STORAGE**

Precautions for safe handling

**Advice on safe handling** Use only in area provided with appropriate exhaust ventilation. Handle

and open container in a manner as to prevent spillage.

**Hygiene measures** Wash hands thoroughly with soap and water after handling and before

eating, drinking, chewing gum, using tobacco, using the toilet or

applying cosmetics.

Remove Personal Protective Equipment (PPE) immediately after handling this product. Before removing gloves clean them with soap and water. Remove soiled clothing immediately and clean thoroughly before using again. Wash thoroughly with soap and water after handling.

Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Store in a cool, dry place and in such a manner as to prevent cross contamination with other crop protection products, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area. Protect from freezing. Keep away from direct sunlight.

## **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

## **Control parameters**

Components	CAS-No.	Control parameters	Update	Basis	
Fluopyram	658066-35-4	0.34 mg/m3 (TWA)	OES BCS*		
Trifloxystrobin	141517-21-7	2.7 mg/m3 (SK-SEN)		OES BCS*	
1,2-Propanediol	57-55-6	500ppb (ST ESL)	03 2014	TX ESL	
1,2-Propanediol	57-55-6	100ug/m3 (AN ESL)	•		
1,2-Propanediol	57-55-6	1000ug/m3 (ST ESL)	· ·		
1,2-Propanediol	57-55-6	50ppb (AN ESL)	03 2014	TX ESL	
1,2-Propanediol (Aerosol.)	57-55-6	10 mg/m3 (TWA)	2010	WEEL	
Polyethylene-polypropylene copolymer	9003-11-6	100ug/m3 (AN ESL)	•		
Polyethylene-polypropylene copolymer	9003-11-6	1000ug/m3 03 20 (ST ESL)		TX ESL	

<sup>\*</sup>OES BCS: Internal Bayer CropScience "Occupational Exposure Standard"

#### **Exposure controls**

#### Personal protective equipment



## BROADFORM™

 Version 1.0 / USA
 Revision Date: 09/23/2016

 102000012886
 Print Date: 09/24/2018

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

**Respiratory protection** When respirators are required, select NIOSH approved equipment

based on actual or potential airborne concentrations and in

accordance with the appropriate regulatory standards and/or industry

recommendations.

Hand protection Chemical resistant nitrile rubber gloves

**Eye protection** Safety glasses with side-shields

**Skin and body protection** Wear long-sleeved shirt and long pants and shoes plus socks.

**General protective measures** Follow manufacturer's instructions for cleaning/maintaining PPE. If

no such instructions for washables, use detergent and warm/tepid

water.

Keep and wash PPE separately from other laundry.

## **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearancewhite to beigePhysical StatesuspensionOdorcharacteristic

Odour Threshold No data available

**pH** 5.0 - 8.0 at 100 % (23 °C)

Vapor Pressure No data available
Vapor Density (Air = 1) No data available

Density ca. 1.17 g/cm³ at 20 °C

Evaporation rateNo data availableBoiling PointNo data availableMelting / Freezing PointNo data available

Water solubility suspensive

Minimum Ignition Energy Not applicable

Decomposition No data available temperature

Partition coefficient: n-

octanol/water

Not applicable

Viscosity 240 - 350 mPa×s at 20 °C Velocity gradient 20 /s

Flash point  $> 100 \,^{\circ}\text{C}$ 

Auto-ignition temperature370 °C / 698 °FLower explosion limitNo data availableUpper explosion limitNo data available



## BROADFORM™

Version 1.0 / USA Revision Date: 09/23/2016
102000012886 Print Date: 09/24/2018

**Explosivity** Not explosive

92/69/EEC, A.14 / OECD 113

**Other information** Further safety related physical-chemical data are not known.

## **SECTION 10: STABILITY AND REACTIVITY**

Reactivity

Thermal decomposition No data available

**Chemical stability** Stable under recommended storage conditions.

Possibility of hazardous

reactions

No hazardous reactions when stored and handled according to

prescribed instructions.

**Conditions to avoid** Extremes of temperature and direct sunlight.

Incompatible materials No data available

**Hazardous decomposition** 

products

No decomposition products expected under normal conditions of use.

## **SECTION 11: TOXICOLOGICAL INFORMATION**

**Exposure routes** Skin Absorption, Ingestion, Inhalation, Eye contact

**Immediate Effects** 

**Skin** Harmful if absorbed through skin.

IngestionHarmful if swallowed.InhalationHarmful if inhaled.

Information on toxicological effects

Acute oral toxicity LD50 (female Rat) 2,000 mg/kg

Acute inhalation toxicity LC50 (Rat) > 1.7 mg/l Exposure time: 4 h

Determined in the form of liquid aerosol. Highest attainable concentration.

No deaths

Acute dermal toxicityLD50 (Rat) > 2,000 mg/kgSkin irritationNo skin irritation (Rabbit)Eye irritationNo eye irritation (Rabbit)SensitisationNon-sensitizing. (Mouse)

OECD Test Guideline 429, local lymph node assay (LLNA)

Assessment STOT Specific target organ toxicity - repeated exposure



## BROADFORM™

Version 1.0 / USA 102000012886

ACGIH None. Revision Date: 09/23/2016 Print Date: 09/24/2018

Fluopyram did not cause specific target organ toxicity in experimental animal studies. Trifloxystrobin did not cause specific target organ toxicity in experimental animal studies.

## **Assessment mutagenicity**

Fluopyram was not mutagenic or genotoxic in a battery of in vitro and in vivo tests. Trifloxystrobin was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

#### Assessment carcinogenicity

Fluopyram caused at high dose levels an increased incidence of tumours in rats in the following organ(s): Liver.

Fluopyram caused at high dose levels an increased incidence of tumours in mice in the following organ(s): Thyroid.

The tumours seen with Fluopyram were caused through a non-genotoxic mechanism, which is not relevant at low doses. The mechanism that triggers these tumours is not relevant to humans. Trifloxystrobin was not carcinogenic in lifetime feeding studies in rats and mice.

NTP			
None.			
IARC			
None.			
OSHA			
None.			
_	 		

#### Assessment toxicity to reproduction

Fluopyram caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Fluopyram is related to parental toxicity. Trifloxystrobin caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Trifloxystrobin is related to parental toxicity.

## Assessment developmental toxicity

Fluopyram caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Fluopyram are related to maternal toxicity.

Trifloxystrobin caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Trifloxystrobin are related to maternal toxicity.

#### **Further information**

Only acute toxicity studies have been performed on the formulated product. The non-acute information pertains to the active ingredient(s).

#### **SECTION 12: ECOLOGICAL INFORMATION**



Revision Date: 09/23/2016

Print Date: 09/24/2018

# **BROADFORM™**

Version 1.0 / USA 102000012886

Exposure time: 96 h

Toxicity to aquatic

EC50 (Daphnia magna (Water flea)) 0.086 mg/l

**invertebrates** Exposure time: 48 h

Toxicity to aquatic plants IC50 (Raphidocelis subcapitata (freshwater green alga)) 0.292 mg/l

Growth rate; Exposure time: 72 h

**Biodegradability** Fluopyram:

Not rapidly biodegradable

Trifloxystrobin:

Not rapidly biodegradable

Koc Fluopyram: Koc: 279

Trifloxystrobin: Koc: 2377

**Bioaccumulation** Fluopyram: Bioconcentration factor (BCF) 18

Does not bioaccumulate.

Trifloxystrobin: Bioconcentration factor (BCF) 431

Does not bioaccumulate.

**Mobility in soil** Fluopyram: Moderately mobile in soils

Trifloxystrobin: Slightly mobile in soils

Additional ecological

information

No other effects to be mentioned.

**Environmental precautions** Do not apply directly to water, to areas where surface water is present

or to intertidal areas below the mean high water mark.

Drift and runoff from treated areas may be hazardous to aquatic

organisms in adjacent sites.

Do not apply when weather conditions favor runoff or drift.

Do not contaminate surface or ground water by cleaning equipment or

disposal of wastes, including equipment wash water.

Apply this product as specified on the label.

## **SECTION 13: DISPOSAL CONSIDERATIONS**

#### Waste treatment methods

**Product** Improper disposal of excess pesticide, spray mixture, or rinsate is a

violation of Federal Law.

If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA

Regional Office for guidance.

**Contaminated packaging** Do not re-use empty containers.

Triple rinse containers.



**BROADFORM™** 

Version 1.0 / USA Revision Date: 09/23/2016
102000012886 Print Date: 09/24/2018

Completely empty container into application equipment, then dispose of

empty container in a sanitary landfill, by incineration or by other procedures approved by state/provincial and local authorities.

If burned, stay out of smoke.

Follow advice on product label and/or leaflet.

**RCRA Information** Characterization and proper disposal of this material as a special or

hazardous waste is dependent upon Federal, State and local laws and

are the user's responsibility. RCRA classification may apply.

#### **SECTION 14: TRANSPORT INFORMATION**

**49CFR** Not dangerous goods / not hazardous material

**IMDG** 

UN number 3082
Class 9
Packaging group III
Marine pollutant YES

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(TRIFLOXYSTROBIN SOLUTION)

**IATA** 

UN number 3082
Class 9
Packaging group III
Environm. Hazardous Mark YES

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(TRIFLOXYSTROBIN SOLUTION)

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

#### **SECTION 15: REGULATORY INFORMATION**

**EPA Registration No.** 432-1537

**US Federal Regulations** 

**TSCA list** 

1,2-Propanediol 57-55-6

US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)

SARA Title III - Section 302 - Notification and Information

None.

SARA Title III - Section 313 - Toxic Chemical Release Reporting



10/11

## **BROADFORM™**

 Version 1.0 / USA
 Revision Date: 09/23/2016

 102000012886
 Print Date: 09/24/2018

None.

**US States Regulatory Reporting** 

CA Prop65

This product does not contain any substances known to the State of California to cause cancer.

This product does not contain any substances known to the State of California to cause reproductive harm.

**US State Right-To-Know Ingredients** 

1,2-Propanediol 57-55-6 MN

Canadian Regulations

**Canadian Domestic Substance List** 

None.

**Environmental** 

**CERCLA** 

None.

**Clean Water Section 307 Priority Pollutants** 

None.

Safe Drinking Water Act Maximum Contaminant Levels

None.

#### **EPA/FIFRA Information:**

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information required on the pesticide label:

Signal word: Caution!

Hazard statements: Harmful if swallowed, inhaled or absorbed through the skin.

Avoid contact with skin, eyes and clothing.

Avoid inhalation of vapour or mist.

Wash thoroughly with soap and water after handling.

## **SECTION 16: OTHER INFORMATION**

#### Abbreviations and acronyms

49CFR Code of Federal Regulations, Title 49 ACGIH US. ACGIH Threshold Limit Values

ATE Acute toxicity estimate

CAS-Nr. Chemical Abstracts Service number

CERCLA Comprehensive Environmental Response, Compensation, and Liability Act

EINECS European inventory of existing commercial substances

ELINCS European list of notified chemical substances IARC International Agency for Research on Cancer IATA International Air Transport Association IMDG International Maritime Dangerous Goods



# **BROADFORM™**

 Version 1.0 / USA
 Revision Date: 09/23/2016

 102000012886
 Print Date: 09/24/2018

N.O.S. Not otherwise specified

NTP US. National Toxicology Program (NTP) Report on Carcinogens OECD Organization for Economic Co-operation and Development

TDG Transportation of Dangerous Goods

TWA Time weighted average

UN United Nations

WHO World health organisation

NFPA 704 (National Fire Protection Association):

Health - 2 Flammability - 1 Instability - 0 Others - none

HMIS (Hazardous Materials Identification System, based on the Third Edition Ratings Guide)

Health - 2 Flammability - 1 Physical Hazard - 0 PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

**Reason for Revision:** Revised according to the current OSHA Hazard Communication Standard (29CFR1910.1200)

Revision Date: 09/23/2016

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.