

NFPA HAZARD RATING

U.S. TRANSPORT SUMMARY

1	0	Least		
	1	Slight	1	Health
	2	Moderate	0	Flammability
	3	High	0	Reactivity
	4	Severe		

Not regulated by the US DOT as a hazardous chemical. See Section 14 for additional information.

MEDICAL EMERGENCY TELEPHONE NUMBER: 1-877-424-7452 (24hrs)

SECTION 1: IDENTIFICATION

Product Name: Max-ln® Zinc EPA Registration #: Exempt

Product ID/Unity #: 1544008, 1544009, 1544010
Common Name: Micronutrient fertilizer
Chemical Description: Liquid zinc fertilizer

Recommended Uses: Fertilizer product – See product label for full directions for use.

Restrictions for Use: See product label for any potential use restrictions on the use of this product.

Manufactured For: WINFIELD SOLUTIONS, LLC

P. O. Box 64589 Non-Emergency Business Inquiries: 1-855-494-6343 St. Paul, MN 55164-0589 Mon – Fri 8am – 5pm (Central Standard Time)

FOR EMERGENCY, SPILL, LEAK, FIRE, EXPOSURE, OR ACCIDENT, CALL:

CHEMTREC 1-800-424-9300 (24 hours)

SECTION 2: HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW: Amber to brown liquid, slight organic odor. May cause respiratory irritation.

POTENTIAL HEALTH EFFECTS:

Eyes: May cause mild but temporary irritation.

Skin: Short-term exposure is unlikely to cause irritation. Prolonged contact may cause redness and itching.

Inhalation: Inhalation of mist may cause irritation of the upper respiratory tract.

Ingestion: May be harmful if swallowed.

Preexisting Conditions: Pre-existing respiratory conditions may be aggravated by exposure to mists.

Chronic Health Effects: None known.

Carcinogenicity NTP: Not listed IARC: Not listed OSHA: Not listed

OSHA HCS 2012 CLASSIFICATION: Specific Target Organ Toxicity – Single Exposure Category 3

SIGNAL WORD: WARNING

HAZARD STATEMENTS:

May cause respiratory irritation.



Percent of product with unknown toxicity: 0%

PRECAUTIONARY STATEMENTS:

Prevention: Avoid breathing mist, spray, fumes. Use only outdoors in a well-ventilated area.

Response: If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison control center (1-877-

424-7452) or doctor for treatment advice if you feel unwell.

Storage: Store in a well-ventilated place. Keep container tightly closed. Store locked up.

Disposal Dispose of contents/container in accordance with Federal, state and local regulations.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS				
Ingredient	% (wt)	CAS Reg. #		
Citric acid	17.0 – 22.0%	77-92-9		
Monoethanolamine	10.0 – 14.0%	141-43-5		
Zinc oxide	5.0 – 10.0%	1314-13-2		
*Ingredients not specifically listed are non-hazardous and/or are considered to be confidential business information under 29				

*Ingredients not specifically listed are non-hazardous and/or are considered to be confidential business information under 29 CFR 1910.1200(i).

See Section 8 for exposure limits.

SECTION 4: FIRST AID MEASURES		
Inhalation:	Remove person from contaminated area to fresh air and assist breathing as needed. See medical attention if irritation occurs.	
Ingestion:	Seek medical attention immediately or call a poison control center for treatment advice. Do not induce vomiting unless instructed to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.	
Eyes:	Flush eyes with clean water for at least 15 minutes. Lift eyelids to facilitate irrigation. If present, remove contact lenses after 5 minutes and continue rinsing. Seek medical attention if irritation persists.	
Skin:	Remove contaminated clothing and wash before re-using. Flush skin with water and then wash with soap and water. Seek medical attention if irritation persists.	

SECTION 5: FIRE FIGHTING MEASURES

Suitable Extinguishing Media: Use carbon dioxide or dry chemical for small fires and water fog or foam for large fires. **Unsuitable Extinguishing Media:** Water jet. Use a water jet only to cool heated containers. This product will produce foam when mixed with water.

Special Fire Fighting Procedures: Wear NIOSH/MSHA approved self-contained breathing apparatus and full bunker gear. Dike area to prevent runoff and contamination of water sources. Dispose of fire control water later. Avoid breathing vapors; keep upwind.

Hazardous Combustion Products: Toxic gases such as carbon monoxide and other asphyxiates may form as well. **Unusual Fire and Explosion Hazards:** None known.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions: Refer to Section 8 for personal protective equipment to be worn during containment and clean-up of a spill involving this product.

Environmental Precautions: Keep spilled product and any rinse water from entering sewers or waterways.

Methods for Containment: Contain spilled product by diking area with sand or earth.

Methods for Clean-up: Cover contained spill with an inert absorbent material such as sand, vermiculite or other appropriate material. Do not use combustible material such as sawdust. Scoop or sweep up material and place in a container for disposal. Do not place spilled material back in original container.

Other Information: None known

SECTION 7: HANDLING AND STORAGE

Handling: Ensure adequate ventilation during handling and use. Immediately clean up spills that occur during handling. Keep containers closed when not in use. Practice good hygiene after using this material, especially before eating, drinking, smoking, using the toilet, or applying cosmetics.

Storage: Store in secure, cool, dry areas away from children, food and feed products in an area away from incompatible substances. Protect packaging from physical damage. Protect from exposure to fire. Maintain product above minimum storage temperature.

Minimum Storage Temperature: 40°F

Other Precautions: Consult Federal, state and local laws and regulations pertaining to storage.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION					
Exposure Guidelines					
Component:	OSHA PEL	ACGIH TLV	NIOSH REL		
Ethanolamine (CAS# 141-43-5)	3 ppm (TWA)	3 ppm (TWA)	3 ppm (TWA)		
Zinc oxide (CAS# 1314-13-2)		2mg/m3 (TWA)			

Respiratory Protection: For most well-ventilated conditions, no respiratory protection should be needed. If used in a poorly ventilated area, use a NIOSH approved air-purifying respirator with cartridges/canisters approved for organic vapors.

Engineering Controls: Local Exhaust: Provide general or local exhaust ventilation systems to maintain airborne

concentrations below OSHA PELs or other specified exposure limits. Local exhaust ventilation is

preferred.

Protective Gloves: Wear chemically protective gloves to prevent against skin contact.

Eye Protection: To avoid contact with eyes, wear chemical goggles or full face shield and safety glasses. Contact lenses are not protective eye devices. An emergency eyewash or water supply should be readily accessible to the work area.

Other Protective Clothing or Equipment: Wear long-sleeve shirt, long pants and chemical resistant shoes plus socks to prevent skin contact.

Work/Hygienic Practices: Never eat, drink, nor use tobacco in work areas. Practice good hygiene after using this material, especially before eating, drinking, smoking, using the toilet, or applying cosmetics.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Liquid Specific Gravity (H₂O=1): 1.23 (typical)

Vapor Pressure (mm Hg): Not determined Density (lbs/gallon): 10.25 lbs/gallon (typical)

Not determined Vapor Density (Air=1): Melting Point/Freezing Point: Not determined Solubility in Water (wt %): Miscible Boiling Point/Range: Not determined Viscosity (centistokes): 6.0 - 7.0Not determined pH: Amber to brown liquid with Appearance and odor: Flash Point: Not determined

slight organic odor.

SECTION 10: STABILITY AND REACTIVITY

Reactivity: None known

Chemical Stability: Product is stable at ambient temperature and pressure, under normal storage and handling conditions.

Possibility of Hazardous Reactions: None known.

Conditions to Avoid: Extreme temperatures, temperatures below 40°F

Incompatible Materials: Strong oxidizers, reducing agents strong acids, strong bases.

Hazardous Decomposition Products: Toxic gases such as carbon oxides may be formed in a fire situation.

SECTION 11: TOXICOLOGICAL INFORMATION

ACUTE TOXICITY

Eye Effects: Causes mild eye irritation clearing in approximately 1 hour (rabbit). **Skin Effects:** Does not cause skin irritation (rabbit). Estimated LD50 = 4,623 mg/kg

Acute Inhalation Effects: Estimated LC50 = 15 mg/L; May cause respiratory irritation.

Acute Oral Effects: Estimated LD50 = 7,187 mg/kg

Specific Target Organ Toxicity: Respiratory tract

CHRONIC TOXICITY

Chronic Effects: None known
Carcinogenicity: None known
Mutagenicity: None known
Teratogenicity: None known
Reproductive Toxicity: None known

POTENTIAL HEALTH EFFECTS:

Eyes: May cause mild but temporary irritation.

Skin: Short-term exposure is unlikely to cause irritation. Prolonged contact may cause redness and itching.

Inhalation: Inhalation of mist may cause irritation of the upper respiratory tract.

Ingestion: May be harmful if swallowed.

SECTION 12: ECOLOGICAL INFORMATION

ENVIRONMENTAL SUMMARY: Not determined

ECOTOXICITY DATA:

Fish Acute and Prolonged Toxicity: Estimated LC50 = 1,137 mg/L (Based upon data from 63% of the composition.) **Aquatic Invertebrate Acute Toxicity:** Estimated EC50 for *Daphnia magna* = 349 mg/L (Based upon data from 63% of the

composition.)

Aquatic Plant Toxicity: Estimated EC50 = 82 mg/L (Based upon data from 63% of the composition.)

Bird Acute and Prolonged Toxicity: Not determined Honeybee Toxicity: Not determined

ENVIRONMENTAL EFFECTS:

Soil Absorption/Mobility: Not determined
Persistence and degradability: Not determined
Bioaccumulative Potential: Not determined
Other adverse effects: Not determined

SECTION 13: DISPOSAL CONSIDERATIONS

Waste: Dispose of in accordance with applicable Federal, state and local laws and regulations.

Container: Triple rinse and recycle the container or dispose of in accordance with Federal, state and local laws and regulations. **RCRA Characteristics:** It is the responsibility of the individual disposing of this product to determine the RCRA classification and hazard status of the waste.

	SECTION 14: TRANSPORT INFORMATION
DOT: (Ground)	This product is not regulated by the US Department of Transportation as a hazardous material for ground shipment.
IMDG: (Sea)	This product is not regulated by the IMDG code as a hazardous material for shipment by sea.
IATA: (Air)	This product is not regulated by the IATA as a hazardous material for air shipment.
TDG: (Canada)	This product is not regulated by the TDG as a hazardous material for ground shipment.

SECTION 15: REGULATORY INFORMATION

TSCA Inventory: All components are listed or exempt from listing on the TSCA inventory.

SARA Title III Information:

Section 302 - Extremely hazardous substances: None listed Section 311/312 - Hazard Categories: Immediate (Acute)

Section 313 – The following chemicals are subject to the reporting requirements of Section 313 of Title III, Superfund Amendments and Reauthorization Act of 1986 and 40 CFR 372:

Amendments and Reauthorization Act of 1986 and 40 CFR 372:

None listed

CERCLA – This material does not contain any substances regulated as hazardous substances under CERCLA or SARA. Zinc compounds are considered to be CERCLA hazardous substances though no RQ has been established.

California Proposition 65: This product contains no chemicals known to the state of California to cause cancer and/or reproductive harm.

U.S. State Worker and Community Right-To-Know (RTK) Information (CT, IL, MA, MN, NH, NJ, PA, RI):

Chemical NameCAS #State(s)Monoethanolamine141-43-5MA, PA, NJZinc oxide1314-13-2MA, PA, NJ

Canadian Domestic Substances List: Not determined

WHMIS Classification: This product is not approved for use in Canada. WHMIS classification is not determined.

SECTION 16: OTHER

Disclaimer: The information presented herein is based on available data from reliable sources and is correct to the best of WinField Solutions' knowledge. WinField Solutions, LLC makes no warranty, express nor implied, regarding the accuracy of the data or the results obtained from the use of this product. Nothing herein may be construed as recommending any practice or any product in violation of any law or regulations. The user is solely responsible for determining the suitability of any material or product for a specific purpose and for adopting any appropriate safety precautions. We disclaim all liability for injury or damage stemming from any improper use of the material or product described herein.

Revision Date: March 20, 2015 Supersedes document dated: N/A – New document

Sections Revised: N/A – New document