# SAFETY DATA SHEET



#### 1. Identification

Product identifier SC SOP Fe Mn 0-0-39

Other means of identification

Product code KAS\_SCSOPFEMN\_0039\_US\_EN

Recommended use Fertilizer.

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer/Supplier Koch Agronomic Services, LLC

4111 E 37th St N Wichita, KS 67220 US kochmsds@kochind.com

1.866.863.5550

**Emergency** For Chemical Emergency

Call CHEMTREC day or night USA/Canada - 1.800.424.9300 Mexico - 1.800.681.9531

Mexico - 1.800.681.9531

Outside USA/Canada - 1.703.527.3887

(collect calls accepted)

## 2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Skin corrosion/irritation Category 2

OSHA defined hazards Not classified.

Label elements



Signal word Warning

Hazard statement Causes skin irritation.

**Precautionary statement** 

Prevention Wear protective gloves/protective clothing/eye protection/face protection. Wash thoroughly after

handling.

Response If on skin: Wash with plenty of water. If skin irritation occurs: Get medical advice/attention. Take

off contaminated clothing and wash before reuse.

**Storage** Store away from incompatible materials.

**Disposal** Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise

classified (HNOC)

None known.

## 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	CAS number	%
Potassium sulphate	7778-80-5	75 - 85
Sulfur	7704-34-9	15 - 18
Iron oxide	1309-37-1	< 2

SC SOP Fe Mn 0-0-39

Manganese oxide	1344-43-0	< 2
Non-hazardous ingredients	Proprietary	< 1

#### **Composition comments**

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

This Safety Data Sheet is not a guarantee of product specification or NPK value(s). NPK content is on specified sales orders, customer invoices, or product specification sheets obtained from supplier.

### 4. First-aid measures

Inhalation Move to fresh air. Get medical attention if any discomfort continues.

Wash contact areas with soap and water. Get medical attention if irritation develops and persists. Skin contact Dust in the eyes: Do not rub eyes. Immediately flush with plenty of water for at least 15 minutes. If Eye contact

Dust may irritate throat and respiratory system and cause coughing.

Use fire-extinguishing media appropriate for surrounding materials.

easy to do, remove contact lenses. Get medical attention if irritation persists after washing.

Symptoms can include irritation, redness, scratching of the cornea, and tearing. Eye contact:

Ingestion Rinse mouth thoroughly. Get medical attention if any discomfort continues.

Skin contact: Causes skin irritation.

Most important

symptoms/effects, acute and

delaved

Indication of immediate medical attention and special treatment needed

Treat symptomatically.

**General information** Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

# 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

None known.

Specific hazards arising from the chemical

Special protective equipment

and precautions for firefighters

Fire fighting equipment/instructions During fire, gases hazardous to health may be formed.

Selection of respiratory protection for firefighting: follow the general fire precautions indicated in the workplace. Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Move containers from fire area if you can do it without risk. Use water spray to prevent dust formation, absorb heat, keep containers cool and protect fire-exposed material.

#### 6. Accidental release measures

Personal precautions. protective equipment and emergency procedures

Avoid inhalation of dust and contact with skin and eves. Ensure adequate ventilation. Wear suitable protective clothing. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Stop the flow of material, if this is without risk. Prevent entry into waterways, sewer, basements or confined areas. Avoid dust formation. Sweep up or vacuum up spillage and collect in suitable container for disposal. If sweeping of a contaminated area is necessary use a dust suppressant agent which does not react with the product. After removal flush contaminated area thoroughly with water.

Never return spills to original containers for re-use.

**Environmental precautions** 

Prevent further leakage or spillage if safe to do so. Do not contaminate water. Do not allow to enter drains, sewers or watercourses.

## 7. Handling and storage

Precautions for safe handling

Avoid generation and spreading of dust. Avoid inhalation of dust and contact with skin and eyes. Use only with adequate ventilation. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Keep container tightly closed. Store in a cool, dry, well-ventilated place. Store away from incompatible materials.

SC SOP Fe Mn 0-0-39 SDS US

## 8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	Form
Dust	PEL	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
US. OSHA Table Z-3 (29 CF	R 1910.1000)		
Components	Туре	Value	Form
Dust	TWA	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
		50 mppcf	Total dust.
		15 mppcf	Respirable fraction.
US. ACGIH Threshold Limit	Values		
Components	Туре	Value	Form
Dust	TWA	3 mg/m3	Respirable particles.
		10 mg/m3	Inhalable particles.

**Biological limit values** 

No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Provide adequate ventilation. Observe Occupational Exposure Limits and minimize the risk of

inhalation of dust.

Individual protection measures, such as personal protective equipment

Eye/face protection Use tight fitting goggles if dust is generated.

Skin protection

Hand protection Risk of contact: Wear protective gloves. Suitable gloves can be recommended by the glove

supplier.

Normal work clothing (long sleeved shirts and long pants) is recommended. Other

Respiratory protection If engineering controls do not maintain airborne concentrations below recommended exposure

limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Wear air supplied respiratory protection if exposure concentrations are unknown. In case of inadequate ventilation or risk of inhalation of dust, use suitable respiratory equipment with particle filter. In the United States of America, if respirators are used, a program should be instituted to assure compliance with OSHA 29 CFR

1910.134 and ANSI Z88.2.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants. Handle in accordance with good industrial hygiene and safety

practice.

## 9. Physical and chemical properties

**Appearance** 

Physical state Solid.

**Form** Granular solid.

Yellow. Color Odourless. Odor Not available. Odor threshold Not available. Melting point/freezing point Not available. **Evaporation rate** Not applicable. Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits Flammability limit - lower

(%)

Not available.

Flammability limit - upper

Not available.

(%)

SC SOP Fe Mn 0-0-39 SDS US

927423 Version #: 01 Revision date: -Issue date: 27-May-2015 Vapor pressure
Not available.
Vapor density
Relative density
Not available.
Auto-ignition temperature
Not available.
Decomposition temperature
Viscosity
Not applicable.
Not applicable.

Other information

**Explosive properties** Not explosive. **Oxidizing properties** Not oxidizing.

## 10. Stability and reactivity

**Reactivity**The product is non-reactive under normal conditions of use, storage and transport.

Chemical stability Stable at normal conditions.

Possibility of hazardous

reactions

Conditions to avoid

на

Hazardous polymerization does not occur.

**Incompatible materials** Strong oxidizing agents.

Hazardous decomposition

products

Carbon oxides. Sulfur oxides (SOx.).

## 11. Toxicological information

#### Information on likely routes of exposure

**Inhalation** High concentrations of dust may irritate throat and respiratory system and cause coughing.

Moisture. High temperatures. Contact with incompatible materials.

Skin contact Causes skin irritation.

Eye contact Dust may irritate the eyes.

**Ingestion** May cause discomfort if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms can include irritation, redness, scratching of the cornea, and tearing.

#### Information on toxicological effects

**Acute toxicity** May cause discomfort if swallowed.

Components Species Test Results

Potassium sulphate (CAS 7778-80-5)

**Acute**Dermal

LD50 Rat > 2000 mg/day, 24 hours

Inhalation

LC50 Sprague-Dawley rat 3.6 mg/m3, 4 hours

Oral

LC50 Sprague-Dawley rat > 2000 mg/kg

Sulfur (CAS 7704-34-9)

**Acute**Dermal

LD50 Rat > 2000 mg/kg, 24 hours

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/eye May cause irritation

irritation

May cause irritation through mechanical abrasion.

Respiratory or skin sensitization

Respiratory sensitization Not classified.

**Skin sensitization** Not a skin sensitizer.

Germ cell mutagenicity Not classified.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. Not

classifiable as to carcinogenicity to humans.

SC SOP Fe Mn 0-0-39

## OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Reproductive toxicity Not classified.

Specific target organ toxicity -

single exposure

Inhalation of dusts may cause respiratory irritation.

Specific target organ toxicity -

repeated exposure

Not classified.

**Aspiration hazard** Not an aspiration hazard.

Chronic effects Frequent inhalation of dust over a long period of time increases the risk of developing lung

diseases.

**Further information** No other specific acute or chronic health impact noted.

## 12. Ecological information

**Ecotoxicity** The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components		Species	Test Results		
Potassium sulphate (CAS 7778-80-5)					
Aquatic					
Algae	EC50	Chlorella vulgaris	2700 mg/l, 18 days		
Crustacea	LC50	Daphnia magna	720 mg/l, 48 hours		
Fish	LC50	Lepomis macrochirus	2550 mg/l, 96 hours		
		Pimephales promelas	680 mg/l, 96 hours		
Sulfur (CAS 7704-34-9	9)				
Aquatic					
Fish	LC50	Western mosquitofish (Gambusia affinis) > 10000 mg/l, 96 Hours			

Persistence and degradability

No data available.

Bioaccumulative potential

No data available.

**Mobility in soil** This product is water soluble and may disperse in soil.

Other adverse effects No data available.

### 13. Disposal considerations

**Disposal instructions**Do not allow this material to drain into sewers/water supplies. Dispose in accordance with all

applicable regulations.

Hazardous waste code Not regulated.

Waste from residues / unused

products

Disposal recommendations are based on material as supplied. Disposal must be in accordance with current applicable laws and regulations, and material characteristics at time of disposal.

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

### 14. Transport information

### DOT

Not regulated as dangerous goods.

### IATA

Not regulated as dangerous goods.

#### **IMDG**

Not regulated as dangerous goods.

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78 and

the IBC Code

## 15. Regulatory information

**US federal regulations** This product is hazardous according to OSHA 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

SC SOP Fe Mn 0-0-39 SDS US

## OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous Yes

chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

(SDWA)

Not regulated.

**US state regulations**This product does not contain a chemical known to the State of California to cause cancer, birth

defects or other reproductive harm.

**US. Massachusetts RTK - Substance List** 

Sulfur (CAS 7704-34-9)

US. New Jersey Worker and Community Right-to-Know Act

Sulfur (CAS 7704-34-9)

US. Pennsylvania Worker and Community Right-to-Know Law

Sulfur (CAS 7704-34-9)

**US. Rhode Island RTK** 

Not regulated.

**US. California Proposition 65** 

Not Listed.

**International Inventories** 

Country(s) or region Inventory name On inventory (yes/no)\*

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory Yes

\*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

## 16. Other information, including date of preparation or last revision

Issue date 27-May-2015

Revision date -

Version # 01

Further information HMIS® is a registered trade and service mark of the NPCA.

HMIS® ratings Health: 2

Flammability: 1 Physical hazard: 0

NFPA ratings



#### List of abbreviations

SC SOP Fe Mn 0-0-39 SDS US

LC50: Lethal Concentration, 50%.

LD50: Lethal Dose, 50%.

References

**ECHA CHEM** 

EPA: Acquire database

HSDB® - Hazardous Substances Data Bank

**RTECS** 

**Disclaimer** 

NOTICE: The information presented herein is based on data considered to be accurate as of the date of preparation of this Safety Data Sheet (SDS) and was prepared pursuant to Government regulation(s) that identify specific types of information to be provided. This SDS may not be used as a commercial specification sheet of manufacturer or seller, and no warranty or representation, expressed or implied, is made as to the accuracy or comprehensiveness of the foregoing data and safety information, nor is any authorization given or implied to practice any patented invention without a license. Additional information may be needed to evaluate other uses of the product, including use of the product in combination with any materials or in any processes other than those specifically referenced. Information provided herein with respect to any hazards that may be associated with the product is not meant to suggest that use of the product in a given application will necessarily result in any exposure or risk to workers or the general public. No responsibility can be assumed by vendor for any damage or injury resulting from abnormal use, from any failure to adhere to recommended practices, or from any hazards inherent in the nature of the product. Purchasers and users assume all risk of use, storage and handling of the product in compliance with applicable federal, state and local laws and regulations. Purchasers and users of the product specifically should advise all of their employees, agents, contractors and customers who will use the product of this (M)SDS.

SC SOP Fe Mn 0-0-39 SDS US