

FOR CHEMICAL EMERGENCY, SPILL, LEAK, FIRE, EXPOSURE OR ACCIDENT, CALL CHEMTREC - DAY OR NIGHT 1-800-424-9300

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

1.1 PRODUCT IDENTIFIER:

TRADE NAME: ATRAZINE 4L HERBICIDE

1.2 RECOMMENDED USE:

SEASON-LONG WEED CONTROL IN CORN, SORGHUM AND CERTAIN OTHER CROPS

1.3 SUPPLIER DETAILS:

LOVELAND PRODUCTS, INC.

P.O. Box 1286 • Greeley, CO 80632-1286

1.4 24 Hour Emergency Phone: 1-800-424-9300 - Medical Emergencies: 1-866-944-8565 – Product Information: 1-888-574-2878 (LPI-CUST)

U.S. Coast Guard National Response Center: 1-800-424-8802

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification according to 29 CFR 1910.1200

Acute Toxicity - Oral	Category 4	H302
Acute Toxicity - Dermal	Category 4	H312
Eye Damage/Irritation	Category 2B	H320
Acute Toxicity - Inhalation	Category 4	H332
Specific Target Organ Toxicity (Repeated Exposure)	Category 2	H373

2.2 Label elements



Signal word:

WARNING

Hazard Statement:

H302 – Harmful if swallowed.
H312 – Harmful in contact with skin.
H320 – Causes eye irritation.
H332 – Harmful if inhaled.
H373 – May cause damage to organs through prolonged or repeated exposure.

Precautionary Statement:

P261 – Avoid breathing dust/fume/gas/mist/vapors/spray.
P264 – Wash thoroughly after handling.
P270 – Do not eat, drink or smoke when using this product.
P271 – Use only outdoors or in a well-ventilated area.
P272 – Contaminated work clothing should not be allowed out of the workplace.
P280 – Wear protective gloves/eye protection/face protection.
P102 – Keep out of reach of children.
P271 – Use only outdoors or in a well-ventilated area.

Precautionary Statement:

P305+P351+P338: IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.
P337+P313: If eye irritation persists: Get medical advice/attention.
P301+P312: IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
P330 – Rinse mouth.

(Response):

P302+P312+P352: IF ON SKIN: Wash with plenty of soap and water. Call a POISON CENTER or doctor/physician if you feel unwell.
P304+P340+P312: IF INHALED: Remove person to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.
P101 – If medical advice is needed, have the product container or label at hand.
P362 – Take off contaminated clothing and wash it before reuse.

Precautionary Statement:

(Storage):

P401+P234 – Store in a dry place. Keep only in original container.



SAFETY DATA SHEET

SDS NUMBER: 000069-16b-LPI

SDS REVISIONS: SEC. 15

DATE OF ISSUE: 10/14/16

ATRAZINE 4L
SUPERSEDES: 02/11/16

2.3 Other hazards

None known

3. COMPOSITION, INFORMATION ON INGREDIENTS

3.1 Substances

3.2 Mixtures

Classification according to 29 CFR 1910.1200

Chemical Name:	CAS No.	Classification	Concentration [%]
Atrazine	1912-24-9	Eye Dam/irrit. 2B; H320	42.60
Related compounds		Oral tox. 4; H302	0.90
		Dermal tox. 4; H312	
*Other ingredients	Trade Secret	Inh. tox. 4; H332	56.50
(including Propylene Glycol)	57-55-6	STOT-RE. 2; H373	

*Ingredients not specifically listed are non-hazardous or are to be considered proprietary or confidential business information per 29 CFR 1910.1200(i)

4. FIRST AID MEASURES

4.1 Description of First Aid Measures

General Advice: Get medical attention if symptoms occur.

- If swallowed:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.
- If inhaled:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.
- If on skin or clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
- If in eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

4.2 Most Important Symptoms and Effects, Acute and Delayed

Symptoms: Eyes: Causes eye irritation.
Oral: Harmful if swallowed.

4.3 Immediate Medical Attention and Special Treatment

Treatment: Treat symptomatically. Symptoms may be delayed.
FOR A MEDICAL EMERGENCY INVOLVING THIS PRODUCT CALL: 1-866-944-8565
Take container, label or product name with you when seeking medical attention.

NOTES TO PHYSICIAN: There is no specific antidote for Atrazine. If product is ingested, induce emesis or lavage stomach. The use of an aqueous slurry of activated charcoal may be considered.



SAFETY DATA SHEET

SDS NUMBER: 000069-16b-LPI

SDS REVISIONS: SEC. 15

DATE OF ISSUE: 10/14/16

ATRAZINE 4L
SUPERSEDES: 02/11/16

5. FIRE FIGHTING MEASURES

5.1 EXTINGUISHING MEDIA:

Suitable Extinguishing Media:

Use medium appropriate to surrounding fire. Dry chemical, carbon dioxide (CO₂), alcohol foam, foam, water spray or fog.

5.2 SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE:

Specific Hazards During Firefighting:

HCN, oxides of nitrogen, acetonitrile, chlorine-containing compounds, and other unknown hazardous material may be released in a fire situation.

5.3 SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIREFIGHTERS

Special Protective Equipment for Firefighters:

Self-contained breathing apparatus and full protective gear should be worn in fighting large fires involving chemicals. Use water spray to keep fire exposed containers cool. Keep people away. Isolate fire and deny unnecessary entry.

6. ACCIDENTAL RELEASE MEASURES

6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

Personal Precautions:

Avoid inhalation of vapors and spray mist and contact with skin and eyes. Ensure adequate ventilation. Wear suitable protective clothing.

6.2 ENVIRONMENTAL PRECAUTIONS

Environmental Precautions:

Atrazine can travel (seep or leach) through soil and can enter groundwater which may be used as drinking water. Atrazine has been found in groundwater. Users are advised not to apply atrazine to sand and loamy sand soils where the water table (groundwater) is close to the surface and where these soils are very permeable, i.e., well drained. Your local agricultural agencies can provide further information on the type of soil in your area and the location of groundwater. Product must not be mixed or loaded within 50 feet of intermittent streams and rivers, natural or impounded lakes and reservoirs. Product must not be applied within 66 feet of points where field surface water runoff enters perennial or intermittent streams and rivers or within 200 feet of natural or impounded lakes and reservoirs. If this product is applied to highly erodible land, the 66 foot buffer or setback from runoff entry points must be planted to crop, or seeded with grass or other suitable crop. Product must not be mixed or loaded, or used within 50 feet of all wells, including abandoned wells, drainage wells, and sink holes. Operations that involve mixing, loading, rinsing, or washing of this product into or from pesticide handling or application equipment or containers within 50 feet of any well are prohibited, unless conducted on an impervious pad constructed to withstand the weight of the heaviest load that may be positioned on or moved across the pad. Such a pad shall be designed and maintained to contain any product spills or equipment leaks, container or equipment rinse or wash water, and rain water that may fall on the pad. Surface water shall not be allowed to either flow over or from the pad which means the pad must be self-contained. The pad shall be sloped to facilitate material removal. An unroofed pad shall be of sufficient capacity to contain at a minimum 110% of the capacity of the largest pesticide container or application equipment on the pad. A pad that is covered by a roof of sufficient size to completely exclude precipitation from contact with the pad shall have a minimum containment of 100% of the capacity of the largest pesticide container or application equipment on the pad. Containment capacities as described above shall be maintained at all times. The above-specified minimum containment capacities do not apply to vehicles when delivering pesticide to the mixing/loading sites. Additional State imposed requirements regarding well-head setbacks and operational area containment must be observed. One of the following restrictions must be used in applying atrazine to tile-terraced fields containing standpipes: • Do not apply within 66 feet of standpipes in tile-outletted terraced fields. • Apply this product to the entire tile-outletted terraced field and immediately incorporate it to a depth of 2 to 3 inches in the entire field. • Apply this product to the entire tile-outletted terraced field under a no-till practice only when a high crop residue management practice is practiced. High crop residue management is described as a crop management practice where little or no crop residue is removed from the field during and after crop harvest. This pesticide is toxic to aquatic invertebrates. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from treated areas. Runoff and drift from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment wash water.

6.3 METHODS AND MATERIALS FOR CONTAINMENT AND CLEAN-UP

Methods for Clean-Up:

Avoid breathing mists. Contain spill and sweep up material and transfer to containers for possible land application according to label use or for proper disposal. Wash spill area with water containing strong detergent, absorb and sweep up as above. Check local, state and federal regulations for proper disposal. Never return spills to original containers for re-use.



SAFETY DATA SHEET

SDS NUMBER: 000069-16b-LPI

SDS REVISIONS: SEC. 15

DATE OF ISSUE: 10/14/16

ATRAZINE 4L
SUPERSEDES: 02/11/16

7. HANDLING AND STORAGE

7.1 PRECAUTIONS FOR SAFE HANDLING:

Advice on Safe Handling:

Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

7.2 CONDITIONS FOR SAFE STORAGE:

Requirements for Storage Areas and Containers:

Do not store under conditions which might adversely affect the container or its ability to function properly. Do not store below temperature of 0°F. If frozen, warm to 40°F. and reconstitute before using by rolling or shaking the container. Store in safe manner. Store in original container only. Keep container tightly closed when not in use. Reduce stacking height where local conditions can affect package strength. Personnel should use clothing and equipment consistent with good pesticide handling. Do not contaminate water, food or feed by storage or disposal.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 CONTROL PARAMETERS:

OCCUPATIONAL EXPOSURE LIMITS

U.S. Workplace Exposure Level (ACGIH) TLVs

Components	Type	Value
Atrazine	TWA	2 mg/m ³ – Inhalable

U.S. Workplace Exposure Level (OSHA) PELs

Components	Type	Value
No listings	TWA	

Biological limit values

ACGIH Biological Exposure Indices

Components	Value	Specimen
No listings		

8.2 EXPOSURE CONTROLS:

Engineering Measures

Provide adequate general and local exhaust ventilation. Observe Occupational Exposure Limits and minimize the risk of inhalation of vapors and spray mists. Provide eyewash station and safety shower.

Individual Protection Measures:

Eye / Face Protection: Goggles or shielded safety glasses are recommended.

Skin Protection: Long-sleeved shirt and long pants. Chemical-resistant gloves, such as polyethylene or polyvinylchloride. Shoes plus socks.

Respiratory Protection: In case of inadequate ventilation or risk of inhalation of mists or vapors, use suitable respiratory equipment such as MSHA/NIOSH TC-84A with NIOSH equipped N, R, or P class filter media. Wear respiratory protection during operations where spraying or misting occurs. If respirators are used, a program should be in place to assure compliance with 29 CFR 1910.134, the OSHA Respiratory Protection standard. Wear air supplied respiratory protection if exposure concentrations are unknown.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 APPEARANCE :	Liquid
ODOR:	None.
ODOR THRESHOLD:	No data available.
COLOR:	White.
pH:	5.04 @ 77°F (25°C)
MELTING POINT / FREEZING POINT:	Not applicable
BOILING POINT:	212 – 232°F (100 – 106°C)
FLASH POINT:	Does not flash.
FLAMMABILITY (solid, gas):	Combustible powder.
UPPER / LOWER FLAMMABILITY OR EXPLOSIVE LIMITS:	No data available.
VAPOR PRESSURE:	2.9 x 10 ⁻⁷ mm Hg @ 20°C.
SOLUBILITY:	Disperses.
PARTITION CO-EFFICIENT, n-OCTANOL / WATER:	No data available.
AUTO-IGNITION TEMPERATURE:	> 1,202°F (> 650°C).
DECOMPOSITION TEMPERATURE:	No data available.
VISCOSITY:	No data available.
SPECIFIC GRAVITY (Water = 1):	1.096 g/ml
DENSITY:	9.15 lbs./gal. / 1.1 kg/L

Note: These physical data are typical values based on material tested but may vary from sample to sample.
Typical values should not be construed as a guaranteed analysis of any specific lot or as specification items.

10. STABILITY AND REACTIVITY

10.1 REACTIVITY

Stable

10.2 CHEMICAL STABILITY

Stable under normal temperature conditions

10.3 POSSIBILITY OF HAZARDOUS REACTIONS

No data available. Will not polymerize.

10.4 CONDITIONS TO AVOID

Excessive heat and moisture.

10.5 INCOMPATIBLE MATERIALS

Strong acids, bases, and oxidizers. Moisture may cause caking of product.

10.6 HAZARDOUS DECOMPOSITION PRODUCTS

Oxides of nitrogen, acetonitrile, chlorine-containing compounds and other unknown hazardous material may be formed in a fire situation. Oxides of carbon and/or other asphyxiants may be formed from incomplete combustion.

11 TOXICOLOGICAL INFORMATION

11.3 LIKELY ROUTES OF EXPOSURE

Eye contact. Ingestion. Inhalation. Dermal.

LC₅₀ (rat): > 2.72 mg/L (4 HR)**LD₅₀ Oral (rat):** > 5,000 mg/kg**LD₅₀ Dermal (rat):** > 5,050 mg/kg**Acute Toxicity Estimates:** No data available**Skin Irritation (rabbit):** Not an irritant.**Eye Irritation (rabbit):** Irritant.**Specific Target Organ Toxicity:** Eyes, skin, respiratory system, central nervous system, liver.**Aspiration:** No data available**Skin Sensitization (guinea pig):** Not a sensitizer**Carcinogenicity:** ACGIH TLV-A4 (Not Classifiable as a Human Carcinogen).**Germ Cell Mutagenicity:** No data available**Interactive Effects:** None known



SAFETY DATA SHEET

SDS NUMBER: 000069-16b-LPI

SDS REVISIONS: SEC. 15

DATE OF ISSUE: 10/14/16

ATRAZINE 4L
SUPERSEDES: 02/11/16

12 ECOLOGICAL INFORMATION

12.3 ECOTOXICITY

The product may be toxic to fish and aquatic invertebrates. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment. Information below is based on the technical ingredient Atrazine.

Ecotoxicological Data

	Species	Test Results
Atrazine	Oncorhynchus mykiss	4.5 ppm – 96-hour LC ₅₀
	Daphnia Magna	6.9 ppm – 48-hour EC ₅₀
	Green Algae	49 ppb – 5-day EC ₅₀
	Bobwhite Quail	940 mg/kg – 12-day LD ₅₀

Drift or runoff may adversely affect non-target plants.

Do not apply directly to water.

Do not contaminate water when disposing of equipment wash water.

Do not apply when weather conditions favor drift from target area.

12.2 PERSISTENCE AND DEGRADABILITY

Biodegradability: No data available.

12.3 BIOACCUMULATIVE POTENTIAL

Bioaccumulation: Bioconcentration potential is low.

12.4 MOBILITY IN SOIL

Not persistent in soil. Highly mobile in soil. Will leach.

12.5 OTHER ADVERSE EFFECTS

Assessment: No data available.

13 DISPOSAL CONSIDERATIONS

13.1 WASTE TREATMENT METHODS

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Non-refillable container. Do not reuse this container to hold materials other than pesticides or dilute pesticides (rinsate). After emptying and cleaning, it may be allowable to temporarily hold rinsate or other pesticide-related materials in the container. Contact your state regulatory agency to determine allowable practices in your state. Once cleaned, some agricultural plastic pesticide containers can be taken to a container collection site or picked up for recycling. To find the nearest site, contact your chemical dealer or manufacturer, or contact The Agricultural Container Recycling Council (ACRC) at www.acrecycle.org. If not recycled, then puncture and dispose of in a sanitary landfill, or incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke. **Triple rinse** or **pressure rinse** container (or equivalent) promptly after emptying. **(For packages up to 5 gallons:) Triple rinse as follows:** Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. **Pressure rinse as follows:** Empty the remaining contents into application equipment or a mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over application equipment or mix tank or collect rinsate for later use or disposal. Insert pressure rinsing nozzle in the side of the container, and rinse at about 40 PSI for at least 30 seconds. Drain for 10 seconds after the flow begins to drip. **(For packages greater than 5 gallons or 50 lbs.): Triple rinse as follows:** Empty the remaining contents into application equipment or a mix tank. Fill the container ¼ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. **Pressure rinse as follows:** Empty the remaining contents into application equipment or a mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over application equipment or mix tank or collect rinsate for later use or disposal. Insert pressure rinsing nozzle in the side of the container, and rinse at about 40 PSI for at least 30 seconds. Drain for 10 seconds after the flow begins to drip. **(For square bottom caged totes greater than 55 gals.): Triple rinse or pressure rinse as follows:** Empty the remaining contents into application equipment or a mix tank and continue to drain for 10 seconds after the flow begins to drip. Fill the container about ¼ full with water, rinsing down all sides inside the container thoroughly. Recirculate water with the pump for 2 minutes. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. **(For refillable containers:) Refill** this container with pesticide only. Do not reuse this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean the container before final disposal, empty the remaining contents from this container into application equipment or mix tank. Fill the container about 10 percent full with water. Agitate vigorously or recirculate water with the pump for 2 minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times. Do not contaminate water, food or feed by storage or disposal.



SAFETY DATA SHEET

SDS NUMBER: 000069-16b-LPI

SDS REVISIONS: SEC. 15

DATE OF ISSUE: 10/14/16

ATRAZINE 4L
SUPERSEDES: 02/11/16

14 TRANSPORT INFORMATION

14.3 LAND TRANSPORT

DOT Shipping Description: NOT REGULATED BY DOT.

U.S. Surface Freight Classification: COMPOUND, TREE OR WEED KILLING, NOI (NMFC 50320, SUB 2: CLASS: 60)

15 REGULATORY INFORMATION

15.1 SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS

NFPA & HMIS Hazard Ratings:

NFPA

1 Health	0 Least
1 Flammability	1 Slight
0 Instability	2 Moderate
	3 High
	4 Severe

HMIS

1 Health
1 Flammability
0 Reactivity
B PPE

SARA Hazard Notification/Reporting

SARA Title III Hazard Category:	Immediate	<u>Y</u>	Fire	<u>N</u>	Sudden Release of Pressure	<u>N</u>
	Delayed	<u>Y</u>	Reactive	<u>N</u>		

Reportable Quantity (RQ) under U.S. CERCLA: Not listed.

SARA, Title III, Section 313: Atrazine (CAS: 1912-24-9) 42.6%

RCRA Waste Code: Not listed.

CA Proposition 65: **WARNING:** This product contains chemicals known to the State of California to cause cancer or birth defects or other reproductive harm.

This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

CAUTION

Harmful if swallowed, inhaled or absorbed through skin.

Avoid contact with skin, eyes, or clothing.

Causes moderate eye irritation.

Keep away from food and feedstuffs.

16 OTHER INFORMATION

SDS STATUS: Section 15 revised.

PREPARED BY: Registrations and Regulatory Affairs

REVIEWED BY: Environmental Health and Safety

EPA REG. NO.: 34704-69

This product is a Restricted Use Pesticide (Ground and Surface Water Concerns)

Disclaimer and Limitation of Liability: This data sheet was developed from information on the constituent materials identified herein and does not relate to the use of such materials in combination with any other material or process. No warranty is expressed or implied with respect to the completeness or ongoing accuracy of the information contained in this data sheet, and LOVELAND PRODUCTS, INC. disclaims all liability for reliance on such information. This data sheet is not a guarantee of safety. Users are responsible for ensuring that they have all current information necessary to safely use the product described by this data sheet for their specific purpose.