

# RESTRICTED USE PESTICIDE

## Toxic to fish and aquatic organisms

For retail sale to and use only by certified applicators, or persons under their direct supervision and only for those uses covered by the certified applicator's certification.

Group 3A Insecticide

## Supplemental Label

**Fastac<sup>®</sup> CS**  
Insecticide

### For use in citrus fruits

This supplemental label expires October 1, 2020, and must not be used or distributed after this date.

#### Active Ingredient\*:

**alpha-cypermethrin:** mixture of

(S)- $\alpha$ -cyano-3-phenoxybenzyl (1R,3R)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate and

(R)- $\alpha$ -cyano-3-phenoxybenzyl (1S,3S)-3-

(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate ..... 9.88%

**Other Ingredients\*\*:** ..... 90.12%

**Total:** ..... 100.00%

\* Contains 0.83 pound active ingredients per gallon

\*\* Contains petroleum distillate

**EPA Reg. No. 7969-364**

**CAUTION/PRECAUCION**

### Directions For Use

- It is a violation of federal law to use this product in a manner inconsistent with its labeling.
- The supplemental labeling and the entire **Fastac<sup>®</sup> CS Insecticide** container label, EPA Reg. No. 7969-364, must be in possession of the user at the time of application.
- Read the label affixed to the container for **Fastac CS** before applying.
- Use of **Fastac CS** according to this labeling is subject to the use precautions and limitations imposed by the label affixed to the container for **Fastac CS**.

### Application Information

Refer to the **Fastac CS** container label for additional application instructions and restrictions.

**Table 1. Crop-specific Application Instructions**

| <b>Crop</b>                                                                                                                                                                                                                                                                                                                                          | <b>Insects Controlled</b>                                                                                                                                                                                                                                                                                                                                                     | <b>Application Rate/Acre</b> | <b>Application Method</b>                                                                                                                                                                              |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Citrus Fruits, Group 10-10, including:</b><br>Calamondin<br>Citrus citron<br>Citrus hybrids (includes chironja, tangelo, tangor)<br>Grapefruit<br>Kumquat<br>Lemon<br>Lime<br>Mandarin (tangerine)<br>Orange, sour<br>Orange, sweet<br>Pummelo<br>Satsuma mandarin                                                                                | Asian cockroach<br>Beet armyworm<br>Blue-green citrus root weevil<br>Cutworms<br>Diaprepes root weevil<br>Fire ants<br>Fuller rose beetle<br>Glassy-winged sharpshooter<br>Grasshoppers<br>Katydid<br>Leafhoppers<br>Leafminers<br>Leafrollers<br>Little leaf notcher<br>Loopers<br>Orange tortrix<br>Orangedog caterpillar<br>Plant bugs<br>Psyllids<br>Thrips<br>Whiteflies | 3.8 fl ozs<br>(0.025 lb ai)  | Apply when pests appear.<br>Use sufficient volume of water to ensure thorough coverage of foliage.<br><b>Minimum Spray Volume/Acre</b><br>• <b>Aerial</b> - 10 gallons<br>• <b>Ground</b> - 20 gallons |
| <ul style="list-style-type: none"> <li>• <b>Maximum Application Rate/Acre</b> - 3.8 fl ozs (0.025 lb ai) of <b>Fastac® CS</b> insecticide</li> <li>• <b>Maximum Seasonal Application Rate/Acre</b> - 11.4 fl ozs (0.075 lb ai) of <b>Fastac CS</b></li> <li>• <b>Minimum Application Interval</b> - 14 days</li> <li>• <b>PHI</b> - 1 day</li> </ul> |                                                                                                                                                                                                                                                                                                                                                                               |                              |                                                                                                                                                                                                        |

## Conditions of Sale and Warranty

The **Directions For Use** of this product reflect the opinion of experts based on field use and tests. The directions are believed to be reliable and must be followed carefully. However, it is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or use of the product in a manner inconsistent with its labeling, all of which are beyond the control of BASF CORPORATION ("BASF") or the Seller. To the extent consistent with applicable law, all such risks shall be assumed by the Buyer.

BASF warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the **Directions For Use**, subject to the inherent risks, referred to above.

**TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BASF MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY OR ANY OTHER EXPRESS OR IMPLIED WARRANTY.**

**TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BUYER'S EXCLUSIVE REMEDY AND BASF'S EXCLUSIVE LIABILITY, WHETHER IN CONTRACT, TORT, NEGLIGENCE, STRICT LIABILITY, OR OTHERWISE, SHALL BE LIMITED TO REPAYMENT OF THE PURCHASE PRICE OF THE PRODUCT.**

**TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BASF AND THE SELLER DISCLAIM ANY LIABILITY FOR CONSEQUENTIAL, EXEMPLARY, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.**

BASF and the Seller offer this product, and the Buyer and User accept it, subject to the foregoing **Conditions of Sale and Warranty** which may be varied only by agreement in writing signed by a duly authorized representative of BASF.

1108

*Fastac is a registered trademark of BASF.*

© 2017 BASF Corporation  
All rights reserved.

007969-00364.20170601b.NVA 2017-04-357-0102

BASF Corporation  
26 Davis Drive  
Research Triangle Park, NC 27709

  
We create chemistry