

# FIFRA Section 24(c) Special Local Need Label

Corteva Agriscience LLC

9330 Zionsville Road

Indianapolis, IN 46268-1054 USA

## Postemergence Broadleaf Weed Control in Teff

For Distribution and Use Only in the State of Arizona.

### Simplicity<sup>®</sup> CA

EPA Reg. No. 62719-568

This label expires and must not be distributed or used in accordance with this SLN registration after December 31, 2028

24(c) Special Local Need Registration EPA SLN No. AZ-230404

#### Special Conditions and Risks of Use

**USE OF Simplicity<sup>®</sup>CA herbicide (THE "PRODUCT") ON TEFF (THE "CROP") MAY RESULT IN CROP INJURY, CROP YIELD REDUCTION AND/OR CROP LOSS. READ AND UNDERSTAND THESE SPECIAL CONDITIONS AND RISKS OF USE BEFORE USING THE PRODUCT ON THE CROP.**

Corteva Agriscience makes the Product available for use in the manner described in this Supplemental Labeling on the basis that, in the sole opinion of the user, the benefits and utility derived from the use of the Product on the Crop outweigh the potential risk of Crop injury or loss. The decision to use this Product in the manner described in this Supplemental Labeling must be made by each individual user on the basis of anticipated benefits versus (i) the risk of Crop injury, Crop yield reduction and Crop loss, (ii) the severity of the target pest infestation, (iii) the cost and availability of alternative pest controls, and (iv) any other relevant factors.

By purchasing the Product for use, or using the Product, in the manner described in this Supplemental Labeling, you acknowledge and accept that:

- (1) You assume all risk of Crop injury, Crop yield reduction, and/or Crop loss;
- (2) Corteva Agriscience does not make, and does not authorize any agent or representative to make, any representations or recommendations regarding the use of this Product on the Crop other than the statements on this Supplemental Labeling;
- (3) Corteva Agriscience does not make, and does not authorize any agent or representative to make, any warranties, express or implied, with respect to the use of the Product on the Crop and disclaims all warranties, express or implied, including any implied warranties of fitness for a particular purpose or merchantability;
- (4) Corteva Agriscience disclaims all liability for any damages, losses, expenses, claims or causes of actions arising out of or relating to inability to sell the Crop, Crop injury, Crop yield reduction and/or Crop loss;
- (5) These Special Conditions and Risks of Use supersede any contrary representations or recommendations by Corteva Agriscience, its agents or representatives, and any provisions in or on any Product literature or labeling including any provisions on the label affixed to the Product container.

If these Special Conditions and Risks of Use are not acceptable, the unopened Product may be returned to the seller for a refund or used for a different labeled use in accordance with the

**label affixed to the Product container. These Special Conditions and Risks of Use are required by Corteva Agriscience and not specified by the U.S. EPA or the State of Idaho.**

### **ATTENTION**

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- This label and the federal label must be in the possession of the user at the time of application.
- Follow all applicable directions, restrictions and precautions on this Supplemental label and the main EPA-registered label.

### **Directions for Use**

Refer to the product label for Precautions, Restrictions, Mixing Instructions, and Application Directions.

Apply 6.75 to 8.52 fl oz of Simplicity per acre (0.013 to 0.017 lb ai/A) to actively growing teff from the 3-leaf to jointing stage (Zadoks scale 31) for control or suppression of target weeds. Treat after the majority of weeds have emerged. Use the higher rate for more difficult to control weeds such as downy brome. Best results are obtained when application is made to weeds that are actively growing.

Occasionally, slight yellowing or height reduction may be observed in the treated crop. These transient symptoms disappear within 14 days with no reduction to yield. DO NOT apply to crops suffering from drought, water-logged soils, nutrient deficiency or exposed to frost or other agronomic factors affecting plant growth. DO NOT use on teff varieties that are sensitive to ALS herbicides.

Tank Mixtures: Simplicity may be applied in tank mix combination with labeled rates of other products registered for postemergence application in teff. When tank mixing, DO NOT exceed specified application rates and use only in accordance with the most restrictive precautions and limitations on the respective product labels.

Adjuvants: When Simplicity is applied alone, use one of the following surfactants or adjuvants:

- Non-ionic surfactant with at least 80% active ingredient at 0.25% to 0.50% v/v (1 to 2 quarts per 100 gallons spray solution). In conditions of moisture stress or low relative humidity, add spray grade ammonium sulfate at 1.5 lb per acre.
- Crop oil concentrate adjuvant at 0.8% v/v (0.8 gallons per 100 gallons of spray solution)  
Methylated seed oil adjuvant at 0.8% v/v (0.8 gallons per 100 gallons of spray solution).
- When Simplicity is applied in spray solutions containing liquid fertilizer, use a non-ionic surfactant with at least 80% active ingredient at a maximum of 0.25% v/v (1 quart per 100 gallons of spray solution).
- When Simplicity is applied in combination with emulsifiable concentrate (EC) formulations, including 2,4-D ester, MCPA ester, Starane or bromoxynil+MCPA products, DO NOT use an adjuvant.
- When an adjuvant is to be used with this product, Corteva advises the use of a Chemical Producers and Distributors Association certified adjuvant

### **Use Restrictions**

- **Preharvest Interval:** Do not apply within 60 days of harvest.
- Do not make more than one application of Simplicity CA per year.
- Do not apply more than 8.52 fl oz of Simplicity CA (0.017 lb/acre pyroxsulam) per year.
- Do not use additives that lower the spray solution below a pH of 6.0.
- Do not allow livestock to graze the treated crop within 7 days following application.
- Do not cut the treated crop for hay within 28 days following application.
- Follow all Worker Protection Standard requirements on the product label for Simplicity CA.
- Carefully follow precautions and restrictions on the product label for Simplicity CA.
- For crop rotation restrictions follow the directions for wheat on the main label for Simplicity CA.

**Note:** This product may contaminate surface water due to runoff of rainwater. Refer to the Environmental Hazards section of the product label attached to the product container for required protective measures.

<sup>TM</sup>® Trademarks of Corteva Agriscience and its affiliated companies.

R913-001

Approved: 04/19/2023

Initial printing