

**SAFETY DATA SHEET
DIRECT AG SOURCE, LLC
CPF 4E**

1. IDENTIFICATION

PRODUCT NAME: CPF 4E
EPA REGISTRATION NO. : 83222-20
CHEMICAL NAME OF ACTIVE INGREDIENT(S): Chlorpyrifos: O,O-diethyl-O-(3,5,6-trichloro-2-pyridinyl) phosphorothioate
PRODUCT TYPE: Insecticide
COMPANY NAME: Direct Ag Source, LLC
30473 260th St.
Eldora, IA 50627
Phone: 1-800-424-9300

**FOR MEDICAL AND CHEMICAL EMERGENCIES,
SPILL, LEAK, FIRE, EXPOSURE, OR ACCIDENT,
CALL CHEMTREC:**
**FOR EMERGENCY MEDICAL TREATMENT
INFORMATION, CALL NATIONAL POISON
CONTROL CENTER:** Phone: 1-800-222-1222
**FOR PRODUCT INFORMATION, CALL NATIONAL
PESTICIDE INFORMATION CENTER:** Phone: 1-800-858-7378

2. HAZARDS IDENTIFICATIONS

THE FOLLOWING HAZARDS ARE IDENTIFIED ACCORDING TO OSHA HCS CLASSIFICATION (29 CFR 1910.1200).

HAZARD CLASSIFICATIONS:

Acute oral toxicity: Category 3
Acute inhalation toxicity: Category 4
Eye irritation: Category 2B
Skin irritation: Category 2
Specific target organ toxicity (repeated exposure): Category 2
Flammable liquid: Category 4

SIGNAL WORD: DANGER

PICTOGRAMS:



HAZARD STATEMENTS:

- Harmful if swallowed
- Harmful if inhaled
- Causes eye irritation
- Cause skin irritation
- Combustible liquid
- Cholinesterase inhibitor
- May cause cancer (Carcinogenicity – Naphthalene Category 2)
- Very toxic to aquatic life with long lasting effects.

SAFETY DATA SHEET
DIRECT AG SOURCE, LLC
CPF 4E

PRECAUTIONARY STATEMENTS:

- Wash hand thoroughly after handling. Do not eat, drink or smoke when using this product. If swallowed, immediately call a poison center or a doctor. Rinse mouth. Stock locked up.
- Avoid breathing mist or spray. Use only outdoors or in a well-ventilated area. If inhaled, Remove victim to fresh air and keep comfortable for breathing. Call a poison center if you feel unwell.
- Wash hand thoroughly after handling. Wear protective gloves. If on skin: wash with plenty of water. If skin irritation occurs: get medical advice or attention. Take off contaminated clothing and wash it before reuse.
- Wash hand thoroughly after handling. If in eyes: rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or a doctor.
- Keep away from flames and hot surfaces. No smoking. Wear protective gloves and eye protection or face protection. See Section 5 for fire extinguish information. Store in a well ventilated place. Keep cool.
- Do not breathe vapor/mist/spray. Get medical advice or attention if you feel unwell.
- Obtain special instruction before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves and clothing, eye and face protection. If exposure or concerned: get medical advice or attention. Store locked up.

Contact Chemtrec for emergency medical treatment at 1- 800-424-9300.

PHYSICAL AND CHEMICAL HAZARDS: Combustible liquid. Do not use or store near heat or open flame.

STORAGE AND DISPOSAL: See Section 7 and 13.

OTHER HAZARDS: See Section 11 and 12.

3. COMPOSITION/INFORMATION ON INGREDIENTS

ACTIVE INGREDIENT	CAS NO.	%
Chlorpyrifos	2921-88-2	45
Other Ingredients, including		55
Aromatic hydrocarbons Containing:	64742-95-6	
Naphthalene	91-20-3	< 9.9
1,2,4-trimethylbenzene	95-63-6	< 1.7

This document is prepared pursuant to OSHA Hazard Communication Standard (29 CFR 1910.1200). In addition, other substances not "Hazardous" per this OSHA Standard may be listed. The identity of proprietary ingredients may be made available as provided in this standard.

4. FIRST AID MEASURES

FIRST AID (ORGANOPOSPHATE INSECTICIDE)	
IF SWALLOWED:	<ul style="list-style-type: none">• Call a poison control center or doctor immediately for treatment advice.• Do not give any liquid to a person.• Do not induce vomiting unless told to do so by a poison control center or doctor.• Do not give anything by mouth to an unconscious person.
IF IN EYES:	<ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15-20 minutes.• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.• Call a poison control center or doctor for treatment advice.
IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none">• Take off contaminated clothing.• Rinse skin immediately with plenty of water for 15-20 minutes.• Call a poison control center or doctor for treatment advice.

SAFETY DATA SHEET
DIRECT AG SOURCE, LLC
CPF 4E

IF INHALED:	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. • Call a poison control center or doctor for further treatment advice.
<p>Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For information on this product, contact the National Pesticide Information Center, 1-800-858-7378. Monday-Friday, 7:30 AM-3:30 PM PST. You may also contact the National Poison Control Center, 1-800-222-1222, day or night, for emergency medical treatment information.</p> <p>NOTE TO PHYSICIAN: This This product contains an organophosphate that inhibits cholinesterase. Treat symptomatically. If exposed, plasma and red blood cell Cholinesterase tests may indicate significance of exposure (baseline data are useful). Atropine, only by injection, is the preferable antidote. Oximes, such as 2-PAM/protopam, may be therapeutic if used early; however, use only in conjunction with atropine. In case of severe acute poisoning, use antidote immediately after establishing an open airway and respiration. Contains Petroleum Distillate -vomiting may cause aspiration pneumonia.</p>	

5. FIRE FIGHTING MEASURES

FLASH POINT: 141°F

AUTOIGNITION TEMPERATURE: Not available

FLAMMABLE LIMITS: Not applicable

EXTINGUISHING MEDIA: Water fog or fine spray, carbon dioxide, dry chemical or foam. Alcohol resistant foams (ATC type) are preferred if available. General-purpose synthetic foams (including AFFF) or protein foams may function, but much less effectively.

FIRE FIGHTING PROCEDURES: Keep people away. Isolate fire area and deny unnecessary entry. Stay upwind. Keep out of low areas where gases (fumes) can accumulate. Eliminate ignition sources. Consider feasibility of a controlled burn to minimize environmental damage. Foam fire extinguishing system is preferred because uncontrolled water can spread possible contamination.

Burning liquids may be moved by flushing the water to protect personnel and minimize property damage. Burning liquids may be extinguished by dilution with water. Do not use direct water stream. May spread fire. Fight fire from protected location or safe distance. Consider use of unmanned hose holder or monitor nozzles. Use water spray to cool fire exposed containers and fire affected zone until fire is out and danger of re-ignition has passed. Immediately withdraw all personnel from area in case of rising sound from venting safety device or discoloration of the container. Move container from fire area if this is possible without hazard. Contain fire water runoff if possible. Fire water run-off, if not contained may cause environmental damage.

PROTECTIVE EQUIPMENT FOR FIREFIGHTERS: Wear positive pressure, self-contained breathing apparatus (SCPA) and protective fire fighting clothing (includes fire fighting helmet, coat, pants, boots, and gloves). If protective equipment isn't available or not used, fight fire from a protected location or safe distance.

6. ACCIDENTAL RELEASE MEASURES

ACTION TO TAKE FOR SPILLS/LEAKS: Absorb spills with an absorbent material such as HAZORB, ZORBALL, or dirt. Thoroughly wash body areas, which come in contact with this product. Contain spill to keep out of sewers. Report large spills to CHEMTREC: 1 (800) 424-9300. Vapor explosion hazard, keep out of sewers. Eliminate all sources of ignition in vicinity of spill or released vapor to avoid fire or explosion. Pump with explosion-proof equipment. If available, use foam to smother or suppress.

7. HANDLING AND STORAGE

Do not contaminate water, food, or feed by storage and disposal.

PRECAUTIONS TO BE TAKEN IN HANDLING: Keep out of reach of children. Do not swallow. Do not get in eyes, on skin, or on clothing. Avoid breathing spray mist and vapors. Containers, even those that have been emptied, can contain vapors. Do not cut, drill, grind, weld, or perform similar operations on or near empty containers. Use of non-sparking or explosion proof equipment may be necessary, depending upon the type of

SAFETY DATA SHEET
DIRECT AG SOURCE, LLC
CPF 4E

operation. No smoking, open flames or sources of ignition in handling and storage area. Minimize sources of ignition, such as static buildup, heat, spark, or flame.

PRECAUTIONS TO BE TAKEN IN STORAGE: Store in original container in secured dry storage area with the lid tightly closed. Prevent cross-contamination with other pesticides and fertilizers. Do not contaminate water, food or feed by storage or disposal. Do not store above 100° F for extended periods of time. Storage below 20° F may result in the formation of crystals. If product crystallizes, store at 50-70° F and agitate to re-dissolve crystals.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

GENERAL PROTECTIVE MEASURES: Wash thoroughly with soap and water after handling. Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them. Follow manufacturer's instructions for cleaning and maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

SKIN/HAND PROTECTION: Use protective clothing impervious to this material. Selection of specific items such as gloves, boots, apron, or full-body suit will depend on operation. Remove contaminated clothing immediately, wash skin area with soap and water, and launder clothing before reuse. Contaminated leather items, such as shoes, belts and watchbands, should be removed and destroyed.

EYE/FACE PROTECTION: Use chemical goggles. Refer to the product label for additional personal protective clothing and equipment.

RESPIRATOR REQUIREMENTS: Atmospheric levels should be maintained below the exposure guideline. When respiratory protection is required use a NIOSH approved air-purifying or positive-pressure supplied air respirator depending on the potential airborne concentration. For emergency and other conditions where the exposure guideline may be greatly exceeded, use a NIOSH approved positive-pressure self-contained breathing apparatus or positive-pressure airline with auxiliary self contained air supply.

USER SAFETY RECOMMENDATIONS:

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove clothing immediately after handling this product. Wash outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENGINEERING CONTROLS: Provide general and/or local exhaust ventilation to control airborne levels below the exposure guideline.

EXPOSURE LIMITS:

Chemical Name	CAS NO.	ACGIH/TLV	OSHA/PEL
Chlorpyrifos	2921-88-1	0.1 mg/m3 (TWA)	NE
Nephthalene	91-20-3	52 mg/m3 10ppm (TWA)	50 mg/m3 10pm (TWA)
1,2,4-trimethylbenzene	95-63-6	123mg/m3 25ppm (TWA)	125 mg/m3 25ppm (TWA)

NE: Not Established

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Light amber liquid

ODOR: Pungent

FLASH POINT: 141°F

pH: 4.42

SPECIFIC DENSITY: 1.066 g/cc

10. STABILITY AND REACTIVITY

STABILITY: This product is stable under normal use and storage. Unstable at elevated temperatures.

CONDITIONS TO AVOID: Avoid heating above 122°F (50°C). Chlorpyrifos undergoes exothermic decomposition at approximately 266°F

(130°C) which can lead to higher temperatures and violent decomposition if generated heat is not removed. Generation of gas during decomposition can cause pressure in closed systems. Contains petroleum derivative solvent which will burn.

MATERIALS TO AVOID: Avoid contact with oxidizing materials and bases.

HAZARDOUS DECOMPOSITION PRODUCTS: Hazardous decomposition products may include and are not limited to hydrogen chloride, ethyl sulfide, diethyl sulfide and nitrogen oxides.

HAZARDOUS POLYMERIZATION: Not known to occur.

11. TOXICOLOGICAL INFORMATION

ACUTE TOXICITY/IRRITATION STUDIES:

Acute Oral LD50 (Rat):	776 mg/kg (males); 300 mg/kg (females)
Acute Dermal LD50 (Rat):	>5,000 mg/kg
Acute Inhalation LC50 (Rat):	2.7 mg/L (4-hr)
Eye Irritation (Rabbit):	Moderately irritating.
Dermal Irritation (Rabbit):	Moderately irritating.
Dermal Sensitization (Guinea Pig):	Not a skin sensitizer

SYMPTOMS OF OVEREXPOSURE: Headaches, nausea, vomiting, cramps, weakness, blurred vision, pinpoint pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling, muscle spasms and coma

POTENTIAL HEALTH EFFECTS:

EYE: May cause moderate eye irritation and/or corneal injury. Vapors may irritate the eyes.

SKIN: A test in guinea pigs indicated that this product may have weak skin sensitization potential. However, experience in the manufacture and use of this product has not provided evidence for skin sensitizing properties. The product did not sensitize human subjects when tasted at an end-use dilution. A single prolonged exposure, is not likely to result in the material being absorbed through the skin in harmful amounts.

INGESTION: Single dose oral toxicity is moderate. Small amounts swallowed incidental to normal handling operations are not likely to cause injury; however, swallowing larger amounts may cause lung damage or death due to chemical pneumonia.

INHALATION: Excessive exposure may produce organophosphate-type cholinesterase inhibition. Excessive vapor concentrations are attainable and could be hazardous on single exposure. Excessive exposure to solvent may cause respiratory irritation and central nervous system depression. Signs and symptoms of central nervous system depression are in order of increasing exposure, headache, dizziness, drowsiness, and incoordination.

SYSTEMIC (OTHER TARGET ORGAN EFFECTS): Excessive exposure may produce organophosphate-type cholinesterase inhibition. Signs and symptoms of excessive exposure to chlorpyrifos may be headache, dizziness, incoordination, muscle twitching, tremors, nausea, abdominal cramps, diarrhea, sweating, pinpoint pupils, blurred vision, salivation, tearing, tightness in chest, excessive urination, convulsions. Chlorpyrifos produced mild adrenal effects when fed to rats, but only at doses that greatly exceeded any exposures that would be received during normal use of this product. Solvent has been reported to cause liver, kidney, and blood effects at high exposure levels.

CARCINOGENICITY INFORMATION: Chlorpyrifos did not cause cancer in laboratory animals. This product contains naphthalene. The International Agency for Research on Cancer evaluated naphthalene and concluded that there was sufficient evidence for carcinogenicity in experimental animals, but inadequate evidence for Cancer in exposed humans. Accordingly, IARC classified naphthalene as a possible human carcinogen (Group 2B). The

SAFETY DATA SHEET
DIRECT AG SOURCE, LLC
CPF 4E

U.S. National Toxicology Program (NTP) has evaluated naphthalene and found that it may be reasonably anticipated to be a human carcinogen.

TERATOLOGY (BIRTH DEFECTS): Chlorpyrifos did not cause birth defects in laboratory animals. Solvent was toxic to the fetus in laboratory animal tests, but only at doses that were toxic to the mothers. Very high concentrations of solvent (producing severe toxicity to adult animals induced an increase in cleft palate in mice, which is a common developmental abnormality in mice and is associated with stress to the maternal animals. No malformations were induced at exposures less than those causing severe toxicity to the adult animals.

REPRODUCTIVE EFFECTS: Chlorpyrifos did not interfere with fertility in reproduction studies in laboratory animals.

MUTAGENICITY (EFFECTS ON GENETIC MATERIAL): Results of in-vitro ("test tube") and animal mutagenicity tests on the aromatic solvent have been negative. Based on a majority of negative data and some equivocal or marginally positive results, chlorpyrifos is considered to have minimal mutagenic potential.

12. ECOLOGICAL INFORMATION

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish, aquatic invertebrates, small mammals and birds. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. Cover or incorporate spills. Do not contaminate water when disposing of equipment wash water or rinsate. This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

ENVIRONMENTAL FATE:

MOVEMENT AND PARTITIONING (Based on information for chlorpyrifos and components of aromatic hydrocarbons):

Bioconcentration potential is moderate (BCF is between 100 and 3000 or Log Pow between 3 and 5).

DEGRADATION & PERSISTENCE (Based on information for chlorpyrifos):

The photolysis half-life in water is 3-4 weeks. In the atmospheric environment, material is estimated to have a tropospheric half-life of 1.4 hours. Degradation is expected in the soil environment within days to weeks. Under aerobic soil conditions the half-life is generally 30-60 days based on information for aromatic hydrocarbons. Biodegradation under aerobic static laboratory conditions is high (BOD20 or BOD28/ThOD (Theoretical Oxygen Demand) is > 40%).

ECOTOXICOLOGY :

Based on information for chlorpyrifos:

Material is very highly toxic to aquatic organisms on an acute basis ($LC_{50}/EC_{50} < 0.1$ mg/L in most sensitive species. Material is highly toxic to birds on a dietary basis (LC_{50} between 50 and 500 ppm) Material is moderately toxic to birds on an acute basis (LD_{50} between 51 and 500 mg/kg).

Based on information for aromatic hydrocarbons:

Material is moderately toxic to aquatic organisms on an acute basis (LC_{50}/EC_{50} between 1 and 10 mg/l in most sensitive species). Material is practically non-toxic to birds on a dietary

13. DISPOSAL CONSIDERATIONS

PESTICIDE DISPOSAL: Do not contaminate food, feed, or water by storage or disposal. Open dumping is prohibited. Pesticide wastes are toxic. Improper disposal of excess waste is a violation of federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the hazardous waste representative at the nearest EPA regional office for guidance.

CONTAINER DISPOSAL: Do not reuse empty containers. Place in trash or offer for recycling if available. If partly filled, call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

SAFETY DATA SHEET
DIRECT AG SOURCE, LLC
CPF 4E

14. TRANSPORT INFORMATION

UN3018, Organophosphorus pesticide, liquid, toxic, (chlorpyrifos), 6.1, PG III, RQ.

(Add "Marine Pollutant" for bulk or vessel shipments.)

Chlorpyrifos Reportable Quantity (RQ) = 1 pound (0.454 kg).

15. REGULATORY INFORMATION

FIFRA INFORMATION:

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information for safety data sheet, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label.

WARNING May be fatal if swallowed. Causes moderate eye injury and skin irritation. Harmful if absorbed through the skin. Do not get in eyes, on skin, or on clothing.

SARA TITLE III CLASSIFICATION:

Section 302: Not applicable.

Section 311/312: Acute health hazard (immediate)

Chronic health hazard (delayed)

Fire hazard

Section 313: Naphthalene (< 9.9%) CAS No. 91-20-3

1,2,4-Trimethylnenzene (< 1.7%) CAS No. 95-63-6

CA PROPOSITION 65: This product contains a material (naphthalene) known to the State of California to cause cancer.

CERCLA RQ:

Chemical Name

Chlorpyrifos

CAS NO.

2921-88-2

RQ (Pound)

1

% in Product

45%

RCRA CLASSIFICATION: Under RCRA, it is the responsibility of the product user to determine at the time of disposal, whether a material containing the product or derived from the product should be classified as a hazardous waste.

TSCA STATUS: All ingredients are listed on the TSCA inventory or are not required to be listed on the TSCA inventory.

STATE RIGHT-TO-KNOW: The following product components are cited on certain state lists as mentioned. Non-listed components may be shown in the composition section of the MSDS.

<u>Chemical Name</u>	<u>CAS Number</u>	<u>List</u>
1,2,4-Trimethylbenzene	95-63-6	NJ2, NJ3, PA1, PA3
Naphthalene	91-20-3	NJ2, NJ3, PA1, PA3
Chlorpyrifos	2921-88-2	NJ3, PA1, PA3

NJ1=New Jersey Special Health Hazard Substance (present at greater than or equal to 0.1%).

NJ2=New Jersey Environmental Hazardous Substance (present at greater than or equal to 1.0%).

NJ3 = New Jersey Workplace Hazardous Substance (present at greater than or equal to 1.0%).

PA1 = Pennsylvania Hazardous Substance (present at greater than or equal to 1.0%).

PA3 = Pennsylvania Environmental Hazardous Substance (present at greater than or equal to 1.0%).

OSHA HAZARD COMMUNICATION STANDARD: This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

16.OTHER INFORMATION

NFPA HAZARD RATINGS		NFPA	
HEALTH:	2	0	MINIMAL
FLAMMABILITY:	2	1	SLIGHT
REACTIVITY:	1	2	MODERATE
		3	HIGH
		4	SEVERE

SDS DATE: 4-9-2015. Supersedes version dated 5-15-2012. Changes made to sections 1, 2, 4, 11 and 15.

The information herein is presented in good faith and believed to be accurate as of the effective date shown above. However, no warranty, express or implied, is given. Regulatory requirements are subject to change and may differ from one location to another; it is the buyer's responsibility to ensure that its activities comply with federal, state, or provincial, and local laws.