



## SAFETY DATA SHEET

SDS NUMBER: 1000016514-16-LPI

SDS REVISIONS: SECS. 2, 14

DATE OF ISSUE: 06/23/16

**TREKKER TRAX®**

SUPERSEDES: 06/15/15

**FOR CHEMICAL EMERGENCY, SPILL, LEAK, FIRE, EXPOSURE OR ACCIDENT, CALL CHEMTREC - DAY OR NIGHT 1-800-424-9300**

### 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

#### 1.1 PRODUCT IDENTIFIER:

TRADE NAME: TREKKER TRAX®

#### 1.2 RECOMMENDED USE:

FOAM MARKER

#### 1.3 SUPPLIER DETAILS:

LOVELAND PRODUCTS, INC.

P.O. Box 1286 • Greeley, CO 80632-1286

#### 1.4 24-Hour Emergency Phone: 1-800-424-9300 - Medical Emergencies: 1-866-944-8565 - Product Information: 1-888-574-2878 (LPI-CUST)

U.S. Coast Guard National Response Center: 1-800-424-8802

### 2. HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

Classification according to 29 CFR 1910.1200

Skin Corrosion/Irritation

Category 2

H315

Eye Damage/Irritation

Category 1

H318

#### 2.2 Label elements



Signal word:

DANGER

Hazard Statements:

H315 – Causes skin irritation.

H318 – Causes serious eye damage.

Precautionary

Statements:

(Prevention):

P264 – Wash hands thoroughly after handling.

P280 – Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary

Statement:

(Response):

P302+P352 – IF ON SKIN: Wash with plenty of soap and water.

P321 – Specific treatment (see First Aid on the label).

P332+P313 – If skin irritation occurs: Get medical advice/attention.

P362 – Take off contaminated clothing and wash it before reuse.

P305+P351 – IF IN EYES: rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 – Immediately call a poison center or doctor/physician for treatment advice.

P304+P340 – IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Precautionary

Statement:

(Storage):

Not required. See product label.

Precautionary

Statement:

(Disposal):

Not required. See product label.

#### 2.3 Other hazards

None known



## SAFETY DATA SHEET

SDS NUMBER: 1000016514-16-LPI

SDS REVISIONS: SECS. 2, 14

DATE OF ISSUE: 06/23/16

**TREKKER TRAX®**

SUPERSEDES: 06/15/15

### 3. COMPOSITION, INFORMATION ON INGREDIENTS

#### 3.2 Mixtures

Chemical Name:	CAS No.	Concentration [%]
Anionic/nonionic detergent blend	Proprietary	65.00 – 75.00
n-Butanol	71-36-3	<15.00
Ethanol	64-17-5	3.20 – 4.40
2-Propanol	67-63-0	1.00 – 2.00

Ingredients not precisely identified are proprietary or non-hazardous.

### 4. FIRST AID MEASURES

#### 4.1 Description of First Aid Measures

General Advice: Get medical attention if symptoms occur.

<b>Eye contact:</b>	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
<b>Skin contact:</b>	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
<b>Ingestion:</b>	Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
<b>Inhalation:</b>	Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferable by mouth-to-mouth, if possible. Call a poison control center or doctor for treatment advice.

#### 4.2 Most Important Symptoms and Effects, Acute and Delayed

Symptoms : Causes skin irritation. Causes serious eye damage. May be irritating to mucous membranes and upper respiratory tract. May be harmful if inhaled.

#### 4.3 Immediate Medical Attention and Special Treatment

Treatment : Treat symptomatically. Symptoms may be delayed.

**FOR A MEDICAL EMERGENCY INVOLVING THIS PRODUCT CALL: 1-866-944-8565**

Take container, label or product name with you when seeking medical attention.

**NOTES TO PHYSICIAN:** No specific antidote. Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient.

### 5. FIRE FIGHTING MEASURES

#### 5.1 EXTINGUISHING MEDIA:

Suitable Extinguishing Media: Use water fog, alcohol foam, dry chemical, or carbon dioxide extinguishing media.

#### 5.2 SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE:

Specific Hazards During Firefighting: None known.

#### 5.3 SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIREFIGHTERS

Special Protective Equipment for Firefighters: Self-contained breathing apparatus and full protective gear should be worn in fighting large fires involving chemicals. Use alcohol-type or universal-type foam on larger fires. Use water spray to keep fire exposed containers cool. Keep people away. Isolate fire and deny unnecessary entry.



## SAFETY DATA SHEET

SDS NUMBER: 1000016514-16-LPI

SDS REVISIONS: SECS. 2, 14

DATE OF ISSUE: 06/23/16

**TREKKER TRAX®**

SUPERSEDES: 06/15/15

### 6. ACCIDENTAL RELEASE MEASURES

#### 6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

Personal Precautions: Avoid inhalation of vapors, fumes, and spray mist and prolonged or repeated contact with skin and eyes. Ensure adequate ventilation. Wear suitable protective clothing.

#### 6.2 ENVIRONMENTAL PRECAUTIONS

Environmental Precautions: Prevent further leakage or spillage if safe to do so. Do not contaminate water. Do not allow to enter drains, sewers, or watercourses.

#### 6.3 METHODS AND MATERIALS FOR CONTAINMENT AND CLEAN-UP

Methods for Clean-Up: Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. After removal flush contaminated area thoroughly with water.  
Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to Remove residual contamination.  
Never return spills to original containers for re-use.

### 7. HANDLING AND STORAGE

#### 7.1 PRECAUTIONS FOR SAFE HANDLING:

Advice on Safe Handling: Avoid inhalation of vapors / spray mist or fumes and contact with eyes, skin and clothing. Do not breathe mist or vapor. Wear personal protective equipment. Do not use in areas without adequate ventilation. Avoid prolonged exposure. Wash thoroughly after handling. Do not empty into drains. Handle and open container with care. Use care in handling/storage. Wash before eating, drinking and/or smoking. Eye wash and safety shower on site are recommended.

#### 7.2 CONDITIONS FOR SAFE STORAGE:

Requirements for Storage Areas and Containers: Store in a cool, dry place. Store in original container. Keep tightly closed. Do not reuse empty container. Do not contaminate water, food or feed by storage or disposal.

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### 8.1 CONTROL PARAMETERS:

##### U.S. Workplace Exposure Level (ACGIH) TLVs

Components	Type	Value
Ethanol	STEL/CEIL (C)	1,880 mg/m <sup>3</sup>
n-Butanol	TWA	61 mg/m <sup>3</sup>
2-Propanol	TWA	492 mg/m <sup>3</sup>

##### U.S. Workplace Exposure Level (OSHA) PEL

Components	Type	Value
Ethanol	TWA	1,900 mg/m <sup>3</sup>
n-Butanol	TWA	300 mg/m <sup>3</sup>
2-Propanol	TWA	980 mg/m <sup>3</sup>

##### Biological limit values

##### ACGIH Biological Exposure Indices

Components	Value	Specimen
2-Propanol	40 mg/L	Acetone in urine; End of shift at end of workweek

#### 8.2 EXPOSURE CONTROLS:

##### Engineering Measures

Provide adequate general and local exhaust ventilation. Observe Occupational Exposure Limits and minimize the risk of inhalation of vapors and spray mists. Provide eyewash station and safety shower.

##### Individual Protection Measures:

Eye / Face Protection: Chemical goggles or face shield are recommended.  
Skin Protection: Wear protective gloves / protective clothing.  
Respiratory Protection: In case of inadequate ventilation or risk of inhalation of vapors, use suitable respiratory equipment. Wear respiratory protection during operations where spraying or misting occurs. Wear air supplied respiratory protection. In the U.S.A., if respirators are used, a program should be in place to assure compliance with 29 CFR 1910.134, the OSHA Respiratory Protection standard. Wear air supplied respiratory protection if exposure concentrations are unknown.

---

**9. PHYSICAL AND CHEMICAL PROPERTIES**


---

**9.1 APPEARANCE :** Liquid  
**ODOR:** Mild alcohol.  
**ODOR THRESHOLD:** Not determined.  
**COLOR:** Clear, pale yellow.  
**pH:** 6.5 – 8.0 (10% solution)  
**MELTING POINT / FREEZING POINT:** No data available  
**BOILING POINT:** >212 °F (>100 °C)  
**FLASH POINT:** 111 °F (43.9 °C)  
**FLAMMABILITY (solid, gas):** No data available  
**UPPER / LOWER FLAMMABILITY OR EXPLOSIVE LIMITS:** No data available  
**VAPOR PRESSURE:** No data available  
**SOLUBILITY:** Soluble  
**PARTITION CO-EFFICIENT, n-OCTANOL / WATER:** No data available  
**AUTO-IGNITION TEMPERATURE:** No data available.  
**DECOMPOSITION TEMPERATURE:** Not determined  
**VISCOSITY :** No data available  
**SPECIFIC GRAVITY (Water = 1):** 0.973 g/ml  
**DENSITY:** 8.12 lbs./gal. / 0.97 kg/L

Note: These physical data are typical values based on material tested but may vary from sample to sample.  
 Typical values should not be construed as a guaranteed analysis of any specific lot or as specification items.

---

**10. STABILITY AND REACTIVITY**


---

**10.1 REACTIVITY**

Stable

**10.2 CHEMICAL STABILITY**

Stable under normal temperature conditions

**10.3 POSSIBILITY OF HAZARDOUS REACTIONS**

No reactions known under normal use conditions. Will not polymerize.

**10.4 CONDITIONS TO AVOID**

Avoid heat, sparks, open flames, and ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials.

**10.5 INCOMPATIBLE MATERIALS**

Strong acids. Strong alkalis. Strong oxidizing agents.

**10.6 HAZARDOUS DECOMPOSITION PRODUCTS**

Upon decomposition this product may yield oxides of nitrogen, oxides of ammonia, oxides of carbon, and other low weight hydrocarbons.

---

**11. TOXICOLOGICAL INFORMATION**


---

**11.1 LIKELY ROUTES OF EXPOSURE**

Eye contact, skin contact, inhalation.

**LC<sub>50</sub> (rat):** >8,000 ppm (n-Butanol); > 124mg/kg (Ethanol)

**LD<sub>50</sub> Oral (rat):** >750 mg/kg (n-Butanol); >1,500 mg/kg (Ethanol)

**LD<sub>50</sub> Dermal (rabbit)** >3,400 mg/kg (n-Butanol)

**Skin Irritation (rabbit):** Causes skin irritation

**Eye Irritation (rabbit):** Causes serious eye damage.

**Specific Target Organ Toxicity:** No data available

**Aspiration:** No data available

**Skin Sensitization (guinea pig):** No data available

**Carcinogenicity:** No data available

**Germ Cell Mutagenicity:** No data available

**Interactive Effects:** None known



## SAFETY DATA SHEET

SDS NUMBER: 1000016514-16-LPI

SDS REVISIONS: SECS. 2, 14

DATE OF ISSUE: 06/23/16

**TREKKER TRAX®**

SUPERSEDES: 06/15/15

### 12. ECOLOGICAL INFORMATION

#### 12.1 ECOTOXICITY

Toxic to aquatic life. Harmful to aquatic life with long lasting effects.

##### Ecotoxicological Data

Components	Species	Test Results
No data available		
Drift or runoff may adversely affect non-target plants. Do not apply directly to water. Do not contaminate water when disposing of equipment wash water. Do not apply when weather conditions favor drift from target area.		

#### 12.2 PERSISTENCE AND DEGRADABILITY

Biodegradability: Readily biodegradable

#### 12.3 BIOACCUMULATIVE POTENTIAL

Bioaccumulation: No data available

#### 12.4 MOBILITY IN SOIL

No data available

#### 12.5 OTHER ADVERSE EFFECTS

Assessment: No data available.

### 13. DISPOSAL CONSIDERATIONS

#### 13.1 WASTE TREATMENT METHODS

Do not contaminate water, food or feed by storage or disposal. Wastes may be disposed of on-site or at an approved waste disposal facility. Triple rinse (or equivalent) adding rinse water to spray tank. Offer container for recycling or dispose of container in sanitary landfill, or by other procedures approved by appropriate authorities. Recycling decontaminated containers is the best option of container disposal. The Agricultural Container Recycling Council (ACRC) operates the national recycling program. To contact your state and local ACRC recycler visit the ACRC web page at [www.acrecycle.org](http://www.acrecycle.org).

### 14. TRANSPORT INFORMATION

#### 14.1 LAND TRANSPORT

DOT Shipping Description: 119 GALLONS or less: NOT REGULATED

DOT Shipping Description: GREATER THAN 119 GALLONS: UN1993, FLAMMABLE LIQUIDS, N.O.S. (BUTANOL), 3, III ERG GUIDE 128

U.S. Surface Freight Classification: ADHESIVES, ADJUVANTS, SPREADERS OR STICKERS (NMFC 4610; CLASS: 60)

##### OCEAN TRANSPORT

14.2 IMDG Shipping Description: UN1993, FLAMMABLE LIQUIDS, N.O.S. (BUTANOL), 3, PG III, (FLASHPOINT 43.9 C) ERG GUIDE 128

### 15. REGULATORY INFORMATION

#### 15.1 SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS

##### NFPA & HMIS Hazard Ratings:

##### NFPA

3	Health	0	Least
3	Flammability	1	Slight
0	Instability	2	Moderate
		3	High
		4	Severe

##### HMIS

3	Health
3	Flammability
0	Reactivity
B	PPE



## SAFETY DATA SHEET

SDS NUMBER: 1000016514-16-LPI

SDS REVISIONS: SECS. 2, 14

DATE OF ISSUE: 06/23/16

**TREKKER TRAX®**

SUPERSEDES: 06/15/15

### SARA Hazard Notification/Reporting

#### SARA Title III Hazard Category:

Immediate Y  
Delayed N

Fire Y  
Reactive N

Sudden Release of Pressure N

**Reportable Quantity (RQ) under U.S. CERCLA:** n-Butanol (CAS: 71-36-3) 5,000 lbs.

**SARA, Title III, Section 313:** n-Butanol (CAS: 71-36-3); 2-Propanol (CAS: 67-63-0)

**RCRA Waste Code:** U031 (n-Butanol)

**CA Proposition 65: WARNING:** This product contains chemicals known to the State of California to cause cancer or birth defects or other reproductive harm.

---

## 16. OTHER INFORMATION

---

**SDS STATUS:** Sections 2 and 14 revised

**PREPARED BY:** Registrations and Regulatory Affairs

**REVIEWED BY:** Environmental Health and Safety

*®Trekker Trax is a registered trademark of Loveland Products, Inc.*

**Disclaimer and Limitation of Liability:** This data sheet was developed from information on the constituent materials identified herein and does not relate to the use of such materials in combination with any other material or process. No warranty is expressed or implied with respect to the completeness or ongoing accuracy of the information contained in this data sheet, and LOVELAND PRODUCTS, INC. disclaims all liability for reliance on such information. This data sheet is not a guarantee of safety. Users are responsible for ensuring that they have all current information necessary to safely use the product described by this data sheet for their specific purpose.