Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations
Date of issue: 06/02/2015 Version: 1.0

SECTION 1: IDENTIFICATION

1.1. Product Identifier

Product Form: Mixture

Product Name: Tenkoz Atrazine 4L Herbicide

Other means of identification: EPA Reg. No. 35915-4-55467

1.2. Intended Use of the Product Use of the substance/mixture: Herbicide

1.3. Name, Address, and Telephone of the Responsible Party

Manufacturer

Tenkoz, Inc.

1725 Windward Concourse Suite 410

Alpharetta, GA 30005

1.4. Emergency Telephone Number

Emergency Number : (800) 424-9300 CHEMTREC (transportation and spills) (800) 900-4044 Poison

Control Center (human health) (800) 345-4735 ASPCA (animal health)

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the Substance or Mixture

Classification (GHS-US)

Acute Tox. 4 (Oral)	H302
Acute Tox. 4 (Inhalation:dust,mist)	H332
Skin Irrit. 2	H315
Eye Irrit. 2B	H320
Skin Sens. 1	H317
Muta. 1B	H340
Carc. 1B	H350
STOT RE 1	H372
Aquatic Acute 1	H400
Aquatic Chronic 1	H410

Full text of H-phrases: see section 16

2.2. Label Elements

GHS-US Labeling

Hazard Pictograms (GHS-US)







Signal Word (GHS-US) : Danger

Hazard Statements (GHS-US) : H302+H332 - Harmful if swallowed or if inhaled.

H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction.

H320 - Causes eye irritation. H340 - May cause genetic defects.

H350 - May cause cancer.

 $\ensuremath{\mathsf{H372}}$ - Causes damage to organs through prolonged or repeated exposure.

H400 - Very toxic to aquatic life.

H410 - Very toxic to aquatic life with long lasting effects.

Precautionary Statements (GHS-US) : P201 - Obtain special instructions before use.

P202 - Do not handle until all safety precautions have been read and understood.

P260 - Do not breathe vapors, mist, or spray.

P264 - Wash hands, forearms, and other exposed areas thoroughly after handling.

EN (English US) 1/1

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P270 - Do not eat, drink or smoke when using this product.

P271 - Use only outdoors or in a well-ventilated area.

P272 - Contaminated work clothing must not be allowed out of the workplace.

P273 - Avoid release to the environment.

P280 - Wear protective gloves, protective clothing, and eye protection.

P301+P312 - If swallowed: Call a poison center or doctor if you feel unwell.

P302+P352 - If on skin: Wash with plenty of water.

P304+P340 - If inhaled: Remove person to fresh air and keep at rest in a position comfortable for breathing.

P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P308+P313 - If exposed or concerned: Get medical advice/attention.

P312 - Call a poison center or doctor if you feel unwell.

P314 - Get medical advice/attention if you feel unwell.

P321 - Specific treatment (see section 4 on this SDS).

P330 - Rinse mouth.

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

P337+P313 - If eye irritation persists: Get medical advice/attention.

P362+P364 - Take off contaminated clothing and wash it before reuse.

P391 - Collect spillage.

P405 - Store locked up.

P501 - Dispose of contents/container in accordance with local, regional, national, and international regulations.

2.3. Other Hazards

No additional information available

2.4. Unknown Acute Toxicity (GHS-US)

10.9% of the mixture consists of ingredient(s) of unknown acute toxicity. of the mixture consists of ingredients of unknown acute toxicity.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substance

Not applicable

3.2. Mixture

Name	Product Identifier	%	Classification (GHS-US)
Atrazine	(CAS No) 1912-24-9	43.65	Skin Sens. 1, H317 STOT RE 2, H373 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Ethylene glycol	(CAS No) 107-21-1	<u><</u> 5	Acute Tox. 4 (Oral), H302 STOT RE 2, H373
Ethylene oxide	(CAS No) 75-21-8	<5	Flam. Gas 1, H220 Compressed gas, H280 Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Inhalation), H331 Acute Tox. 3 (Inhalation:gas), H331 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Muta. 1B, H340 Carc. 1B, H350 STOT SE 3, H335 STOT RE 1, H372 Aquatic Acute 3, H402

Full text of H-phrases: see section 16

EN (English US) 2/1

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 4: FIRST AID MEASURES

4.1. Description of First Aid Measures

First-aid Measures General: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid Measures After Inhalation: When symptoms occur: go into open air and ventilate suspected area.

First-aid Measures After Skin Contact: Remove contaminated clothing. Drench affected area with water for at least 15 minutes. **First-aid Measures After Eye Contact**: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

First-aid Measures After Ingestion: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Call a physician or poison control center immediately.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/Injuries: May cause an allergic skin reaction. Causes damage to organs through prolonged or repeated exposure. Harmful if swallowed or if inhaled. Causes eye irritation. Causes skin irritation. May cause cancer. May cause genetic defects. Effects of exposure (inhalation, ingestion or skin contact) to substance may be delayed.

Symptoms/Injuries After Inhalation: Sneezing, coughing, burning sensation of throat with constricting sensation of the larynx and difficulty in breathing. Harmful if inhaled.

Symptoms/Injuries After Skin Contact: Redness, pain, swelling, itching, burning, dryness, and dermatitis. May cause an allergic skin reaction.

Symptoms/Injuries After Eye Contact: Redness, pain, swelling, itching, burning, tearing, and blurred vision.

Symptoms/Injuries After Ingestion: Irritation of throat, stomach, and intestines. Harmful if swallowed.

Chronic Symptoms: May cause cancer. May cause genetic defects. Causes damage to organs through prolonged or repeated exposure.

4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If medical advice is needed, have product container or label at hand.

SECTION 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing Media

Suitable Extinguishing Media: Alcohol foam, carbon dioxide, dry chemical, water spray, fog. Use extinguishing media appropriate for surrounding fire.

Unsuitable Extinguishing Media: Do not use a heavy water stream. Use of heavy stream of water may spread fire.

5.2. Special Hazards Arising From the Substance or Mixture

Fire Hazard: Not considered flammable but may burn at high temperatures.

Explosion Hazard: Product is not explosive.

Reactivity: Hazardous reactions will not occur under normal conditions.

5.3. Advice for Firefighters

Firefighting Instructions: Exercise caution when fighting any chemical fire.

Protection During Firefighting: Do not enter fire area without proper protective equipment, including respiratory protection. **Other Information:** Do not allow run-off from fire fighting to enter drains or water courses. De-contaminate equipment or materials involved in pesticide fires.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Handle in accordance with good industrial hygiene and safety practice.

6.1.1. For Non-emergency Personnel

Protective Equipment: Use appropriate personal protection equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel. Evacuate unnecessary personnel.

6.1.2. For Emergency Responders

Protective Equipment: Equip cleanup crew with proper protection. Use appropriate personal protection equipment (PPE).

Emergency Procedures: Ventilate area.

6.2. Environmental Precautions

Prevent entry to sewers and public waters.

6.3. Methods and Material for Containment and Cleaning Up

For Containment: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

Methods for Cleaning Up: Clean up spills immediately and dispose of waste safely.

6.4. Reference to Other Sections

See heading 8, Exposure Controls and Personal Protection.

EN (English US) 3/1

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for Safe Handling

Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking and again when leaving work. Do not eat, drink or smoke when using this product.

7.2. Conditions for Safe Storage, Including Any Incompatibilities

Storage Conditions: Store in a dry, cool and well-ventilated place. Keep container closed when not in use.

Incompatible Products: Strong acids. Strong bases. Strong oxidizers.

Storage Area: Store locked up.7.3. Specific End Use(s)

Herbicide

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control Parameters

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), NIOSH (REL), or OSHA (PEL).

Atrazine (191	12-24-9)		
USA ACGIH	ACGIH TWA (mg/m³)	2 mg/m³ (inhalable fraction)	
USA ACGIH	ACGIH chemical category	Confirmed Animal Carcinogen with Unknown Relevance to Humans	
USA NIOSH	NIOSH REL (TWA) (mg/m³)	5 mg/m³	
Ethylene glyd	Ethylene glycol (107-21-1)		
USA ACGIH	ACGIH Ceiling (mg/m³)	100 mg/m³ (aerosol only)	
USA ACGIH	ACGIH chemical category	Not Classifiable as a Human Carcinogen	
Ethylene oxid	Ethylene oxide (75-21-8)		
USA ACGIH	ACGIH TWA (ppm)	1 ppm	
USA ACGIH	ACGIH chemical category	Suspected Human Carcinogen	
USA NIOSH	NIOSH REL (TWA) (mg/m³)	0.18 mg/m³ (less than stated value)	
USA NIOSH	NIOSH REL (TWA) (ppm)	0.1 ppm (less than stated value)	
USA NIOSH	NIOSH REL (ceiling) (mg/m³)	9 mg/m³	
USA NIOSH	NIOSH REL (ceiling) (ppm)	5 ppm	
USA IDLH	US IDLH (ppm)	800 ppm	
USA OSHA	OSHA PEL (TWA) (ppm)	1 ppm	
USA OSHA	OSHA PEL (STEL) (ppm)	5 ppm (see 29 CFR 1910.1047)	

8.2. Exposure Controls

Appropriate Engineering Controls : Emergency eye wash fountains and safety showers should be available in the

immediate vicinity of any potential exposure.

Personal Protective Equipment : Protective goggles. Gloves. Insufficient ventilation: wear respiratory protection.







Hand Protection : Wear chemically resistant protective gloves.

Eye Protection: Chemical goggles or safety glasses.Skin and Body Protection: Use chemically protective clothing.

Respiratory Protection : Use a NIOSH-approved respirator or self-contained breathing apparatus whenever

exposure may exceed established Occupational Exposure Limits.

Other Information : When using, do not eat, drink or smoke.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on Basic Physical and Chemical Properties

Physical State: LiquidAppearance: WhiteOdor: Odorless

Odor Threshold: No data availablepH: 5.03 @25°C

Evaporation Rate : No data available

EN (English US) 4/1

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Melting Point: Not applicableFreezing Point: No data availableBoiling Point: 103 °C ± 5 °C (217.4 °F)Flash Point: Not flammableAuto-ignition Temperature: No data availableDecomposition Temperature: No data availableFlammability (solid, gas): No data available

Vapor Pressure : 6.6x10-7 @25°C

Relative Vapor Density at 20 °C : No data available

Relative Density : No data available

Specific Gravity : 1.12 @20°C (typical)

Specific gravity / density : 1.1 Bulk Density

Solubility : Water: 33 ppm @20°C

Partition Coefficient: N-Octanol/Water : No data available

Viscosity : @20°C

9.2. Other Information No additional information available

SECTION 10: STABILITY AND REACTIVITY

- **10.1. Reactivity:** Hazardous reactions will not occur under normal conditions.
- 10.2. Chemical Stability: Product is stable.
- 10.3. Possibility of Hazardous Reactions: Hazardous polymerization will not occur.
- **10.4. Conditions to Avoid:** Direct sunlight. Extremely high or low temperatures.
- **10.5. Incompatible Materials:** Strong acids. Strong bases. Strong oxidizers.
- 10.6. Hazardous Decomposition Products: Carbon oxides (CO, CO2).

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information On Toxicological Effects

Acute Toxicity: Oral: Harmful if swallowed. Inhalation:dust,mist: Harmful if inhaled.

Atrazine 4L Flowable Herbicide		
LD50 Oral Rat	1075 - 1886 mg/kg	
LD50 Dermal Rat	> 5000 mg/kg	
LC50 Inhalation Rat	2.38 mg/l/4h	
ATE (Oral)	1,075.00 mg/kg body weight	
ATE (Vapors)	2.38 mg/l/4h	
ATE (Dust/Mist)	2.38 mg/l/4h	
Atrazine (1912-24-9)		
LD50 Oral Rat	672 mg/kg	
LD50 Dermal Rat	> 5000 mg/kg	
LC50 Inhalation Rat	5200 mg/m³ (Exposure time: 4 h)	
ATE (Vapors)	5,200.00 mg/l/4h	
ATE (Dust/Mist)	5,200.00 mg/l/4h	
Ethylene glycol (107-21-1)		
LD50 Oral Rat	4700 mg/kg	
LD50 Dermal Rat	10600 mg/kg	
ATE (Oral)	500.00 mg/kg body weight	
ATE (Dermal)	10,600.00 mg/kg body weight	
Ethylene oxide (75-21-8)		
LD50 Oral Rat	72 mg/kg	
LC50 Inhalation Rat	800 ppm/4h	
ATE (Oral)	72.00 mg/kg body weight	
ATE (Gases)	800.00 ppmV/4h	
ATE (Vapors)	3.00 mg/l/4h	
ATE (Dust/Mist)	0.50 mg/l/4h	

Skin Corrosion/Irritation: Causes skin irritation.

EN (English US) 5/1

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

pH: 5.03 @25°C

Serious Eye Damage/Irritation: Causes eye irritation.

pH: 5.03 @25°C

Respiratory or Skin Sensitization: May cause an allergic skin reaction.

Germ Cell Mutagenicity: May cause genetic defects.

Carcinogenicity: May cause cancer.

Atrazine (1912-24-9)		
IARC group	3	
National Toxicology Program (NTP) Status	Twelfth Report - Items under consideration.	
Ethylene oxide (75-21-8)		
IARC group	1	
National Toxicology Program (NTP) Status	Known Human Carcinogens.	
OSHA Hazard Communication Carcinogen List	In OSHA Hazard Communication Carcinogen list.	
OSHA Specifically Regulated Carcinogen List	In OSHA Specifically Regulated Carcinogen list.	

Reproductive Toxicity: Not classified

Specific Target Organ Toxicity (Single Exposure): Not classified

Specific Target Organ Toxicity (Repeated Exposure): Causes damage to organs through prolonged or repeated exposure.

Aspiration Hazard: Not classified

Symptoms/Injuries After Inhalation: Sneezing, coughing, burning sensation of throat with constricting sensation of the larynx and difficulty in breathing. Harmful if inhaled.

Symptoms/Injuries After Skin Contact: Redness, pain, swelling, itching, burning, dryness, and dermatitis. May cause an allergic skin reaction.

Symptoms/Injuries After Eye Contact: Redness, pain, swelling, itching, burning, tearing, and blurred vision.

Symptoms/Injuries After Ingestion: Irritation of throat, stomach, and intestines. Harmful if swallowed.

Chronic Symptoms: May cause cancer. May cause genetic defects. Causes damage to organs through prolonged or repeated exposure.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Atrazine (1912-24-9)		
LC50 Fish 1	4.5 - 11 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)	
EC50 Daphnia 1	5.2 - 8.1 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])	
LC 50 Fish 2	3 - 6.75 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [semi-static])	
ErC50 (algae)	0.147 mg/l	
Ethylene glycol (107-21-1)		
LC50 Fish 1	41000 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)	
EC50 Daphnia 1	46300 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
LC 50 Fish 2	14 - 18 ml/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])	
Ethylene oxide (75-21-8)		
LC50 Fish 1	73 - 96 mg/l (Exposure time: 96 h - Species: Pimephales promelas)	
EC50 Daphnia 1	137 - 300 mg/l (Exposure time: 48 h - Species: Daphnia magna)	

12.2. Persistence and Degradability

Atrazine 4L Flowable Herbicide	
Persistence and Degradability	Not established.

12.3. Bioaccumulative Potential

12.5. Bloaccullulative rotelitial		
Atrazine 4L Flowable Herbicide		
Bioaccumulative Potential	Not established.	
Atrazine (1912-24-9)		
BCF fish 1	7.7 - 15	
Log Pow	2.59 (at 20 °C)	
Ethylene glycol (107-21-1)		
Log Pow	-1.93	
Ethylene oxide (75-21-8)		
Log Pow	-0.3 (at 25 °C)	

EN (English US) 6/1

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.4. Mobility in Soil No additional information available

12.5. Other Adverse Effects

Other Information : Avoid release to the environment.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste Disposal Recommendations: Dispose of waste material in accordance with all local, regional, national, and international regulations.

SECTION 14: TRANSPORT INFORMATION

In Accordance With ICAO/IATA/IMDG/DOT

14.1. UN Number

UN-No.(DOT) : 3082 **DOT NA no.** UN3082

14.2. UN Proper Shipping Name

Proper Shipping Name (DOT) : Environmentally hazardous substances, liquid, n.o.s.

(Contains Atrazine)

Transport hazard class(es) (DOT) : 9 - Class 9 - Miscellaneous hazardous material 49 CFR 173.140

Hazard Labels (DOT) : 9 - Class 9 (Miscellaneous dangerous materials)



DOT Symbols : G - Identifies PSN requiring a technical name

Packing Group (DOT) : III - Minor Danger

DOT Special Provisions (49 CFR 172.102)

: 8 - A hazardous substance that is not a hazardous waste may be shipped under the shipping description "Other regulated substances, liquid or solid, n.o.s.", as appropriate. In addition, for solid materials, special provision B54 applies. 146 - This description may be used for a material that poses a hazard to the environment but does not meet the definition for a hazardous waste or a hazardous substance, as defined in 171.8 of this subchapter, or any hazard class as defined in Part 173 of this subchapter, if it is designated as environmentally hazardous by the Competent Authority of the country of origin, transit or destination.

173 - An appropriate generic entry may be used for this material.

335 - Mixtures of solids that are not subject to this subchapter and environmentally hazardous liquids or solids may be classified as "Environmentally hazardous substances, solid, n.o.s," UN3077 and may be transported under this entry, provided there is no free liquid visible at the time the material is loaded or at the time the packaging or transport unit is closed. Each transport unit must be leak-proof when used as bulk packaging.

IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672).

T4 - 2.65 178.274(d)(2) Normal..... 178.275(d)(3)

TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling = 97 / (1 + a (tr - tf)) Where: tr is the maximum mean bulk temperature during transport, and tf is the temperature in degrees celsius of the liquid during filling.

TP29 - A portable tank having a minimum test pressure of 1.5 bar (150.0 kPa) may be used provided the calculated test pressure is 1.5 bar or less based on the MAWP of the hazardous materials, as defined in 178.275 of this subchapter, where the test pressure is 1.5 times the MAWP.

DOT Packaging Exceptions (49 CFR

173.xxx)

: 155

EN (English US) 7/1

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Packaging Non Bulk (49 CFR

173.xxx)

DOT Packaging Bulk (49 CFR 173.xxx) : 241

14.3. Additional Information

Emergency Response Guide (ERG) : 171

Number

Transport by Sea

DOT Vessel Stowage Location : A - The material may be stowed "on deck" or "under deck" on a cargo vessel and

on a passenger vessel.

Air Transport

DOT Quantity Limitations Passenger

: No limit

: 203

Aircraft/Rail (49 CFR 173.27)

DOT Quantity Limitations Cargo Aircraft: No limit

Only (49 CFR 175.75)

SECTION 15: REGULATORY INFORMATION

15.1 US Federal Regulations

Tenkoz Atrazine 4L Herbicide	
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard
	Delayed (chronic) health hazard
EPA FIFRA Pesticide Product Notice	This chemical is a pesticide product registered by the United States
	Environmental Protection Agency and is subject to certain labeling
	requirements under federal pesticide law. These requirements differ
	from the classification criteria and hazard information required for
	safety data sheets (SDS), and for workplace labels of non pesticide
	chemicals. The hazard information required on the pesticide label is
	reproduced below. The pesticide label also includes other important
	information, including directions for use.
EPA FIFRA Signal Word	Caution
EPA FIFRA Hazard Statements	Harmful if swallowed. Harmful if absorbed through skin.
EPA FIFRA Precautionary Statements	Keep out of the reach of children. HAZARDOUS TO HUMANS AND
	DOMESTIC ANIMALS. Avoid contact with eyes, skin and clothing.
Atrazine (1912-24-9)	
Listed on the United States TSCA (Toxic Substances Contro	ol Act) inventory
Listed on United States SARA Section 313	
SARA Section 313 - Emission Reporting	1.0 %
Ethylene glycol (107-21-1)	
Listed on the United States TSCA (Toxic Substances Contro	ol Act) inventory
Listed on United States SARA Section 313	
EPA TSCA Regulatory Flag	Y2 - Y2 - indicates an exempt polymer that is a polyester and is made
	only from reactants included in a specified list of low concern
	reactants that comprises one of the eligibility criteria for the
	exemption rule.
SARA Section 313 - Emission Reporting	1.0 %
Ethylene oxide (75-21-8)	
Listed on the United States TSCA (Toxic Substances Contro	ol Act) inventory
Listed on the United States SARA Section 302	
Listed on United States SARA Section 313	
SARA Section 302 Threshold Planning Quantity (TPQ)	1000
SARA Section 313 - Emission Reporting	0.1 %

15.2 US State Regulations

Ethylene oxide (75-21-8)	
U.S California - Proposition 65 - Carcinogens List WARNING: This product contains chemicals known to the State of	
	California to cause cancer.
U.S California - Proposition 65 - Developmental	WARNING: This product contains chemicals known to the State of

EN (English US) 8/1

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Toxicity	California to cause birth defects.
U.S California - Proposition 65 - Reproductive	WARNING: This product contains chemicals known to the State of
Toxicity - Female	California to cause (Female) reproductive harm.
U.S California - Proposition 65 - Reproductive	WARNING: This product contains chemicals known to the State of
Toxicity - Male	California to cause (Male) reproductive harm.

Atrazine (1912-24-9)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

Ethylene glycol (107-21-1)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) Environmental Hazard List
- U.S. Pennsylvania RTK (Right to Know) List

Ethylene oxide (75-21-8)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) Environmental Hazard List
- U.S. Pennsylvania RTK (Right to Know) Special Hazardous Substances
- U.S. Pennsylvania RTK (Right to Know) List

SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Other Information

: This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200.

GHS Full Text Phrases:

Acute Tox. 3 (Inhalation)	Acute toxicity (inhalation) Category 3
Acute Tox. 3 (Inhalation:gas)	Acute toxicity (inhalation:gas) Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral) Category 3
Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard Category 1
Aquatic Acute 3	Hazardous to the aquatic environment - Acute Hazard Category 3
Aquatic Chronic 1	Hazardous to the aquatic environment - Chronic Hazard Category 1
Carc. 1B	Carcinogenicity Category 1B
Comb. Dust	Combustible Dust
Compressed gas	Gases under pressure Compressed gas
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Eye Irrit. 2B	Serious eye damage/eye irritation Category 2B
Flam. Gas 1	Flammable gases Category 1
Muta. 1B	Germ cell mutagenicity Category 1B
Skin Irrit. 2	Skin corrosion/irritation Category 2
Skin Sens. 1	Skin sensitization Category 1
STOT RE 1	Specific target organ toxicity (repeated exposure) Category 1
STOT RE 2	Specific target organ toxicity (repeated exposure) Category 2
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H220	Extremely flammable gas
H232	May form combustible dust concentrations in air
H280	Contains gas under pressure; may explode if heated
H301	Toxic if swallowed
H302	Harmful if swallowed
H315	Causes skin irritation

EN (English US) 9/1

Safety Data Sheet

. According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H320	Causes eye irritation
H331	Toxic if inhaled
H332	Harmful if inhaled
H335	May cause respiratory irritation
H340	May cause genetic defects
H350	May cause cancer
H372	Causes damage to organs through prolonged or repeated exposure
H373	May cause damage to organs through prolonged or repeated exposure
H400	Very toxic to aquatic life
H402	Harmful to aquatic life
H410	Very toxic to aquatic life with long lasting effects

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

SDS US (GHS HazCom)

EN (English US) 10/1