

Vers 1.6 PRD	ion	Revision Date: 06/21/2017	15	DS Number: 0000103613 SUS / EN / 0001	Date of last issue: 03/03/2016 Date of first issue: 10/22/2015	
SECTION 1. IDENTIFICATION						
	Product name		:	Ferbam 76WDG		
	Product code		:	51043-00, P5104314, P5104315, P5104316, P5104310, P5104311, P5104312, P5104318, P5104317, P5104313, P5104320, P5104321, P5104319		
	EPA R	egistration Number	:	45728-7		
	Manufa	acturer or supplier's o	deta	ails		
	Compa	ny name of supplier	:	Eastman Chemica	al Company	
	Address Telephone		:	200 South Wilcox Kingsport TN 376		
			:	(423) 229-2000		
	Emergency telephone num- ber		:	CHEMTREC: +1-800-424-9300, +1-703-527-3887 CCN732		
	Recommended use of the o		hen	nical and restriction	ons on use	
	Recom	mended use	:	Fungicide		
	Restrictions on use			None known.		

SECTION 2. HAZARDS IDENTIFICATION

Combustible dust	uun	
Skin irritation	:	Category 2
Eye irritation	:	Category 2
Eye irritation	:	Category 2
Eye irritation	:	Category 2
Specific target organ toxicity - single exposure	:	Category 3 (Respiratory system)
GHS label elements Hazard pictograms	:	

GHS classification in accordance with 29 CFR 1910.1200

Signal word

: Warning

SAFETY DATA SHEET

Ferbam 76WDG



ersion 6 RD	Revision Date: 06/21/2017	SDS Number: 150000103613 SDSUS / EN / 0001	Date of last issue: 03/03/2016 Date of first issue: 10/22/2015		
Haza	rd statements	H335 May caus	kin irritation. erious eye irritation. e respiratory irritation. ustible dust concentrations in air.		
Precautionary statements		P273 Avoid rele P280 Wear pro	 Prevention: P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. P273 Avoid release to the environment. P280 Wear protective gloves/ protective clothing/ eye protection face protection. 		
		P304 + P340 + and keep comfo CENTER/docto P332 + P313 If tion.	ON SKIN: Wash with plenty of soap and water. P312 IF INHALED: Remove person to fresh air ortable for breathing. Call a POISON r if you feel unwell. skin irritation occurs: Get medical advice/ atten-		
		Storage: P403 + P233 S ⁻ tightly closed.	ore in a well-ventilated place. Keep container		
		Disposal:			
		P501 Dispose o posal plant.	of contents/ container to an approved waste dis-		
	r hazards				
None	known.				

Components

Chemical name	CAS-No.	Concentration (% w/w)
ferbam	14484-64-1	> 70

SECTION 4. FIRST AID MEASURES

General advice	:	Show this safety data sheet to the doctor in attendance. Consult a physician.
If inhaled	:	Move to fresh air. Treat symptomatically. If symptoms persist, call a physician.
In case of skin contact	:	Wash off immediately with plenty of water for at least 15 minutes. Take off all contaminated clothing immediately. Call a physician or poison control centre immediately.
In case of eye contact	:	Rinse immediately with plenty of water, also under the eyelids,



Versior 1.6 PRD	า	Revision Date: 06/21/2017	15	DS Number: 0000103613 SUS / EN / 0001	Date of last issue: 03/03/2016 Date of first issue: 10/22/2015	
				rinsing.	nutes. enses, if present and easy to do. Continue rsists: Get medical advice/ attention.	
If swallowed		 Call a physician or poison control centre immediately. Clean mouth with water and drink afterwards plenty of water. Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. 				
an	Most important symptoms and effects, both acute and delayed		:	Causes serious e May cause damage exposure if swallo Irregular cardiac a Dermatitis Eczema Headache Nausea Shortness of brea May produce an a Health injuries ma	ath allergic reaction.	
Nc	otes t	o physician	:	Biomonitoring pos TTCA in the urine	or dithiocarbamates ssible at chronical exposure: determination of at the end of the workday/week. elayed effects: livertests, kidney function,	

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Carbon dioxide (CO2) Dry chemical Water spray
Unsuitable extinguishing media	:	Do not use a solid water stream as it may scatter and spread fire. Do NOT use water jet.
Specific hazards during fire- fighting	:	Thermal decomposition can lead to release of irritating gases and vapours. Risk of dust explosion.
Hazardous combustion prod- ucts	:	Nitrogen oxides (NOx) Sulphur oxides Carbon oxides
Further information	:	Do not allow run-off from fire fighting to enter drains or water courses.
Special protective equipment for firefighters	:	Wear an approved positive pressure self-contained breathing apparatus in addition to standard fire fighting gear.



|--|

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Wear appropriate personal protective equipment. Local authorities should be advised if significant spillages cannot be contained.
Environmental precautions	:	Avoid release to the environment.
Methods and materials for containment and cleaning up	:	Sweep up or vacuum up spillage and collect in suitable con- tainer for disposal. Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	: Keep product and empty container away from heat and sources of ignition.
Advice on safe handling	 Avoid breathing dust. Do not get on skin or clothing. Do not get in eyes. Do not swallow. Ensure adequate ventilation. Wash thoroughly after handling.
Conditions for safe storage	 Keep tightly closed. Keep in a dry, cool and well-ventilated place. Keep away from direct sunlight. Use only explosion-proof equipment.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
ferbam	14484-64-1	TWA (Inhal- able fraction)	5 mg/m3	ACGIH
		TWA	10 mg/m3	NIOSH REL
		TWA (total dust)	15 mg/m3	OSHA Z-1
		TWA (Total dust)	10 mg/m3	OSHA P0

Engineering measures : Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne



Version 1.6 PRD	Revision Date: 06/21/2017	15	DS Number: 00000103613 0SUS / EN / 0001	Date of last issue: 03/03/2016 Date of first issue: 10/22/2015
				mmended exposure limits. If exposure lim- established, maintain airborne levels to an
Per	rsonal protective equipm	nent		
Re	spiratory protection	:	ventilation is prov that exposures ar Suitable mask wit	rotection unless adequate local exhaust ided or exposure assessment demonstrates e within recommended exposure guidelines. h particle filter P3 (European Norm 143) eathing apparatus (EN 133) sk
Hai	nd protection			
	Remarks	:	through time/strer exact break throu	eoprene gloves The data about break ngth of material are standard values! The gh time/strength of material has to be ob- roducer of the protective glove.
Eye	e protection	:		protection when the potential for inadvertent he product cannot be excluded.
Ski	n and body protection	:	Complete suit pro	tecting against chemicals
Pro	tective measures	:	pours have been Ensure that eye fl located close to the	bry and skin/eye protection only after va- cleared from the area. Jushing systems and safety showers are ne working place. tective equipment as required.
Hy	giene measures	:	Handle in accorda practice.	ance with good industrial hygiene and safety

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: granules
Colour	: black
Odour	: odourless
рН	: 4.7
	: Decomposition: Decomposes below the melting point.
Flammability (solid, gas)	: Combustible Solids
Vapour pressure	: 0.00002 Pa (25 °C)
Density	: 0.60 g/cm3



Version 1.6 PRD	Revision Date: 06/21/2017	15	9 S Number: 0000103613 SUS / EN / 0001	Date of last issue: 03/03/2016 Date of first issue: 10/22/2015
W	pility(ies) 'ater solubility ion coefficient: n-	:	dispersible log Pow: -1.60	
	ol/water	•	log Pow: -1.60	
Deco	mposition temperature	:	>= 120 °C	
Explo	osive properties	:	Not explosive	
Oxidi	zing properties	:	Not applicable	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	None reasonably foreseeable.
Chemical stability	:	Stable under normal conditions.
Conditions to avoid	:	Avoid dust formation. Heat
Incompatible materials	:	Strong oxidizing agents Strong acids
Hazardous decomposition products	:	Carbon dioxide (CO2) Nitrogen oxides (NOx) Sulphur oxides

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

<u>Product:</u> Acute oral toxicity		LD50 (Rat): > 5,000 mg/kg
Acute inhalation toxicity		LC50 (Rat): > 0.40 mg/l
	•	Exposure time: 4 h Remarks: It was demonstrated that during intended and fore- seen applications, no respirable aerosol is formed.
Acute dermal toxicity	:	LD50 (Rabbit): > 4,000 mg/kg
Skin corrosion/irritation		

Causes skin irritation.

Product:

Result: Irritating to skin.



Version	Revision Date:	SDS Number:
1.6	06/21/2017	150000103613
PRD		SDSUS / EN / 0001

Date of last issue: 03/03/2016 Date of first issue: 10/22/2015

Remarks: Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye irritation.

Product:

Species: Rabbit Result: Irritating to eyes. Remarks: Causes serious eye irritation.

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Product:

Remarks: Did not cause sensitisation on laboratory animals.

Germ cell mutagenicity

Not classified based on available information.

Product:

Germ cell mutagenicity - : Did not show mutagenic effects in animal experiments. Assessment

Carcinogenicity

Not classified based on available information.

Product:

Carcinogenicity - Assess- ment	: Did not show carcinogenic effects in animal experiments.
IARC	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
OSHA	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.
NTP	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
Reproductive toxicity Not classified based on availa	ble information.

Product:

Reproductive toxicity - As- : No toxicity to reproduction



Version Revision Date: 1.6 06/21/2017 PRD

SDS Number: 150000103613 SDSUS / EN / 0001 Date of last issue: 03/03/2016 Date of first issue: 10/22/2015

sessment

STOT - single exposure

May cause respiratory irritation.

Product:

Exposure routes: Inhalation Target Organs: Respiratory system Assessment: May cause respiratory irritation.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

Product:

No aspiration toxicity classification

Further information

Product:

Remarks: None known.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:		
Toxicity to fish	:	LC50 (Fish): 10.02 mg/l
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 0.017 mg/l Exposure time: 48 h
Toxicity to algae	:	EC50 (Chlorella pyrenoidosa (aglae)): 0.216 mg/l Exposure time: 120 h
M-Factor (Chronic aquatic toxicity)	:	10
Persistence and degradabilit	v	
No data available	y	
Bioaccumulative potential		
Bioaccumulative potential		
Product:		
D'ALL ALL ALL ALL ALL ALL		Demonstration Disconcernation is continued.



Version 1.6 PRD	Revision Date: 06/21/2017	15	DS Number: 50000103613 DSUS / EN / 0001	Date of last issue: 03/03/2016 Date of first issue: 10/22/2015
Mob	ility in soil			
Proc	<u>duct:</u>			
	ibution among environ- tal compartments	:	Koc: 432 - 2207	
Othe	er adverse effects			
No d	lata available			
SECTION	13. DISPOSAL CONSI	DE	RATIONS	
Disp	oosal methods			
Was	te from residues	:	Dispose of in acc	ordance with local regulations.
Cont	aminated packaging	:	Empty containers	should be taken to an approved waste han-

dling site for recycling or disposal.

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR

UN/ID No.	:	UN 3077
Proper shipping name	:	Environmentally hazardous substance, solid, n.o.s. (Thiram)
Class	:	9
Packing group	:	III
Labels	:	Miscellaneous
Packing instruction (cargo aircraft)	:	956
Packing instruction (passen- ger aircraft)	:	956
IMDG-Code		
UN number	:	UN 3077
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Thiram)
Class	:	9
Packing group	:	III
Labels	:	9
EmS Code	:	F-A, S-F
Marine pollutant	:	yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

49 CFR

UN/ID/NA number	:	UN 3077	
Proper shipping name	:	Environmentally hazardous substance, solid, n.o.s., Environ-	
		mentally hazardous substances, solid, n.o.s.	



Version 1.6 PRD	Revision Date: 06/21/2017	SDS Number: 150000103613 SDSUS / EN / 0001	Date of last issue: 03/03/2016 Date of first issue: 10/22/2015
Label: ERG (ng group s Code e pollutant	: 171 : no : Shipping in pa	cellaneous Dangerous Goods ackage sizes of less than 5 L (liquids) or 5 KG ead to a non-regulated classification.

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

SARA 302 Extremely	/ Hazardous	Substances	Threshold	Planning Quantity	,
	, indealaoao	Gasolanooo	11110011010	i laining waantity	

•		C		
Components	CAS-No.	Component TPQ (lbs)		
SARA 311/312 Hazards	: Fire Hazard Acute Health Haza	ard		
SARA 313		The following components are subject to reporting levels es- tablished by SARA Title III, Section 313:		
	ferbam	14484-64-1 76 9	%	

The components of this product are reported in the following inventories:

TSCA	: On the inventory, or in compliance with the inventory
------	---

EPA Labeling Information :

This Chemical is a pesticide product registered by the environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

WARNING: May be fatal if inhaled. Harmful if absorbed through the skin. Causes moderate eye irritation. Do not breathe spray mist or vapor. Avoid contact with eyes, skin or clothing. Prolonged or frequent repeated skin contact may cause allergic reactions in some individuals.

The consumption of alcoholic beverages increases the toxic effects of Ferbam.

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.



Version 1.6 PRD Revision Date: 06/21/2017


SDS Number: 150000103613 SDSUS / EN / 0001 Date of last issue: 03/03/2016 Date of first issue: 10/22/2015

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

AICS - Australian Inventory of Chemical Substances: ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization: IECSC - Inventory of Existing Chemical Substances in China: IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI -Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ -Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB -Very Persistent and Very Bioaccumulative





Revision Date : 06/21/2017

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN