

Supplemental Label

Endura® Fungicide

For use in citrus fruit

This supplemental label expires December 31, 2020, and must not be used or distributed after this date.

Active Ingredient:

boscalid*: 3-pyridinecarboxamide, 2-chloro-N-(4'-chloro(1,1'-biphenyl)-2-yl)-	70.00%
---	--------

Other Ingredients:	30.00%
---------------------------------	--------

Total:	100.00%
---------------------	---------

* 0.7 oz [0.044 lb ai] of boscalid in 1 oz of product

EPA Reg. No. 7969-197

WARNING/AVISO

Directions For Use

- It is a violation of federal law to use this product in a manner inconsistent with its labeling.
- The supplemental labeling and the entire **Endura® fungicide** container label, EPA Reg. No. 7969-197, must be in possession of the user at the time of application.
- Read the label affixed to the container for **Endura** before applying.
- Use of **Endura** according to this labeling is subject to the use precautions and limitations imposed by the label affixed to the container for **Endura**.

Table 1. Endura® fungicide Crop-specific Requirements

Crop	Target Disease	Product Use Rate per Application (ozs/A)	Maximum Number of Applications per Year	Maximum Product Rate per Year (ozs/A)	Minimum Time from Application to Harvest (PHI) (days)
Citrus fruit group 10-10 Australian desert lime Australian finger lime Australian round lime Brown River finger lime Calamondin Chironja Citron Citrus hybrids Grapefruit Japanese summer grapefruit Kumquat Lemon Lime Mediterranean mandarin Mount white lime New Guinea wild lime Orange, sour Orange, sweet Pummelo Russell River lime Satsuma mandarin Sweet lime Tachibana orange Tahiti lime Tangelo Tangerine (mandarin) Tangor Trifoliate orange Uniq fruit Cultivars, varieties and/or hybrids of these	Alternaria brown spot (<i>Alternaria alternata</i> , <i>Alternaria</i> spp.) Greasy spot (<i>Mycosphaerella citri</i>) Melanose (<i>Diaporthe citri</i>) Scab (<i>Elsinoe fawcettii</i>) Suppression Only: Postbloom Fruit Drop (<i>Colletotrichum</i> spp.)	6.8	4	27.2	0

Application Directions. Begin **Endura** applications prior to infection and continue on a 10-day to 21-day interval. Use the shorter interval when disease pressure is high.

Disease control from **Endura** depends on disease pressure and various cultural practices that influence rind maturation and disease susceptibility. Improved disease performance may result when **Endura** is used in a crop management program that minimizes rind overmaturity and rind damage.

For aerial application to citrus fruit trees, use no less than 10 gallons of spray solution per acre.

Restrictions and Limitations. **DO NOT** apply more than 27.2 ozs/A (1.20 lbs boscalid) per year. **DO NOT** make more than four (4) applications of **Endura** per year.

Resistance Management. To limit the potential for development of resistance, **DO NOT** make more than two (2) sequential applications of **Endura** before alternating to a labeled fungicide with a different mode of action.

Conditions of Sale and Warranty

The **Directions For Use** of this product reflect the opinion of experts based on field use and tests. The directions are believed to be reliable and must be followed carefully. However, it is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or use of the product in a manner inconsistent with its labeling, all of which are beyond the control of BASF CORPORATION ("BASF") or the Seller. To the extent consistent with applicable law, all such risks shall be assumed by the Buyer.

BASF warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the **Directions For Use**, subject to the inherent risks, referred to above.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BASF MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY OR ANY OTHER EXPRESS OR IMPLIED WARRANTY.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BUYER'S EXCLUSIVE REMEDY AND BASF'S EXCLUSIVE LIABILITY, WHETHER IN CONTRACT, TORT, NEGLIGENCE, STRICT LIABILITY, OR OTHERWISE, SHALL BE LIMITED TO REPAYMENT OF THE PURCHASE PRICE OF THE PRODUCT.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BASF AND THE SELLER DISCLAIM ANY LIABILITY FOR CONSEQUENTIAL, EXEMPLARY, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.

BASF and the Seller offer this product, and the Buyer and User accept it, subject to the foregoing **Conditions of Sale and Warranty** which may be varied only by agreement in writing signed by a duly authorized representative of BASF.

1108

Endura is a registered trademark of BASF.

© 2018 BASF Corporation
All rights reserved.

007969-00197.20170929c.NVA 2017-04-201-0021

BASF Corporation
26 Davis Drive
Research Triangle Park, NC 27709


We create chemistry