RANCONA® V RTU FS

Version Revision Date: MSDS Number: Country: US 1.7 10/23/2015 000000023403 Language: EN

SECTION 1. IDENTIFICATION

Product name : RANCONA® V RTU FS

Product code : 000000023403

Manufacturer or supplier's details

Company: MacDermid Agricultural Solutions, Inc

245 Freight St Waterbury, CT

United States of America

06702

Telephone: +1 800 423 8569

Prepared by sds.request@arysta.com

Further information for the safety data sheet:

sds.request@arysta.com

1.4 Emergency telephone number

Emergency telephone number: Agriphar Crop Solutions: +1 800 423 8569(24 hours) 800-424-9300

For additional emergency telephone numbers see section 16 of the

Safety Data Sheet.

Recommended use of the chemical and restrictions on use

Recommended use : Seed treatment

Restrictions on use : Agriculture, For professional users only.

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Reproductive toxicity : Category 2

Specific target organ toxicity

- repeated exposure

: Category 2

Acute aquatic toxicity : Category 2

Chronic aquatic toxicity : Category 1

RANCONA® V RTU FS

Version Revision Date: MSDS Number: Country: US 1.7 10/23/2015 000000023403 Language: EN

GHS Label element

Hazard pictograms





Signal word : Warning

Hazard statements : H361 Suspected of damaging fertility or the unborn child.

H373 May cause damage to organs through prolonged or re-

peated exposure.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read

and understood.

P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.

P273 Avoid release to the environment.

P281 Use personal protective equipment as required.

Response:

P308 + P313 IF exposed or concerned: Get medical advice/

attention.

P391 Collect spillage.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste dis-

posal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Chemical nature : Carboxin - 1.11 lbs/gal

Metalaxyl - 0.111 lbs/gal Ipconazole - 0.042 lbs/gal

Carboxin - 133 gm/L Metalaxyl - 13.3 gm/L Ipconazole - 5 gm/L

Hazardous components

Chemical Name	CAS-No.	Concentration (% w/w)
propane-1,2-diol	57-55-6	>= 10 - < 20
carboxin	5234-68-4	>= 10 - < 20
Distillates (petroleum), solvent-dewaxed heavy	64742-65-0	>= 5 - < 10

RANCONA® V RTU FS

Version Revision Date: MSDS Number: Country: US 1.7 10/23/2015 000000023403 Language: EN

paraffinic		
metalaxyl	57837-19-1	>= 1 - < 5
Ipconazole	125225-28-7	>= 0.1 -< 1
1,2-benzisothiazol-3(2H)-one	2634-33-5	>= 0.1 -< 1

SECTION 4. FIRST AID MEASURES

If inhaled : Remove to fresh air.

Obtain medical attention.

In case of skin contact : Remove contaminated clothing and shoes.

Wash off with warm water and soap. If symptoms persist, call a physician. Wash contaminated clothing before re-use.

Destroy contaminated shoes.

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids,

for at least 15 minutes.

If symptoms persist, call a physician.

If swallowed : Do NOT induce vomiting.

Rinse mouth with water. Obtain medical attention.

Most important symptoms and

effects, both acute and delayed Su

: Symptoms may be delayed.

Suspected of damaging fertility or the unborn child.

May cause damage to organs through prolonged or repeated

exposure.

Notes to physician : The first aid procedure should be established in consultation

with the doctor responsible for industrial medicine.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Extinguishing media - large fires

Alcohol-resistant foam

(on small fires)

Carbon dioxide (CO2)

Dry chemical Water spray

Unsuitable extinguishing media : Water spray jet

Specific hazards during fire-

fighting

: Burning produces irritant fumes.

Exposure to decomposition products may be a hazard to

health.

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circum-

stances and the surrounding environment.

Further information : Use water spray to cool unopened containers.

RANCONA® V RTU FS

Version **Revision Date:** MSDS Number: Country: US 10/23/2015 000000023403 Language: EN 1.7

Collect contaminated fire extinguishing water separately. This must

not be discharged into drains.

firefighters

Special protective equipment for : In the event of fire, wear self-contained breathing apparatus.

Full protective flameproof clothing

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency pro-

cedures

Wear suitable protective equipment. Avoid contact with skin and eyes. Keep in properly labelled containers. Dispose of rinse water as waste water.

Environmental precautions : Should not be released into the environment.

Do not flush into surface water or sanitary sewer system.

Avoid subsoil penetration.

Methods and materials for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid

binder, universal binder, sawdust).

Large spills should be collected mechanically (remove by pumping)

for disposal.

Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling : Use plant protection products safely. Always read the label and

product information before use.

Handle in accordance with good industrial hygiene and safety prac-

Avoid contact with skin, eyes and clothing. Wear personal protective equipment. Do not breathe vapours or spray mist.

Use only in area provided with appropriate exhaust ventilation.

Handle and open container with care. Wash thoroughly after handling.

Conditions for safe storage Keep containers tightly closed in a dry, cool and well-ventilated

Keep only in the original container.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of ex-	Control parameters / Permissible con-	Basis
		posure)	centration	
propane-1,2-diol	57-55-6	TWA	10 mg/m3	US WEEL
Distillates (petroleum), solvent-	64742-65-0	TWA (Mist)	5 mg/m3	OSHA Z-1
dewaxed heavy paraffinic				

RANCONA® V RTU FS

Version Revision Date: MSDS Number: Country: US 1.7 10/23/2015 000000023403 Language: EN

TWA (In ble fract)	C	ACGIH
TWA	5 mg/m3	OSHA P0
TWA (N	Aist) 5 mg/m3	NIOSH REL
ST (Mis	t) 10 mg/m3	NIOSH REL
TWA (N	Aist) 5 mg/m3	OSHA P0

Hazardous components without workplace control parameters

Components	CAS-No.
carboxin	5234-68-4
metalaxyl	57837-19-1
Ipconazole	125225-28-7
1,2-benzisothiazol-3(2H)-one	2634-33-5

Engineering measures : Use mechanical ventilation for general area control.

Ensure that extracted air cannot be returned to the workplace

through the ventilation system.

Ensure that eyewash stations and safety showers are close to the

workstation location.

Personal protective equipment

Respiratory protection : In the case of vapour formation use a respirator with an ap-

proved filter.

Respirator with a vapour filter (EN 141)

Hand protection

Remarks : Impervious gloves

Eye protection : Safety glasses with side-shields

or

Safety goggles

Skin and body protection : Impervious clothing

Long sleeved clothing

To protect against splashes from pouring:

Rubber or plastic boots Rubber or plastic apron

Remove and wash contaminated clothing before re-use.

Discard contaminated shoes.

Hygiene measures : Handle in accordance with good industrial hygiene and safety prac-

tice.

Ensure adequate ventilation, especially in confined areas.

Avoid contact with skin, eyes and clothing.

Do not inhale aerosol.

Wear suitable gloves and eye/face protection.

When using do not eat, drink or smoke.

Wash thoroughly after handling. Keep working clothes separately.

Remove and wash contaminated clothing before re-use. Contaminated work clothing should not be allowed out of the

workplace.

RANCONA® V RTU FS

Version Revision Date: MSDS Number: Country: US 1.7 10/23/2015 000000023403 Language: EN

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Colour : red

Odour : mild

Odour Threshold : No data available

pH : No data available

: No data available

: No data available

Flash point : Not applicable

Evaporation rate : No data available

Upper explosion limit : No data available

Lower explosion limit : No data available

Vapour pressure : No data available

Relative vapour density : No data available

Relative density : 1.06

Solubility(ies)

Water solubility : dispersible

Solubility in other solvents : Not applicable

Solvent: Organic solvents

Partition coefficient: n-

octanol/water

: No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No dangerous reaction known under conditions of normal use.

RANCONA® V RTU FS

Version Revision Date: MSDS Number: Country: US 1.7 10/23/2015 000000023403 Language: EN

Chemical stability : Stable under normal conditions.

Possibility of hazardous reac-

tions

: Hazardous polymerisation does not occur.

Conditions to avoid : Extremes of temperature and direct sunlight.

Incompatible materials : Oxidizing agents

Strong acids and strong bases

Hazardous decomposition prod-

ucts

: Burning produces noxious and toxic fumes.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product:

Acute oral toxicity : LD50 (Rat, female): > 5,000 mg/kg

GLP: yes

Acute inhalation toxicity : LC50 (Rat, male and female): > 5.1 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

GLP: yes

Acute dermal toxicity : LD50 (Rabbit, male and female): > 5,000 mg/kg

Components:

propane-1,2-diol:

Acute oral toxicity : LD50 (Rat): 20,000 mg/kg

LD50 (Rabbit): 18,500 mg/kg

Acute dermal toxicity : LD50 (Rabbit): 20,800 mg/kg

carboxin:

Acute oral toxicity : LD50 (Rat, male): 2,588 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 4.7 mg/l

Exposure time: 4 h

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Remarks: An LC50/inhalation/4h/rat could not be determined because no mortality of rats was observed at the maximum

achievable concentration.

Acute dermal toxicity : LD50 (Rabbit, male and female): > 4,000 mg/kg

Ipconazole:

Acute oral toxicity : LD50 (Rat, male): 1,338 mg/kg

Method: OECD Test Guideline 401

RANCONA® V RTU FS

Version 1.7

Revision Date: 10/23/2015

MSDS Number: 000000023403

Country: US Language: EN

GLP: yes

LD50 (Rat, female): 888 mg/kg Method: OECD Test Guideline 401

GLP: yes

LD50 (Mouse, male): 537 mg/kg Method: OECD Test Guideline 401

GLP: yes

LD50 (Mouse, female): 468 mg/kg Method: OECD Test Guideline 401

GLP: yes

Acute inhalation toxicity

: LC50 (Rat, male and female): > 1.88 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

GLP: yes

LC50 (Rat, male and female): > 3.53 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

GLP: yes

Acute dermal toxicity

: LD50 (Rat, male and female): > 2,000 mg/kg

Method: OECD Test Guideline 402

GLP: yes

Skin corrosion/irritation

Product:

Species: Rabbit

Result: Mild skin irritation

GLP: yes

Components:

carboxin:

Species: Rabbit

Result: No skin irritation

Ipconazole:

Species: Rabbit Exposure time: 4 h Result: No skin irritation

GLP: yes

Serious eye damage/eye irritation

Product:

Species: Rabbit

RANCONA® V RTU FS

Version Revision Date: MSDS Number: Country: US 1.7 10/23/2015 000000023403 Language: EN

Result: No eye irritation

GLP: yes

Components:

carboxin: Species: Rabbit

Result: slight irritation

Assessment: No eye irritation

Ipconazole: Species: Rabbit

Result: No eye irritation

Respiratory or skin sensitisation

Product:

Test Type: LLNA Species: Guinea pig

Result: Did not cause sensitisation on laboratory animals.

GLP: yes

Components:

carboxin:

Species: Guinea pig

Assessment: May cause sensitisation by skin contact.

Method: Magnusson-Kligmann-Test

Result: positive GLP: yes

Ipconazole:

Species: Guinea pig

Method: Magnusson-Kligmann-Test

Result: Did not cause sensitisation on laboratory animals.

GLP: yes

Germ cell mutagenicity

Product:

Germ cell mutagenicity -

: Not classified due to lack of data.

Assessment

Components:

carboxin:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation test

Species: Salmonella typhimurium

Result: negative

: Test Type: Chromosome aberration test in vitro

Species: Chinese hamster ovary cells

Result: Negative without activation, positive with activation

RANCONA® V RTU FS

Version 1.7 Revision Date: 10/23/2015

MSDS Number: 000000023403

Country: US Language: EN

: Test Type: In Vitro mammalian Cell Gene Mutation Test

Species: Chinese hamster ovary cells

Result: negative

: Test Type: Unscheduled DNA synthesis (UDS)

Species: rat hepatocytes

Result: positive

Genotoxicity in vivo

: Test Type: Mammalian bone marrow chromosome aberration

test

Species: Sprague-Dawley rat bone marrow cells

Result: negative

Test Type: Mammalian bone marrow chromosome aberration

test

Species: Sprague-Dawley rat bone marrow cells

Result: negative

Test Type: Unscheduled DNA synthesis (UDS)

Species: Male Sprague-Dawley rat liver hepatocyte cells

Result: negative

Germ cell mutagenicity -

Assessment

: negative

Ipconazole:

Genotoxicity in vitro

: Test Type: Ames test

Metabolic activation: with and without metabolic activation Method: Mutagenicity (Escherichia coli - reverse mutation

assay)

Result: negative

Test Type: In Vitro mammalian Cell Gene Mutation Test Metabolic activation: with and without metabolic activation

Result: negative

: Test Type: Chromosome aberration test in vitro

Metabolic activation: with and without metabolic activation

Result: negative

Genotoxicity in vivo

: Species: Mouse

Cell type: Bone marrow

Result: negative

Germ cell mutagenicity -

Assessment

: In vitro tests did not show mutagenic effects

Carcinogenicity

Product:

Carcinogenicity - Assess-

ment

: Not classified due to lack of data.

RANCONA® V RTU FS

Version **Revision Date:** MSDS Number: Country: US 10/23/2015 000000023403 1.7 Language: EN

Components:

carboxin:

Species: Rat, (male) Application Route: Oral

NOAEL: No observed adverse effect level: 0.82 mg/kg bw/day

Carcinogenicity - Assess-

ment

: negative

Distillates (petroleum), solvent-dewaxed heavy paraffinic:

Carcinogenicity - Assess- : Weight of evidence does not support classification as a carcinogen

Ipconazole:

Carcinogenicity - Assess-

ment

: Animal testing did not show any carcinogenic effects.

IARC No component of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

Group 1: Carcinogenic to humans

64742-65-0 Distillates (petroleum), sol-

vent-dewaxed heavy paraf-

finic

OSHA No component of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential carcino-

gen by OSHA.

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcino-

gen by OSHA.

NTP No component of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

Known to be human carcinogen

Distillates (petroleum), sol-64742-65-0

vent-dewaxed heavy paraf-

finic

Reproductive toxicity

Product:

Reproductive toxicity - As-

sessment

: Not classified due to lack of data.

Components:

RANCONA® V RTU FS

Version Revision Date: MSDS Number: Country: US 1.7 10/23/2015 000000023403 Language: EN

carboxin:

Effects on fertility : General Toxicity - Parent: No observed adverse effect level: 1

mg/kg bw/day

General Toxicity F1: No observed adverse effect level F1: 20

mg/kg bw/day

Early Embryonic Development: No observed adverse effect

level F2: 10 mg/kg bw/day

Effects on foetal develop-

ment

: Species: Rat

General Toxicity Maternal: No observed adverse effect level:

10 mg/kg bw/day

Teratogenicity: No observed adverse effect level: 90 mg/kg

bw/day

Species: Rabbit

General Toxicity Maternal: No observed adverse effect level:

75 mg/kg bw/day

Teratogenicity: No observed adverse effect level: 75 mg/kg

bw/day

Reproductive toxicity - As-

sessment

: negative negative

Ipconazole:

Effects on fertility : Species: Rat

Dose: 0, 30, 100 or 300 ppm

General Toxicity F1: No observed adverse effect level: 9 - 10

mg/kg bw/day

STOT - repeated exposure

Product:

Assessment: May cause damage to organs through prolonged or repeated exposure.

Components:

Ipconazole:

Target Organs: Eyes

Assessment: May cause damage to organs through prolonged or repeated exposure.

Repeated dose toxicity

Components:

carboxin:

Species: Rat, male NOAEL: 30 mg/kg

Application Route: Dermal Exposure time: 28 d

GLP: yes

Target Organs: Kidney

Species: Rat, male NOAEL: 5.5 mg/kg

RANCONA® V RTU FS

Version Revision Date: MSDS Number: Country: US 1.7 10/23/2015 000000023403 Language: EN

Application Route: Oral Exposure time: 90 d

GLP: yes

Target Organs: Kidney

Ipconazole:

Species: Rat, female NOAEL: 7 mg/kg LOAEL: 33.2 mg/kg Application Route: Oral Exposure time: 13 weeks

Dose: 3.1, 7.0, 15.4 and 33.2 mg/kg

GLP: yes

Target Organs: Adrenal gland, thymus gland

Species: Rat, male NOAEL: 25.9 mg/kg LOAEL: 52.2 mg/kg Application Route: Oral Exposure time: 13 weeks

Dose: 2.5, 5.8, 12.6, 25.9 and 52.2

GLP: yes

Target Organs: Adrenal gland, thymus gland

Species: Rat, male and female

NOAEL: 10 mg/kg LOAEL: 40 mg/kg

Application Route: Dermal Exposure time: 13 weeks

Dose: 0, 2, 10 or 40 mg/kg bw/day

GLP: yes

Species: Rat, male and female

NOAEL: 30 mg/kg LOAEL: 100 mg/kg

Application Route: Inhalation Exposure time: 28-day

Dose: 0, 30, 100, 300 or 1000 mg/m3

GLP: yes

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

carboxin:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 2.3 mg/l

Exposure time: 96 h

Test Type: flow-through test

GLP: yes

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 57 mg/l

RANCONA® V RTU FS

Version Revision Date: MSDS Number: Country: US 1.7 10/23/2015 000000023403 Language: EN

aquatic invertebrates Exposure time: 48 h

Test Type: flow-through test

GLP: yes

Toxicity to algae : EC50 (Pseudokirchneriella subcapitata (green algae)): 0.48

mg/l

Exposure time: 5 d Test Type: static test

Toxicity to fish (Chronic tox-

icity)

: NOEC (Cyprinus carpio (Carp)): 0.32 mg/l

Exposure time: 21 d

GLP: yes

Toxicity to daphnia and other aquatic invertebrates (Chron-

ic toxicity)

: NOEC (Daphnia magna (Water flea)): 0.32 mg/l Exposure time: 17 d

GLP: yes

Ipconazole:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 1.3 mg/l

Exposure time: 96 h

Test Type: flow-through test

Toxicity to daphnia and other

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 1.7 mg/l

Exposure time: 48 h

GLP: yes

Toxicity to algae : EC50 (Pseudokirchneriella subcapitata (green algae)): 0.62

mg/l

Exposure time: 72 h

GLP: yes

M-Factor (Acute aquatic tox-

icity)

: 1

Toxicity to fish (Chronic tox-

icity)

: NOEC (Pimephales promelas (fathead minnow)): 0.00044

mg/l

Exposure time: 28 d

GLP: yes

Toxicity to daphnia and other aquatic invertebrates (Chron-

ic toxicity)

: NOEC (Daphnia magna (Water flea)): 0.0109 mg/l

Exposure time: 21 d

GLP: yes

M-Factor (Chronic aquatic

toxicity)

: 100

Persistence and degradability

Product:

Biodegradability : Remarks: Not readily biodegradable.

Components:

carboxin:

RANCONA® V RTU FS

Version Revision Date: MSDS Number: Country: US 1.7 10/23/2015 000000023403 Language: EN

Biodegradability : Result: Not readily biodegradable.

Bioaccumulative potential

Product:

Bioaccumulation : Remarks: Not applicable

Components:

carboxin:

Partition coefficient: n-

octanol/water

: log Pow: 2.3

Ipconazole:

Partition coefficient: n-

octanol/water

: log Pow: 4.28 - 4.49

Mobility in soil

Product:

Mobility : Remarks: No data available

Other adverse effects

Product:

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82 Pro-

tection of Stratospheric Ozone - CAA Section 602 Class I

Substances

Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Sec-

tion 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological infor-

mation

: An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Toxic to aquatic life with long lasting effects.

Components:

carboxin:

Results of PBT and vPvB

assessment

: This substance is not considered to be persistent, bioaccumu-

lating and toxic (PBT).

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : In accordance with local and national regulations.

Do not contaminate ponds, waterways or ditches with chemical or

used container.

RANCONA® V RTU FS

Version Revision Date: MSDS Number: Country: US 1.7 10/23/2015 000000023403 Language: EN

SECTION 14. TRANSPORT INFORMATION

International Regulation

UNRTDG

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(carboxin, lpconazole)

Class : 9
Packing group : III
Labels : 9

IATA-DGR

UN/ID No. : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(carboxin, lpconazole)

Class : 9 Packing group : III

Labels : Miscellaneous

Packing instruction (cargo :

aircraft)

Packing instruction (passen-

ger aircraft)

: 964

964

IMDG-Code

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(carboxin, lpconazole)

Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

49 CFR

UN/ID/NA number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCES, LIQUID,

N.O.S.

(carboxin, Ipconazole)

Class : 9
Packing group : III

Labels : CLASS 9 ERG Code : 171

Marine pollutant : yes(carboxin, lpconazole)

Remarks : RQ may apply

RANCONA® V RTU FS

Version **Revision Date:** MSDS Number: Country: US 10/23/2015 000000023403 Language: EN 1.7

> Not regulated by DOT and TDG if shipped or transported in packaging less than 400KG by road and/or rail. Please refer

to 49 CFR for any details.

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SSARA 311/312 Hazards : Acute Health Hazard

SARA 302 : No chemicals in this material are subject to the reporting require-

ments of SARA Title III, Section 302.

SARA 313 : The following components are subject to reporting levels es-

tablished by SARA Title III, Section 313:

carboxin 5234-68-4 12.836 %

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489):

> propane-1,2-diol 57-55-6 14.4 %

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

California Prop. 65 WARNING! This product contains a chemical known to the

State of California to cause cancer.

Distillates (petroleum), solvent-dewaxed 64742-65-0

heavy paraffinic

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

RANCONA® V RTU FS

Version Revision Date: MSDS Number: Country: US 1.7 10/23/2015 000000023403 Language: EN

FIFRA Hazard Information:

This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The pesticide label also includes other important information, including directions for use.

The hazard information required on the pesticide label is reproduced below.

CAUTION

Causes moderate eye irritation. Avoid contact with eyes or clothing.

Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater or rinsate or by disposal of wastes.

Ipconazole may persist in soil, and long-term use in the same fi eld may result in an accumulation of ipconazole.

Metalaxyl is known to leach through soil into groundwater under certain conditions as a result of agricultural use. Use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination.

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional office of the EPA.

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

(Q)SAR - (Quantitative) Structure Activity Relationship; ASTM - American Society for the Testing of Materials; bw - Body weight; DIN - Standard of the German Institute for Standardisation; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISO - International Organisation for Standardization; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the


RANCONA® V RTU FS

Version Revision Date: MSDS Number: Country: US 1.7 10/23/2015 000000023403 Language: EN

Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative; DSL - Domestic Substances List (Canada); KECI - Korea Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); AICS - Australian Inventory of Chemical Substances; IECSC - Inventory of Existing Chemical Substances in China; ENCS - Existing and New Chemical Substances (Japan); ISHL - Industrial Safety and Health Law (Japan); PICCS - Philippines Inventory of Chemicals and Chemical Substances; NZIoC - New Zealand Inventory of Chemicals; TCSI - Taiwan Chemical Substance Inventory; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; DOT - Department of Transportation; EHS - Extremely Hazardous Substance; HMIS - Hazardous Materials Identification System; MSHA - Mine Safety and Health Administration; NFPA - National Fire Protection Association; RCRA - Resource Conservation and Recovery Act; RQ - Reportable Quantity; SARA - Superfund Amendments and Reauthorization Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; GLP - Good Laboratory Practice; ERG - Emergency Response Guide; NTP - National Toxicology Program; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods

Further information

NFPA:



HMIS III:

HEALTH	2*
FLAMMABILITY	0
PHYSICAL HAZARD	0

0 = not significant, 1 =Slight,

2 = Moderate, 3 = High

4 = Extreme, * = Chronic

Revision Date : 10/23/2015

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN

Carechem24 International Worldwide Coverage

Emergency Phone Number

Europe:	All European Countries	+44 (0) 1235 239 670 (NCEC)
Asia Pacific:	East / South East Asia – Regional Number	+65 3158 1074

RANCONA® V RTU FS

Version Revision Date: MSDS Number: Country: US 1.7 10/23/2015 000000023403 Language: EN

Australia +61 2801 44558 New Zealand +64 9929 1483 China +86 532 8388 9090 China Taiwan +86 10 5100 3039 Japan +81 345 789 341 Indonesia 00780 3011 0293 Malaysia +60 3 6207 4347 Thailand 001800 1 2066 6751 Korea +65 3158 1285 +82 (0)234 798 401 Vietnam +65 3158 1255 India +65 3158 1198 0800 100 7479 Pakistan +65 3158 1329 Philippines +65 31581203 Sri Lanka +65 3158 1195 **Emergency Phone Number** +65 3158 1200 Arabic speaking countries Middle East / Africa: +44 (0) 1235 239 671 South Africa +27 21 300 2732 All other countries +44 (0) 1235 239 670 United States of America and Canada **America** +1866 928 0789 +1 215 207 0061 Brazil Latin America: +55 11 3197 5891 Mexico +52 555 004 8763 +56 225 829 336 Chile All other countries +44 (0) 1235 239 670