

DKPhite BUILDER

1-20-21

LIQUID PLANT FOOD

KEEP OUT OF REACH OF CHILDREN

WARNING

PRECAUTIONARY STATEMENTS

WARNING Hazardous to humans and animals. Causes eye and skin irritations. When mixing or applying agricultural sprays, always wear spray goggles and impervious gloves plus protective clothing as recommended on pesticide labels.

FIRST AID

If this product gets into the eyes, immediately wash the eyes with large amounts of water for at least 15 minutes, occasionally lifting the upper and lower lids. Obtain immediate medical treatment. If this product gets on the skin, immediately wash the contaminated area. Seek medical attention if skin irritation persists. If this product has been swallowed and the person is conscious, immediately give large volumes of water. Do not induce vomiting. Seek immediate medical attention.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Follow all governmental procedures for the disposal of pesticide spray solutions. Rinse container; empty rinsate into spray tank. Dispose of empty container according to approved local practices. Contact county agricultural commissioner for disposal information.

CONDITIONS OF SALE

Always follow all directions. The manufacturer cannot control weather conditions, methods of application nor the condition of the crop at time of application. Buyer assumes all risks of use, storage or handling of this product when used in a manner inconsistent with label directions



1-20-21

GUARANTEED ANALYSIS:

Total Nitrogen (N).....	1.0%
1.0% Ammoniacal Nitrogen	
Available Phosphate (P2O5).....	20.0%
Available Potash(K2O).....	21.0%
Manganese(Mn).....	0.05%
(0.05% Chelated Manganese)	
Zinc(Zn).....	0.05%
(0.05%Chelated Zinc)	

Weight per gal: 12.2 lb. at 68°F

Derived from: Phosphorous Acid, Potassium Hydroxide, Di-Potassium Phosphate, Urea, Manganese Chelate, Zinc Chelate

Chelating Agent: Ethylenediaminetetraacetic Acid

MANUFACTURED BY:

CUSTOM AG FORMULATORS, iNC.
P.O. BOX 26104, FRESNO, CA 93729 800-355-4457

Net Contents: 2.5 Gals.

Net Wt: 30.5 Lbs.

Lot No.

A DKP-PHOSPHITE Solution

GENERAL INFORMATION

This product is enhanced with both DKP and phosphite to increase dramatic uptake of both the P and K levels. DKPhite BUILDER is designed to be used primarily for applications on row and field crops as well as tree, vegetable, berry and vine crops. DKPhite BUILDER is intended to be a supplement to a regular fertilizer program. DKPhite BUILDER may be applied by ground or air and applied on both soil and foliar applications. DKPhite BUILDER is compatible with other fertilizers and pesticides. However, a jar test is recommended prior to mixing unknown tank combinations with DKPhite BUILDER.

RATES AND TIMING OF APPLICATION

Beans, Beets, Broccoli, Carrots, Cauliflower, Cucumbers, other Cucurbits, Garlic, Lettuce, Leafy Vegetables, Melons, Onions, Peas, Peppers, Row Crops, Spinach, Strawberries, Tobacco, Tomatoes.. Apply DKPhite Builder at a rate of 2 to 4 pints per acre per application. Apply the first application after transplanting or thinning. Apply one to two subsequent applications at ten to fifteen day intervals or as needed to meet nutritional needs.

Blueberries, Cranberries, Cane Berries: Apply 1 to 4 pints per acre per application, beginning at pre-bloom. Additional applications may be made every 3 to 4 weeks thereafter or as needed.

Citrus and Avocados, Tree Fruit and Almond, Walnut, Pistachio Pecan and Nut Crops: Apply 2 to 5 pints per acre per application, beginning at pre-bloom and additional applications at two to four week intervals or as needed to meet nutritional requirements.

Grapes: Apply 1 to 4 pints per acre per application. Apply first application at pre-bloom with subsequent applications at two to four week intervals or as needed to meet nutritional requirements.

Potatoes, Sweet Potatoes and other tuber crops: Apply 1 to 4 pints per acre per application. Apply every eleven to thirty days as needed to meet nutritional requirements.

Turf and Sod apply at 1-3oz. per 1000 sq. ft Application may be repeated every 10 - 14 days.