

Stoller COMO

DIRECTIONS FOR USE

Guaranteed Analysis

Cobalt (Co).....	0.5%
Molybdenum (Mo).....	5.0%

GENERAL INFORMATION

COMO can provide cobalt and molybdenum to the plant as a seed treatment or as a foliar application. COMO is formulated to provide completely soluble cobalt and molybdenum to the germinating seed or the leaf for rapid absorption and distribution throughout the plant. Cobalt and molybdenum are both necessary for stimulating nitrogen fixation by rhizobium in the nodules of legumes. Many times the growth response to molybdenum may be limited by levels of cobalt. These two nutrients affect the total nitrogen supply to the plant. Seed treat or spray plants when they are young. One application per year should be sufficient. Within ten days after planting in some soils, soybeans, seed-treated with COMO, may exhibit micronutrient shock and subsequent short-term yellowing as nodulating bacteria infect roots and begin forming nitrogen-fixing nodules.

WARNING: Keep Out Of Reach Of Children. May cause skin irritation. Avoid contact with eyes, skin or clothing. If exposure occurs, wash exposed area thoroughly with clean water. This product contains molybdenum. It is to be used only on soil which responds to molybdenum. Crops high in molybdenum are toxic to grazing animals (ruminants).

RECOMMENDATIONS FOR USE: COMO is recommended for all legumes and other plants that obtain nitrogen by fixation from the atmosphere. Symbiotic microbial nitrogen fixation systems require cobalt and molybdenum for nitrogen fixation. COMO is recommended for all field crop legumes (soybeans, dry beans, lentils, snap beans, field peas, peanuts) and all forage crop legumes (alfalfa, red clover, ladino clover, sweet clover, lespedeza, trefoil, subterranean ground peanuts).

STACKING INSTRUCTIONS: Store COMO two pallets high per pallet; stack a maximum of two pallets high.

NET CONTENTS:

10.5 pounds per gallon (1.21 Kg/liter) @68°F

- | | | | |
|--------------------------|----------------------|--------------------------|---------------------|
| <input type="checkbox"/> | .5 gal. (23.75 lb.) | <input type="checkbox"/> | 10 liter (11.4 kg.) |
| <input type="checkbox"/> | 5.0 gal. (47.50 lb.) | <input type="checkbox"/> | 20 liter (22.8 kg.) |

COMO can be used on the following crops to correct physiological disorders and to preserve fruit quality with pre-harvest treatments. Apples, Apricots, Avocados, Bananas, Blueberries, Cantaloupe, Cherries, Citrus, Cranberries, Durian, Figs, Grapes, Mangos, Melons, Nectarines, Olives, Passion fruit, Papayas, Persimmons, Peaches, Pears, Raspberries, Strawberries, Tomatoes.

APPLICATION INSTRUCTIONS

To Correct Physiological Disorder: Apply 1 to 2 quart/acre (2.4 to 4.8 liter/hectare), start two to three weeks after full bloom and continue at two week intervals until harvest. Trees must be wet thoroughly. For best results, avoid spraying during the heat of the day.

To Improve Fruit Quality and Storage: Apply 1 gallon per acre (9 liter/hectare) about 21 days before, anticipated harvest. For varieties that are known to have quality and storage problem, add 1 quart (2.4 liter/hectare) of Calcium 5X in each spray.

Use only on varieties that are not subject to russetting.

Spray volumes of 200 to 300 gallon/acre (1800 to 2800 liter/hectare) are recommended in dilute sprays for tree fruits to thoroughly wet the foliage and woody tissue. Concentrate sprayers can also, be used.

CAUTION: This product contains boron and should be used only according to label directions as some crops can be injured from boron.

WASHINGTON STATE RESIDENTS: Information regarding the contents and level of metals in this product is available by calling: 1-800-539-5283.

Conditions Of Sale: 1. Seller warrants this product consists of the ingredients specified and is reasonably fit for the purpose stated on this label when used in accordance with directions under normal conditions of use. No one other than an officer of Seller is authorized to make any warranty, guarantee or direction concerning this product. 2. Because the time, place, rate of application and other conditions of use are beyond Seller's control, Seller's liability from handling, storage and use of this product is limited to replacement of product or refund of purchase price.