

RANMAN[®] 400SC Fungicide Supplemental Labeling

SUPPLEMENTAL DIRECTIONS FOR THE USE OF **Ranman 400SC Fungicide** (EPA Reg. No. 71512-3-88783) FOR CONTROL OF LISTED DISEASES ON BULB VEGETABLE GROUP

This Supplemental Label Expires on February 1, 2019 and must not be used or distributed after this date.

Directions for Use:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

CROP: BULB VEGETABLE GROUP 3-07	
*Includes all members of the Bulb Vegetable Crop Group 3-07: chive, fresh leaves; chive, Chinese, fresh leaves; daylily, bulb; elegans hosta; fritillaria, bulb and leaves; garlic, bulb; garlic, great-headed, bulb; garlic, serpent, bulb; kurrat; lady's leek; leek; leek, wild; lily, bulb; onion, Beltsville bunching; onion, bulb; onion, Chinese, bulb; onion, fresh; onion, green; onion, macrostem; onion, pearl; onion, potato, bulb; onion, tree, tops; onion, Welsh, tops; shallot, bulb; shallot, fresh leaves; cultivars, varieties, and/or hybrids of these.	
DISEASE	RATE PER ACRE
Downy mildew <i>Peronospora destructor</i>	2.75 to 3.0 fl oz (0.071 to 0.078 lb a.i./A)
APPLICATION DIRECTIONS	
Resistance Management: DO NOT apply more than 6 applications of RANMAN 400SC Fungicide per crop. Alternate sprays of RANMAN 400SC with a fungicide with a different mode of action. DO NOT make more than three consecutive applications of RANMAN 400SC. Follow this by at least three applications of fungicides having a different mode of action before applying additional RANMAN 400SC.	
Application Instructions: For control of downy mildew on bulb vegetables make the applications on a 7- to 10-day schedule beginning when disease conditions are favorable for disease development. Use the lower rate and longest interval as disease preventative sprays or when disease conditions are low. Increase to the highest rate and shortest interval under moderate to heavy disease pressure. RANMAN 400SC should be tank-mixed with an organosilicone surfactant when the disease infection is severe, or a non-ionic surfactant or a blend of an organosilicone and a non-ionic surfactant when disease infection is moderate or light, at the manufacturer's label recommendations for water volumes up to 60 gallons per acre. Normal water volumes are 50 to 75 gallons per acre. RANMAN 400SC may be applied through sprinkler irrigation equipment. See calibration directions on the RANMAN 400SC label.	
Restrictions: DO NOT apply more than 16.5 fluid ounces (0.42 lb a.i.) per acre per year. The Pre-Harvest Interval (PHI) for this crop is 0-day. Crops on this label may be planted immediately after the last treatment. Do not plant other crops not registered for this product within 30 days after the last application.	

NOTE: Follow all applicable directions, restrictions, and precautions on the **Ranman 400SC** label.

NOTE: This labeling must be in the possession of the user at the time of pesticide application.

Summit Agro USA, LLC
8000 Regency Parkway Suite 265
Cary, NC 27518

Warranty and Limitation of Damages: Seller warrants to those persons lawfully acquiring title to this product that at the time of first sale of this product by Seller that this product conformed to its chemical description and was reasonably fit for the purposes stated on the label when used in accordance with Seller's directions under normal conditions of use. To the extent consistent with applicable law, Buyers and users of this product assume the risk of any use contrary to such directions. **EXCEPT AS PROVIDED ELSEWHERE IN WRITING CONTAINING AN EXPRESS REFERENCE TO THIS WARRANTY AND LIMITATION OF DAMAGES, SELLER MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OR GUARANTY, INCLUDING ANY OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR OF MERCHANTABILITY, AND NO AGENT OF SELLER IS AUTHORIZED TO DO SO.** In no event shall Seller's liability for any breach of warranty or guaranty exceed the purchase price of the product as to which a claim is made. To the extent consistent with applicable law, Buyers and users of this product are responsible for all loss or damage from use or handling of this product which results from conditions beyond the control of Seller, including, but not limited to, incompatibility with other products unless otherwise expressly provided in Directions for Use of this product, weather conditions, cultural practices, moisture conditions or other environmental conditions outside of the ranges that are generally recognized as being conducive to good agricultural and/or horticultural practices.