# BRANDT

## SAFETY DATA SHEET

#### 1. Identification

Product identifier Brandt Ecotec Plus

Other means of identification

Product code 15129

Product registration F

number

FIFRA 25b Exempt

**Recommended use** Agricultural/ Horticultural Use- Insecticide- Refer to product label.

Recommended restrictions Refer to product label.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name Brandt Consolidated, Inc.
Address 2935 South Koke Mill Road

Springfield, IL 62711

**United States** 

**Telephone** Corporate Office 1-217-547-5800

Website www.brandt.co
E-mail www.brandt.co

Contact person EH&S / Regulatory Department

**Emergency phone number** CHEMTREC (24 hours):

USA, Canada, Puerto Rico 1-800-424-9300 Virgin Islands 1-800-424-9300 International Maritime +1 (703) 527-3887

## 2. Hazard(s) identification

Physical hazardsFlammable liquidsCategory 4Health hazardsSkin corrosion/irritationCategory 2Serious eye damage/eye irritationCategory 2B

**Environmental hazards** Hazardous to the aquatic environment, acute Category 3

hazard

Hazardous to the aquatic environment,

long-term hazard

OSHA defined hazards Not classified.

Label elements



Signal word Warning

Hazard statement Combustible liquid. Causes skin irritation. Causes eye irritation. Harmful to aquatic life. Harmful to

aquatic life with long lasting effects.

**Precautionary statement** 

**Prevention** Keep away from flames and hot surfaces-No smoking. Wash thoroughly after handling. Avoid

release to the environment. Wear protective gloves/eye protection/face protection.

**Response** If on skin: Wash with plenty of water. If in eyes: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash before reuse. In case of fire: Use appropriate media to

Category 3

extinguish.

15129 Version #: 04 Revision date: 05-05-2016 Issue date: 04-29-2016

**Storage** Store in a well-ventilated place. Keep cool.

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

Material name: Brandt Ecotec Plus SDS US

1 / 10

Hazard(s) not otherwise classified (HNOC)

None known.

Supplemental information

None.

## 3. Composition/information on ingredients

#### **Mixtures**

Chemical name Common name and synonyms		CAS number	%	
Lactic Acid, n-butyl ester		138-22-7	40 - < 50*	
Rosemary Oil		8000-25-7	10	
Geraniol		106-24-1	5	
Isopropanol		67-63-0	1 - < 3*	
Peppermint Oil		8006-90-4	2	
Vanallin		121-33-5	< 0.1*	
Other components below reportable	levels		30 - < 40	

<sup>\*</sup>Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

#### 4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

**Skin contact** Remove contaminated clothing. Wash with plenty of soap and water. If skin irritation occurs: Get

medical advice/attention. Wash contaminated clothing before reuse.

**Eye contact** Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and

symptoms/effects, acute and delayed

Indication of immediate medical attention and special treatment needed

**General information** 

Headache. Nausea, vomiting. Irritation of eyes. Exposed individuals may experience eye tearing, redness, and discomfort. Skin irritation. May cause redness and pain.

Provide general supportive measures and treat symptomatically. Keep victim under observation.

Symptoms may be delayed.

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

## 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Specific hazards arising from the chemical

tile Cileillicai

Special protective equipment and precautions for firefighters

Fire fighting

equipment/instructions

Specific methods

General fire hazards

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

The product is combustible, and heating may generate vapors which may form explosive vapor/air mixtures. During fire, gases hazardous to health may be formed.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk.

Use standard firefighting procedures and consider the hazards of other involved materials.

Combustible liquid.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

## Methods and materials for containment and cleaning up

Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. This material is classified as a water pollutant under the Clean Water Act and should be prevented from contaminating soil or from entering sewage and drainage systems which lead to waterways.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water.

Small Spills: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

#### **Environmental precautions**

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

#### 7. Handling and storage

Precautions for safe handling

Keep away from open flames, hot surfaces and sources of ignition. When using do not smoke. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Keep away from heat, sparks and open flame. Store in a cool, dry place out of direct sunlight. Store in original tightly closed container. Store in a well-ventilated place. Keep in an area equipped with sprinklers. Store away from incompatible materials (see Section 10 of the SDS).

## 8. Exposure controls/personal protection

#### Occupational exposure limits

Components	Contaminants (29 CFR 1910.1000)  Type	Value	
Isopropanol (CAS 67-63-0)	PEL	980 mg/m3 400 ppm	
US. ACGIH Threshold Limit Values	8		
Components	Туре	Value	
Isopropanol (CAS 67-63-0)	STEL	400 ppm	
	TWA	200 ppm	
Lactic Acid, n-butyl ester (CAS 138-22-7)	TWA	5 ppm	
US. NIOSH: Pocket Guide to Chem	nical Hazards		
Components	Туре	Value	
Isopropanol (CAS 67-63-0)	STEL	1225 mg/m3 500 ppm	
	TWA	980 mg/m3	
		400 ppm	
Lactic Acid, n-butyl ester (CAS 138-22-7)	TWA	25 mg/m3	
•		5 ppm	
US. AIHA Workplace Environment	al Exposure Level (WEEL) Guides		
	, , , , , , , , , , , , , , , , , , , ,	17.1	
Components	Туре	Value	
	Type TWA	10 mg/m3	

#### **Biological limit values**

ACGIH Biological Exposure Indices					
Components	Value	Determinant	Specimen	Sampling Time	
Isopropanol (CAS 67-63-0)	40 mg/l	Acetone	Urine	*	

<sup>\* -</sup> For sampling details, please see the source document.

15129 Version #: 04 Revision date: 05-05-2016 Issue date: 04-29-2016

## Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

#### Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses with side shields (or goggles).

Skin protection

**Hand protection** Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove

supplier.

Other Wear appropriate chemical resistant clothing.

Respiratory protection If engineering controls do not maintain airborne concentrations below recommended exposure

limits (where applicable) or to an acceptable level (in countries where exposure limits have not

been established), an approved respirator must be worn.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

## 9. Physical and chemical properties

Appearance Liquid.
Physical state Liquid.
Form Liquid.

Color Colourless to light yellow.

Odor Rosemary
Odor threshold Not available.
pH Not available.
Melting point/freezing point Not available.
Initial boiling point and boiling Not available.

range

Flash point 143.0 °F (61.7 °C) Closed Cup

Evaporation rate Not available.

Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure 0.29 hPa

Vapor density Not available.

Relative density 0.88 - 0.9 g/cm3 (typical)

Solubility(ies)

**Solubility (water)** < 2 % (Dispersible)

Partition coefficient (n-octanol/water)

Not available.

Auto-ignition temperature 849.2 °F (454 °C)

Decomposition temperature Not available.

Viscosity Not available.

Other information

Explosive properties Not explosive.

Oxidizing properties Not oxidizing.

pH in aqueous solution 6 - 8 (1% Solution)

Pounds per gallon 7.4 - 7.5 lb/gal (typical)

## 10. Stability and reactivity

**Reactivity**The product is stable and non-reactive under normal conditions of use, storage and transport.

**Chemical stability** Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the Conditions to avoid

flash point. Contact with incompatible materials.

Strong acids. Strong oxidizing agents. Incompatible materials

Hazardous decomposition

products

No hazardous decomposition products are known.

## 11. Toxicological information

#### Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful.

Causes skin irritation. Skin contact Causes eye irritation. Eye contact

Expected to be a low ingestion hazard. Ingestion

Symptoms related to the physical, chemical and

toxicological characteristics Headache. Nausea, vomiting. Irritation of eyes. Exposed individuals may experience eye tearing,

redness, and discomfort. Skin irritation. May cause redness and pain.

#### Information on toxicological effects

## **Acute toxicity**

Product	Species	Test Results
Brandt Ecotec Plus		
<u>Acute</u>		
Dermal		
LD50	Rabbit	92754 mg/kg estimated
	Rat	> 5000 mg/kg, 14 days
Oral		
LD50	Rat	> 5000 mg/kg
Components	Species	Test Results
Geraniol (CAS 106-24-1)		
<u>Acute</u>		
Dermal		
LD50	Rabbit	> 5000 mg/kg
Oral		
LD50	Rat	3600 mg/kg
Isopropanol (CAS 67-63-0)		
<u>Acute</u>		
Dermal		
LD50	Rabbit	12800 mg/kg
Oral		
LD50	Dog	4797 mg/kg
	Mouse	3600 mg/kg
	Rabbit	5.03 g/kg
	Rat	4.7 g/kg
Peppermint Oil (CAS 8006-	90-4)	
<u>Acute</u>		
Oral		
LD50	Mouse	2490 mg/kg
	Rat	2426 mg/kg

Material name: Brandt Ecotec Plus

SDS US

15129 Version #: 04 Revision date: 05-05-2016 Issue date: 04-29-2016

Components Species Test Results

Vanallin (CAS 121-33-5)

<u>Acute</u>

Oral

LD50 Guinea pig 1400 mg/kg

Rat 1580 mg/kg

\* Estimates for product may be based on additional component data not shown.

Skin corrosion/irritation Causes skin irritation.
Serious eye damage/eye Causes eye irritation.

irritation

Respiratory or skin sensitization

**Respiratory sensitization** Not a respiratory sensitizer.

**Skin sensitization** This product is not expected to cause skin sensitization.

**Germ cell mutagenicity**No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not classified.

Not classified.

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

**Reproductive toxicity**This product is not expected to cause reproductive or developmental effects.

Specific target organ

toxicity - single exposure

Specific target organ

toxicity - repeated

exposure

Aspiration hazard Not an aspiration hazard.

**Chronic effects** Prolonged inhalation may be harmful.

## 12. Ecological information

**Ecotoxicity** Harmful to aquatic life with long lasting effects.

Product		Species	Test Results
Brandt Ecotec Plus			
Aquatic			
Crustacea	EC50	Daphnia	753.1184 mg/l, 48 hours estimated
Fish	LC50	Fish	42.16 mg/l, 96 hours estimated
Components		Species	Test Results
Geraniol (CAS 106-24	l-1)		
Aquatic			
Fish	LC50	Brown trout (Salmo trutta)	2.3 - 3 mg/l, 96 hours
Isopropanol (CAS 67-6	63-0)		
Aquatic			
Fish	LC50	Bluegill (Lepomis macrochirus)	> 1400 mg/l, 96 hours
Lactic Acid, n-butyl es	ter (CAS 138-22-7)		
Aquatic			
Crustacea	EC50	Water flea (Daphnia magna)	320 - 399 mg/l, 48 hours
Fish	LC50	Zebra danio (Danio rerio)	56 - 100 mg/l, 96 hours

Components Species Test Results

Vanallin (CAS 121-33-5)

Aquatic

Fish LC50 Fathead minnow (Pimephales promelas) 53 - 61.3 mg/l, 96 hours

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

Isopropanol 0.05 Vanallin 1.37

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

#### 13. Disposal considerations

**Disposal instructions**Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow

this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches

with chemical or used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

**Local disposal regulations** Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Combustible Liquid

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

#### 14. Transport information

DOT

UN number UN1993

UN proper shipping name

Transport hazard class(es)

Class Combustible Liquid

Subsidiary risk Label(s) 3
Packing group III

**Environmental hazards** 

Marine pollutant No

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Special provisions B1, B52, IB3, T4, TP1, TP29

Packaging exceptions 150
Packaging non bulk 203
Packaging bulk 242

Combustible liquids in non-bulk packaging, which are not a hazardous substance, hazardous waste, or a marine pollutant are not

subject to the hazardous materials regulation (173.150(f)(2)).

IATA

UN number UN3082

UN proper shipping name E

Transport hazard class(es)

Environmentally hazardous substance, liquid, n.o.s. (Rosemary Oil, Geraniol)

Class 9
Subsidiary risk Packing group III
Environmental hazards Yes
ERG Code 9L

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

Other information

Passenger and cargo

aircraft

Allowed with restrictions.

Cargo aircraft only

Allowed with restrictions.

**IMDG** 

UN number UN3082

UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Rosemary Oil, Geraniol),

MARINE POLLUTANT

Transport hazard class(es)

Class 9
Subsidiary risk Packing group III
Environmental hazards

Marine pollutant Yes EmS F-A, S-F

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

#### IATA; IMDG



#### Marine pollutant



**General information** 

Combustible liquids in non-bulk packaging, which are not a hazardous substance, hazardous waste, or a marine pollutant are not subject to the hazardous materials regulation (173.150(f)(2)).

## 15. Regulatory information

**US federal regulations** 

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

Isopropanol (CAS 67-63-0) Listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - No Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No

## SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous No

chemical

SARA 313 (TRI reporting)

 Chemical name
 CAS number
 % by wt.

 Isopropanol
 67-63-0
 1 - < 3</td>

#### Other federal regulations

#### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

## Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act Not

Not regulated.

(SDWA)

## FEMA Priority Substances Respiratory Health and Safety in the Flavor Manufacturing Workplace

Isopropanol (CAS 67-63-0)

Low priority

Lactic Acid, n-butyl ester (CAS 138-22-7)

Other Flavoring Substances with OSHA PEL's

#### US state regulations

#### US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)

Not listed.

#### US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd.

(a))

Isopropanol (CAS 67-63-0)

#### **US. Massachusetts RTK - Substance List**

Isopropanol (CAS 67-63-0)

Lactic Acid, n-butyl ester (CAS 138-22-7)

#### US. New Jersey Worker and Community Right-to-Know Act

Isopropanol (CAS 67-63-0)

Lactic Acid, n-butyl ester (CAS 138-22-7)

## US. Pennsylvania Worker and Community Right-to-Know Law

Isopropanol (CAS 67-63-0)

Lactic Acid, n-butyl ester (CAS 138-22-7)

## **US. Rhode Island RTK**

Isopropanol (CAS 67-63-0)

#### **US. California Proposition 65**

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

## **International Inventories**

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

Material name: Brandt Ecotec Plus

SDS US

15129 Version #: 04 Revision date: 05-05-2016 Issue date: 04-29-2016

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

## 16. Other information, including date of preparation or last revision

 Issue date
 04-29-2016

 Revision date
 05-05-2016

Version # 04

**Disclaimer** The information provided in this Safety Data Sheet is correct to the best of Manufacturer's

knowledge, information and belief at the date of its publication; however, it is provided only as a guidance for safe handling, use, processing, storage, transportation, disposal and release of the Product. No warranties of any kind, either expressed or implied, including warranties of merchantability or fitness for a particular purpose, are made with respect to the Product or the information provided herein, or that the Product or information herein may be used without infringing the intellectual property rights of others. The information provided in this Safety Data Sheet relates only to the specific Product designated and may not be valid if the Product is used in combination with other materials or in any other process, unless specified herein. The user assumes all risk and liability for loss, injury, damage or expense due to any use, handling, storage or disposal of the Product, and Manufacturer recommends that the user conducts its owns tests of

the Product to determine suitability of the Product for user's particular use.

Revision information Hazard(s) identification: Hazard statement

First-aid measures: Most important symptoms/effects, acute and delayed

Physical & Chemical Properties: Multiple Properties Toxicological Information: Toxicological Data Toxicological information: Eye contact Toxicological information: Eye contact

Toxicological information: Symptoms related to the physical, chemical and toxicological

characteristics GHS: Classification