

Product Bulletin



Corteva Agriscience LLC 9330 Zionsville Road Indianapolis, IN 46268-1054 USA

Delegate[®] WG

EPA Reg. No. 62719-541

2(ee) Recommendation[†]

For Distribution and Use Only Within the States of Arizona, California, and Florida

Provisional Overhead Sprinkler Chemigation Use on Certain Crops

ATTENTION

† This recommendation is made as permitted under FIFRA 2(ee) and has not been submitted to or approved by the EPA.

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- Read and follow all applicable directions for use, precautions, and limitations on the product label attached to the container for this product.
- Except as specified in this product bulletin, use of Delegate WG is subject to all use precautions and limitations imposed by the label affixed to the container for Delegate WG.

Directions for Use

NOTE: This product bulletin is intended for use only under the direction of a Corteva Agriscience representative or approved operator.

Sprinkler Irrigation: In addition to cranberry, Delegate[®] WG may be applied through overhead sprinkler irrigation systems to the following crops and crop groups listed on the label affixed to the container for Delegate WG: Bushberries (Subgroup 13B), Caneberries (Subgroup 13A), and Grape.

Follow the directions for use and the directions for Chemigation Application on the label affixed to the container for Delegate WG. Application by overhead sprinkler chemigation to a crop listed above must be made at the specified broadcast rates on the product label. Follow all other specific requirements and restriction for each crop as indicated on the label affixed to the container for Delegate WG.

For continuously moving systems, the mixture containing Delegate WG must be injected continuously and uniformly into the irrigation water line as the sprinkler is moving. If continuously moving irrigation equipment is used, apply in no more than 0.25 inch of water. For sprinkler systems that do not move during operation, apply in no more than 0.25 inch of irrigation immediately before the end of the irrigation cycle.

The level of pest control achieved when Delegate WG is applied through overhead sprinkler irrigation systems may be lower than the level that can be achieved when Delegate WG is applied with properly calibrated and well maintained ground sprayer equipment.

[™][®]Trademarks of Corteva Agriscience and its affiliated companies

R359-044

Issued: 05/24/23

Initial printing/Replaces R359-021