

## **Special Local Need**

FOR DISTRIBUTION AND USE ONLY WITHIN THE STATE OF OREGON

### MICROTHIOL® DISPERSS

EPA Registration No. 70506-187

EPA SLN No. OR-180015

### For Control of Bud Mites in Hazelnuts/Filberts

This label is valid until December 31, 2024 or until otherwise amended, withdrawn, cancelled, or suspended

**ACTIVE INGREDIENT:** 

 Sulfur
 80.0%

 OTHER INGREDIENTS:
 20.0%

 TOTAL:
 100.0%

# KEEP OUT OF REACH OF CHILDREN CAUTION

### **ENVIRONMENTAL HAZARDS**

Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply where runoff is likely to occur. Do not contaminate water when disposing of equipment washwaters.

### AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 24 hours. PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, including plants, soil, or water, is:

Coveralls

Chemical resistant gloves made of any waterproof material

Shoes plus socks

Protective eyewear

United Phosphorus, Inc. 630 Freedom Business Center, Suite 402 King of Prussia, PA 19406 www.upi-usa.com 1-800-438-6071



# **Special Local Need**

#### DIRECTIONS FOR USE FOR THE CONTROL OF BUD MITE IN HAZELNUTS/FILBERTS

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. This Special Local Need (SLN) label and the federal label for this product must be in the possession of the user at the time of pesticide application.

CROP	PEST	RATE (LBS/A)	DIRECTIONS
Hazelnuts/Filberts	Bud Mite	10-20 lbs/A	Apply in 50-400 gallons of spray volume. Begin application at dormant bud stage and repeat as necessary through shoot
			elongation stage. Repeat applications every 7 to 10 days.

### Spray Coverage:

Foliage must be completely covered on both the upper and lower leaf surfaces for effective control. Dense canopies can limit complete coverage. Adequate spray volume for thorough coverage is essential.

#### Precautions:

Some crops may be damaged by sulfur under certain climatic conditions, such as when temperature is high. United Phosphorus, Inc. does not recommend application if temperature will exceed 90° F within the three days following spraying, due to risk of crop injury.

#### Restrictions:

- Do not enter or allow worker entry into treated areas during the Restricted Entry Interval (REI) of 24 hours.
- Under this SLN, do not apply through any type of irrigation system.

Rev. 05/30/2018