

PLATINUM

Version Revision Date: SDS Number: This version replaces all previous versions. 2.0 10/15/2020 S22100417

SECTION 1. IDENTIFICATION

Product name : PLATINUM Design code. : A9795B

Product Registration number : 100-939

Manufacturer or supplier's details

Company name of supplier : Syngenta Crop Protection, LLC

Address : Post Office Box 18300 Greensboro NC 27419

United States of America (USA)

Telephone : 1 800 334 9481 Telefax : 1 336 632 2192 Emergency telephone : 1 800 888 8372

Recommended use of the chemical and restrictions on use

Recommended use : Insecticide

Restrictions on use : General Use Pesticide

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a hazardous substance or mixture.

GHS label elements

Not a hazardous substance or mixture.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Components

| Chemical name | CAS-No. | Concentration (% w/w) |
|---|-------------|-----------------------|
| thiamethoxam | 153719-23-4 | 21.2389 |
| propane-1,2,3-triol | 56-81-5 | >= 5 - < 10 |
| lignosulfonic acid, ethoxylated, sodium salts | 68611-14-3 | >= 1 - < 5 |

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice : Have the product container, label or Safety Data Sheet with

you when calling the emergency number, a poison control

center or physician, or going for treatment.

If inhaled : Take the victim into fresh air.



PLATINUM

Version Revision Date: SDS Number: This version replaces all previous versions. 2.0 10/15/2020 S22100417

If breathing is irregular or stopped, administer artificial

respiration.

Keep patient warm and at rest.

Call a physician or poison control center immediately.

In case of skin contact : Take off all contaminated clothing immediately.

Wash off immediately with plenty of water. If skin irritation persists, call a physician. Wash contaminated clothing before re-use.

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids,

for at least 15 minutes. Remove contact lenses.

Immediate medical attention is required.

If swallowed : If swallowed, seek medical advice immediately and show this

container or label.

Do NOT induce vomiting.

Most important symptoms and effects, both acute and

delayed

Nonspecific

No symptoms known or expected.

Notes to physician : There is no specific antidote available.

Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Extinguishing media - small fires

Use water spray, alcohol-resistant foam, dry chemical or

carbon dioxide.

Extinguishing media - large fires

Alcohol-resistant foam

or

Water spray

Unsuitable extinguishing

media

Do not use a solid water stream as it may scatter and spread

fire.

Specific hazards during fire

fighting

As the product contains combustible organic ingredients, fire

will produce dense black smoke containing hazardous

products of combustion (see section 10).

Exposure to decomposition products may be a hazard to

health.

Further information : Do not allow run-off from fire fighting to enter drains or water

courses.

Cool closed containers exposed to fire with water spray.

Special protective equipment :

for fire-fighters

Wear full protective clothing and self-contained breathing

apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- :

tive equipment and emer-

gency procedures

Refer to protective measures listed in sections 7 and 8.

Environmental precautions : Prevent further leakage or spillage if safe to do so.

Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for : Contain spillage, and then collect with non-combustible



PLATINUM

Version Revision Date: SDS Number: This version replaces all previous versions. 2.0 10/15/2020 S22100417

containment and cleaning up absorbent material, (e.g. sand, earth, diatomaceous earth,

vermiculite) and place in container for disposal according to

local / national regulations (see section 13). Clean contaminated surface thoroughly. Clean with detergents. Avoid solvents.

Retain and dispose of contaminated wash water.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling : No special protective measures against fire required.

Avoid contact with skin and eyes. When using do not eat, drink or smoke. For personal protection see section 8.

Conditions for safe storage : No special storage conditions required.

Keep containers tightly closed in a dry, cool and well-

ventilated place.

Keep out of the reach of children.

Keep away from food, drink and animal feedingstuffs.

Further information on stor-

age stability

Physically and chemically stable for at least 2 years when stored in the original unopened sales container at ambient

temperatures.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

| Components | CAS-No. | Value type (Form of exposure) | Control parameters / Permissible concentration | Basis |
|---------------------|-------------|-------------------------------------|--|----------|
| thiamethoxam | 153719-23-4 | TWA | 3 mg/m3 | Syngenta |
| propane-1,2,3-triol | 56-81-5 | TWA (mist, respirable fraction) | 5 mg/m3 | OSHA Z-1 |
| | | TWA (mist, total dust) | 15 mg/m3 | OSHA Z-1 |

Engineering measures : THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE

CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THE PRODUCT. FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS

CONSULT THE PRODUCT LABEL.

Containment and/or segregation is the most reliable technical

protection measure if exposure cannot be eliminated. The extent of these protection measures depends on the

actual risks in use.

Maintain air concentrations below occupational exposure

standards.

Where necessary, seek additional occupational hygiene

advice.

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally

required.



PLATINUM

Version Revision Date: SDS Number: This version replaces all previous versions. 2.0 10/15/2020 S22100417

When workers are facing concentrations above the exposure

limit they must use appropriate certified respirators.

Hand protection

Remarks : No special protective equipment required. Eye protection : No special protective equipment required. Skin and body protection : No special protective equipment required.

Select skin and body protection based on the physical job

requirements.

Protective measures : The use of technical measures should always have priority

over the use of personal protective equipment. When selecting personal protective equipment, seek

appropriate professional advice.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Color : beige to brown

Odor : aromatic

Odor Threshold : No data available

pH : 5-7

Concentration: 1 % w/v

Melting point/range : No data available

Boiling point/boiling range : No data available

Flash point : Method: Pensky-Martens closed cup

does not flash

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapor pressure : No data available

Relative vapor density : No data available

Density : 1.13 g/cm3 (77 °F / 25 °C)

Solubility(ies)

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

: No data available

Autoignition temperature : 779

779 °F / 415 °C



PLATINUM

Version Revision Date: SDS Number: This version replaces all previous versions. 2.0 10/15/2020 S22100417

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : 52.8 - 440 mPa.s (68 °F / 20 °C)

46.0 - 403 mPa.s (104 °F / 40 °C)

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Surface tension : 39.3 mN/m, 68 °F / 20 °C

SECTION 10. STABILITY AND REACTIVITY

Reactivity : None reasonably foreseeable.
Chemical stability : Stable under normal conditions.

Possibility of hazardous reac-

tions

Conditions to avoid : No decomposition if used as directed.

Incompatible materials : None known.

Hazardous decomposition :

products

No hazardous decomposition products are known.

No dangerous reaction known under conditions of normal use.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Ingestion Inhalation Skin contact Eye contact

Acute toxicity

Product:

Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 5.39 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : LD50 (Rabbit, male and female): > 2,000 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

Components:

thiamethoxam:

Acute oral toxicity : LD50 (Rat, male and female): 1,563 mg/kg



PLATINUM

Version Revision Date: SDS Number: This version replaces all previous versions. 2.0 10/15/2020 S22100417

Acute inhalation toxicity : LC50 (Rat, male and female): > 3.72 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

Skin corrosion/irritation

Product:

Species : Rabbit

Result : No skin irritation

Components:

thiamethoxam:

Species : Rabbit

Result : No skin irritation

lignosulfonic acid, ethoxylated, sodium salts:

Result : Irritating to skin.

Serious eye damage/eye irritation

Product:

Species : Rabbit

Result : No eye irritation

Components:

thiamethoxam:

Species : Rabbit

Result : No eye irritation

lignosulfonic acid, ethoxylated, sodium salts:
Result : Eye irritation

Respiratory or skin sensitization

Product:

Test Type : Buehler Test Species : Guinea pig

Result : Did not cause sensitization on laboratory animals.

Components:

thiamethoxam:

Species : Guinea pig



PLATINUM

Version Revision Date: SDS Number: This version replaces all previous versions. 2.0 10/15/2020 S22100417

Result : Did not cause sensitization on laboratory animals.

Germ cell mutagenicity

Components:

thiamethoxam:

Germ cell mutagenicity -

Assessment

Animal testing did not show any mutagenic effects.

Carcinogenicity

Components:

thiamethoxam:

Carcinogenicity - Assess-

ment

Liver tumors noted in mice that are not relevant to humans.,

No evidence of carcinogenicity in animal studies.

Reproductive toxicity

Components:

thiamethoxam:

Reproductive toxicity - As-

sessment

No toxicity to reproduction

STOT-single exposure

Components:

lignosulfonic acid, ethoxylated, sodium salts:

Assessment : The substance or mixture is classified as specific target organ

toxicant, single exposure, category 3 with respiratory tract

irritation.

Repeated dose toxicity

Components:

thiamethoxam:

Remarks : Did not show neurotoxicity in animal experiments.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 495 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 490 mg/l

Exposure time: 48 h

EC50 (Chironomus riparius (Midge larvae)): 0.326 mg/l



PLATINUM

Version Revision Date: SDS Number: This version replaces all previous versions. 2.0 10/15/2020 S22100417

Exposure time: 48 h

Toxicity to algae/aquatic

plants

ErC50 (Pseudokirchneriella subcapitata (green algae)): > 416

mg/l

Exposure time: 72 h

NOEC (Pseudokirchneriella subcapitata (green algae)): 51.16

mg/l

End point: Growth rate Exposure time: 72 h

Components:

thiamethoxam:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

EC50 (Cloeon sp.): 0.014 mg/l

Exposure time: 48 h

EC50 (Chironomus riparius (harlequin fly)): 0.035 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

ErC50 (Raphidocelis subcapitata (freshwater green alga)): >

81.8 mg/l

Exposure time: 72 h

NOEC (Raphidocelis subcapitata (freshwater green alga)):

81.8 mg/l

End point: Growth rate Exposure time: 72 h

Toxicity to fish (Chronic tox-

icity)

NOEC (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l

Exposure time: 28 d

Test Type: flow-through test

NOEC (Oncorhynchus mykiss (rainbow trout)): > 20 mg/l

Exposure time: 88 d Test Type: Early-life Stage

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 100 mg/l

Exposure time: 21 d

NOEC (Chironomus riparius (Midge larvae)): 0.01 mg/l

Exposure time: 30 d

Toxicity to microorganisms : EC50 (activated sludge): > 100 mg/l

Exposure time: 3 h



PLATINUM

Version Revision Date: SDS Number: This version replaces all previous versions. 2.0 10/15/2020 S22100417

Persistence and degradability

Components:

thiamethoxam:

Biodegradability : Result: Not readily biodegradable.

Stability in water : Degradation half life: 11 d

Remarks: Product is not persistent.

Bioaccumulative potential

Components:

thiamethoxam:

Bioaccumulation : Remarks: Low bioaccumulation potential.

Partition coefficient: n-

octanol/water

log Pow: -0.13 (77 °F / 25 °C)

Mobility in soil

Components:

thiamethoxam:

Distribution among environ-

mental compartments

Stability in soil

Remarks: Moderately mobile in soils

Dissipation time: 51 d

Percentage dissipation: 50 % (DT50) Remarks: Product is not persistent.

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not contaminate ponds, waterways or ditches with

chemical or used container.

Do not dispose of waste into sewer.

Where possible recycling is preferred to disposal or

incineration.

If recycling is not practicable, dispose of in compliance with

local regulations.

Contaminated packaging : Empty remaining contents.

Triple rinse containers.

Empty containers should be taken to an approved waste

handling site for recycling or disposal.

Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3082



PLATINUM

Version Revision Date: SDS Number: This version replaces all previous versions.

2.0 10/15/2020 S22100417

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(THIAMETHOXAM)

Class : 9
Packing group : III
Labels : 9

IATA-DGR

UN/ID No. : UN 3082

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.

(THIAMETHOXAM)

Class : 9 Packing group : III

Labels : Miscellaneous

Packing instruction (cargo : 964

aircraft)

Packing instruction (passen: 964

ger aircraft)

Environmentally hazardous : yes

IMDG-Code

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(THIAMETHOXAM)

Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

Not regulated as a dangerous good

Remarks : Shipment by ground under DOT is non-regulated; however it

may be shipped per the applicable hazard classification to facilitate multi-modal transport involving ICAO (IATA) or IMO.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label: Caution

Harmful if inhaled.

Harmful if absorbed through skin.

Causes moderate eye irritation.



PLATINUM

Version Revision Date: SDS Number: This version replaces all previous versions. 2.0 10/15/2020 S22100417

Avoid contact with skin, eyes or clothing.

Avoid breathing vapors.

Avoid breathing spray mist.

Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

Remove and wash contaminated clothing before re-use.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : No SARA Hazards

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

The ingredients of this product are reported in the following inventories:

TSCA : On or in compliance with the active portion of the TSCA

inventory

TSCA list


No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION

Further information

NFPA 704:



Special hazard

HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

OSHA Z-1 : USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim-

its for Air Contaminants

OSHA Z-1 / TWA : 8-hour time weighted average



PLATINUM

Version Revision Date: SDS Number: This version replaces all previous versions. 2.0 10/15/2020 S22100417

AICS - Australian Inventory of Chemical Substances; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA -Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG -Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL -No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS -Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 10/15/2020

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / Z8