SAFETY DATA SHEET

	SDS Revision Date: 12/20/2016	J/	AFETY DATA SHEE		
SECTION 1	IDENTIFICATION				
Company Name	KALO, Inc.	24 HOUR EN	MERGENCY NUMBER/CHEMTREC (USA)		
Address	13200 Metcalf Ave, Suite 250		1-800-424-9300		
City, State, Zipcode	Overland Park, KS 66213				
Phone Numbers	1-800-255-5196 / 1-913-491-9146 (fax)		Poison Control Center (USA)		
Website	www.kalo.com	1-800-222-1212			
website	www.naio.com				
Product Identity	90% Nonionic Surfactant				
Reference/Item Number	NI9001, NI9002, NI9030, NI9055, NI90265				
Intended Use	See technical data sheet.				
Application Method	See technical data sheet.				
SECTION 2	HAZARD(S) IDENTIFICATION				
H315:	Using the toxicity data listed in Sections 11 and 12, the product is labeled as follows:	HAZARD COMM	HAZARD COMMUNICATION STANDARD (HCS) PICTOGRAM(S)		
		The Art Boommon of the Charles (1100) 110 100 Island			
	[SKIN IRRITANT 2]: Causes skin irritation.				
	[EYE DAMAGE 2A]: Causes serious eye irritation.				
11013.					
Н303:	[ACUTE TOX. 5]: May be harmful if swallowed. (Not adopted by U.S. OSHA.)		WARNING		
			WARRING		
P264:	[PREVENTION]: Wash thoroughly after handling				
P280:	Wash thoroughly after handling. Wear protective gloves and eye/face protection.				
P312:	[RESPONSE]: Call a poison center or doctor/physician if you feel unwell.				
P302+352:	IF ON SKIN: Wash with plenty of soap and water.				
P332+313:	If skin irritation occurs, get medical advice/attention.				
P305+351+338:	IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do; continue rinsing.				
P337+313: P362:	If eye irritation persists, get medical advice/attention. Take off contaminated clothing and wash before reuse.				
SECTION 3	COMPOSITION/INFORMATION ON INGREDIENTS				
SECTION 5					
	This product is labeled with the following GHS classifications, as it contains substances regulations. This product is a proprietary blend and the ingredients and mixture percenta				
	Ingredient/Chemical Designations Weight %	CAS Number	Notes		
	Proprietary blend of surfactants, fatty acid and diluent 100	Trade Secret	[1] [2]		
	[1] Substance classified with a health or environmental hazard. [2] Substance with a workplace exposure limit.				
	[3] PBT-substance or vPvB-substance.				
SECTION 4	FIRST AID MEASURES				
	[DESCRIPTIONS]:				
General:	In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.				
Inhalation:	Remove to fresh air. Keep patient warm and at rest. If breathing is irregular or stopped, give artificial respiration. If unconscious, place in the recovery position obtain immediate medical attention. Give nothing by mouth.				
Eyes:	Irrigate copiously with clean fresh water for at least 10 minutes, holding the eyelids apart and seek medical attention.				
Skin:	Remove contaminated clothing. Wash skin thoroughly with soap and water or use a recognized skin cleanser. Do NOT use solvents or thinners. If accidentally swallowed, obtain immediate medical attention. Keep at rest, Do NOT induce vomiting.				
Ingestion:	If accidentally swallowed, obtain immediate medical attention. Keep at rest. Do NOT induce vomiting.				
Ai	[MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED]:				
Overview: Ingestion:	No adverse symptoms or effects anticipated under normal handling conditions. May be harmful if swallowed. (Not adopted by U.S. OSHA.)				
Eyes:	Causes serious eye irritation.				
LVe3.					

SDS for 90% Nonionic Surfactant 1 KALO, Inc.

FIRE FIGHTING MEASURES Recommended extinguishing media: alcohol resistant foam, CO2, powder, water spray. Do not use water jet. Extinguishing Media Combustion may yield smoke, carbon monoxide, and other products of incomplete combustion. Oxides of sulfur, nitrogen or phosphorus may also be formed. Do Special Hazards: not breathe mist, vapors or spray. Evacuate area. Prevent contamination from run-off of adjacent areas, streams, drinking water and sewers. Do not flush down sewers or other drainage systems. Advice For Firefighters: Exposed firefighters must wear standard protective equipment and in enclosed areas self-contained breathing apparatus. Use water-spray to cool fire exposed ACCIDENTAL RELEASE MEASURES Section 6 Personal Precautions Protective Equipment and Keep all sources of ignition away from spill/release. In case of a major spill or spillage in a confined space evacuate the area and check vapor levels. **Emergency Procedures: Environmental Precautions:** Do not allow spills to enter drains or water courses Ventilate the area and avoid breathing vapors. Take the personal protective measures listed in Section 8. Contain and absorb spillage with non-combustible materials (e.g. sand/earth/vermiculite). Place in closed containers outside buildings and dispose of according to the Waste Regulations (see Section 13.) Clean, Methods and Material For preferably with a detergent. Do not use solvents. Do not allow spills to enter drains or water courses. If drains, sewers, streams or lakes are contaminated, inform Containment and Cleaning Up: the local water company immediately. In the case of contamination of rivers, streams, or lakes, the Environmental Protection Agency should also be informed. HANDLING AND STORAGE Do not get in eyes on skin or on clothing. Do not breathe vapors or mists. Keep container closed. Use only with adequate ventilation. Use good personal hygiene Precautions For Safe Handling: practices. Wash hands before eating, drinking, smoking. Remove contaminated clothing and clean before re-use. Destroy contaminated belts and shoes and other items that cannot be decontaminated. See Section 2 for further details [PREVENTION]. Conditions For Safe Storage Store in tightly closed containers in dry, well-ventilated area away from excessive heat and incompatibles. Incompatible Materials: Oxidizing agents, strong acids, strong bases. Specific End Use(s): See technical data sheet Section 8 EXPOSURE CONTROLS/PERSONAL PROTECTION This product contains the following ingredient (at greater than 0.1%) with established limits for exposure under OSHA, ACGIH and/or NIOSH Exposure Data: CAS No. Ingredient Source Proprietary Glycerol **OSHA** TWA: 5mg/m3 (total), TWA 5mg/m3 (respirable) **ACGIH** TWA: 3mg/m3 (respirable), TWA 10mg/m3 (mist) NIOSH No established RELs Carcinogen Data: This product contains no ingredients (at greater than 0.1%) that are suspected of being or known to be a carcinogen under OSHA, NTP, IARC. [EXPOSURE CONTROLS]: Respiratory: If workers are exposed to concentrations above the exposure limit they must use the appropriate, certified respirators. Eves: Wear safety eyewear (e.g. safety spectacles/goggles/visors) to protect against the splash of liquids. Overalls, which cover the body, arms, and legs, should be worn. Skin should not be exposed. All parts of the body should be washed after contact. Skin: Provide adequate ventilation. Where reasonably practicable, this should be achieved by the use of local exhaust ventilation and good general extraction. If these **Engineering Controls:** are not sufficient to maintain concentrations of particulates, and any vapor below occupational exposure limits, suitable respiratory protection must be worn. Other Work Practices: See technical data sheet. See Section 2 for further details [PREVENTION] Section 9 PHYSICAL AND CHEMICAL PROPERTIES Appearance. Clear pale yellow liquid Upper Flammability Limits: Not measured Lower Flammability Limits: Odor: Not determined Not measured Odor Threshold: Not measured Vapor Pressure (Pa): Not measured 8.0-8.5 (1% aqueous solution) pH: Vapor Density: Not measured Melting/Freezing Points (°C): Solubility in Water: Dispersible Initial Boiling Point/Range (°C): No Established Limit (C) / No Established Limit (F) Partition Co-efficient n-octanol/water (Log Kow): Not measured >93°C / >200°F Seta Flash Closed Cup (SFCC) Auto-Ignition Temperature (°C): Flash Point: Not measured Evaporation Rate (Ether=1): Decomposition Temperature: Not measured Not measured Flammability (Solid, Gas): Not applicable Viscosity (cSt): Not measured 1 17-1 19 Specific Gravity @ 20°C VOC%: Not measured Other Information: No other relevant information. Density, g/ml @ 25°C: Not measured STABILITY AND REACTIVITY SECTION 10 Reactivity Not chemically reactive. Chemical Stability: Stable under normal ambient and anticipated conditions of use Hazardous Reactions: Hazardous reactions not anticipated. Conditions To Avoid: Extended exposure to high temperatures can cause decomposition. Avoid all possible sources of ignition. Incompatible Materials: Oxidizing agents

Not anticipated under normal conditions of use.

Hazardous Decomposition Prod.:

SECTION 11	TOXICOLOGICAL INFORMATION					
Acute Toxicity Estimate:	Ingredients Oral LD50 mg/kg Skin LD50mg/kg Inhalation Vapor/Dust/Mist LC50	0mg/L/4hr				
	Proprietary blend of surfactants, fatty acid and diluent 2,500.00/Category: 5 >5,000.00/Category: NA ND					
Category 5:						
Category:						
Category:						
Category 2:						
Category 2A:						
Category:	Item: Sensitization (skin) / Hazard: Not applicable.					
Category:						
Category:	Item: Carcinogenicity / Hazard: Not applicable.					
Category:		Item: Reproductive Toxicity / Hazard: Not applicable.				
Category:						
Category:	Item: Specific Target Organ Systemic Toxicity (repeated exposure / Hazard: Not applicable.					
Category:						
SECTION 12	ECOLOGICAL INFORMATION					
Toxicity:						
Persistence and Degradability:						
Bioaccumulative Potential:						
Mobility in Soil:						
Results of PBT and vPvB Assess:						
Other Adverse Effects:	No data available.					
SECTION 13	DISPOSAL CONSIDERATIONS					
Waste Treatment Methods:	Do not allow into drains or water courses. Wastes and emptied containers should be disposed of in accordance with regulations made under the Cont Pollution Act and the Environmental Protection Act. Using information provided in this data sheet advice should be obtained from the Waste Regulatio whether the special waste regulations apply.					
SECTION 14	TRANSPORT INFORMATION					
		1				
Bulk Containers:						
DOT Premer Object 1	DEPARTMENT OF TRANSPORTATION (DOT) LIN2092 Equipmentally Hazardous Substances Liquid N.O.S. (convlobance polyothylene glycel ether), Q. P.C. III. Marine Pollutant					
DOT Proper Shipping Name:						
DOT Hazard Class:						
DOT Packing Group: DOT Label:						
DOT Label:	•					
IMDG Proper Chinaine Manage	OCEAN TRANSPORTATION (IMDG) LIN3082 Environmentally Hazardous Substances Liquid N.O.S. (nonylphenol polyethylene glycol ether), 9, PG III. Marine Pollutant					
IMDG Proper Shipping Name: IMDG Hazard Class:						
IMDG Hazard Class: IMDG Packing Group:						
IMDG Packing Group: IMDG Marine Pollutant:						
impo marine Follulant:	AIR TRANSPORTATION (ICAO/IATA)					
ICAO/IATA:	See bill of lading.					
SECTION 15	REGULATORY INFORMATION					
Regulatory Overview:	The regulatory data in Section 15 is not intended to be all-inclusive, only selected regulations are represented. All ingredients of this product are listed	on the TSCA				
WHMIS Classification:	Not regulated					
US EPA Tier II Hazards:						
EPCRA 311/312:						
EPCRA 311/312.						
EPCRA 313	Toxic Chemicals (>0.1%): Ethylene glycol (<0.5%)					
Proposition 65	<u></u>					
Proposition 65:						
Proposition 65:						
Proposition 65:						
N.J. RTK Substance (>1%):	<u>-</u>					
Penn RTK Substance (>1%):	<u>.</u>					
i eiiii nin oudstances (>1%):	Distriptions Circuit, Circuit					

SECTION 16 OTHER INFORMATION

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.