



REASON® 500 SC FUNGICIDE

Version 4.0 / USA
102000003216

1/10
Revision Date: 03/09/2015
Print Date: 01/04/2017

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifier

Trade name REASON® 500 SC FUNGICIDE

Product code (UVP) 05947073

SDS Number 102000003216

EPA Registration No. 264-695

Relevant identified uses of the substance or mixture and uses advised against

Use Fungicide

Restrictions on use See product label for restrictions.

Information on manufacturer

Bayer CropScience
2 T.W. Alexander Drive
Research Triangle PK, NC 27709
United States

Emergency telephone no.

Emergency Telephone Number (24hr/ 7 days) 1-800-334-7577

Product Information

Telephone Number

SDS Information or Request SDSINFO.BCS-NA@bayer.com

SECTION 2: HAZARDS IDENTIFICATION

Classification in accordance with regulation HCS 29CFR §1910.1200

Eye irritation : Category 2B

Signal word: Warning

Hazard statements

Causes eye irritation.

Precautionary statements

Wash face, hands and any exposed skin thoroughly after handling.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/ attention.

Other hazards

No particular hazards known.



REASON® 500 SC FUNGICIDE

Version 4.0 / USA
102000003216

2/10
Revision Date: 03/09/2015
Print Date: 01/04/2017

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Component Name	CAS-No.	Concentration % by weight
Fenamidone	161326-34-7	44.4
1,2-Propanediol	57-55-6	2.31

SECTION 4: FIRST AID MEASURES

Description of first aid measures

General advice	When possible, have the product container or label with you when calling a poison control center or doctor or going for treatment.
Inhalation	Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a physician or poison control center immediately.
Skin contact	Take off contaminated clothing and shoes immediately. Wash off immediately with plenty of water for at least 15 minutes. Call a physician or poison control center immediately.
Eye contact	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center immediately.
Ingestion	Call a physician or poison control center immediately. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Rinse out mouth and give water in small sips to drink. Never give anything by mouth to an unconscious person. Do not leave victim unattended.

Most important symptoms and effects, both acute and delayed

Symptoms To date no symptoms are known.

Indication of any immediate medical attention and special treatment needed

Treatment There is no specific antidote. Appropriate supportive and symptomatic treatment as indicated by the patient's condition is recommended.

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media

Suitable	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Unsuitable	High volume water jet



REASON® 500 SC FUNGICIDE

Version 4.0 / USA
102000003216

3/10
Revision Date: 03/09/2015
Print Date: 01/04/2017

Special hazards arising from the substance or mixture	In the event of fire the following may be released: Carbon monoxide (CO), Nitrogen oxides (NOx), Sulphur oxides
Advice for firefighters	
Special protective equipment for fire-fighters	Firefighters should wear NIOSH approved self-contained breathing apparatus and full protective clothing.
Further information	Keep out of smoke. Fight fire from upwind position. Cool closed containers exposed to fire with water spray. Do not allow run-off from fire fighting to enter drains or water courses.
Flash point	> 100 °C
Autoignition temperature	510 °C / 950 °F
Lower explosion limit	no data available
Upper explosion limit	no data available
Explosivity	Not explosive

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Precautions Keep unauthorized people away. Isolate hazard area. Avoid contact with spilled product or contaminated surfaces.

Methods and materials for containment and cleaning up

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Collect and transfer the product into a properly labelled and tightly closed container. Clean contaminated floors and objects thoroughly, observing environmental regulations.

Additional advice Do not allow to enter soil, waterways or waste water canal. Do not allow product to contact non-target plants.

Reference to other sections Information regarding safe handling, see section 7.
Information regarding personal protective equipment, see section 8.
Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle and open container in a manner as to prevent spillage. Use only in area provided with appropriate exhaust ventilation.

Advice on protection against fire and explosion Keep away from heat and sources of ignition.

Hygiene measures Wash hands thoroughly with soap and water after handling and before



REASON® 500 SC FUNGICIDE

Version 4.0 / USA
102000003216

4/10
Revision Date: 03/09/2015
Print Date: 01/04/2017

eating, drinking, chewing gum, using tobacco, using the toilet or applying cosmetics.
Remove Personal Protective Equipment (PPE) immediately after handling this product. Before removing gloves clean them with soap and water. Remove soiled clothing immediately and clean thoroughly before using again. Wash thoroughly and put on clean clothing.

Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers Keep containers tightly closed in a dry, cool and well-ventilated place. Store in original container. Keep away from direct sunlight. Protect from freezing.

Advice on common storage Keep away from food, drink and animal feedingstuffs.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Fenamidone	161326-34-7	1 mg/m ³ (TWA)		OES BCS*
1,2-Propanediol (Vapor.)	57-55-6	1000ug/m ³ (ST ESL)	02 2013	TX ESL
1,2-Propanediol (Vapor.)	57-55-6	500ppb (ST ESL)	02 2013	TX ESL
1,2-Propanediol (Vapor.)	57-55-6	100ug/m ³ (AN ESL)	02 2013	TX ESL
1,2-Propanediol (Vapor.)	57-55-6	50ppb (AN ESL)	02 2013	TX ESL
1,2-Propanediol (Aerosol.)	57-55-6	10 mg/m ³ (TWA)	2010	WEEL

*OES BCS: Internal Bayer CropScience "Occupational Exposure Standard"

Exposure controls

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection When respirators are required, select NIOSH approved equipment based on actual or potential airborne concentrations and in accordance with the appropriate regulatory standards and/or industry recommendations.

Hand protection Chemical resistant nitrile rubber gloves

Eye protection Chemical resistant goggles must be worn.

Skin and body protection Wear long-sleeved shirt and long pants and shoes plus socks.

General protective measures Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and warm/tepid water.



REASON® 500 SC FUNGICIDE

Version 4.0 / USA
102000003216

5/10
Revision Date: 03/09/2015
Print Date: 01/04/2017

Keep and wash PPE separately from other laundry.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	white to light beige
Physical State	suspension
Odor	slight
Odour Threshold	no data available
pH	6.5 - 8.0 at 100 % (23 °C)
Vapor Pressure	no data available
Vapor Density (Air = 1)	no data available
Density	1.13 g/cm ³ at 20 °C
Evaporation rate	no data available
Boiling Point	no data available
Melting / Freezing Point	no data available
Water solubility	dispersible
Minimum Ignition Energy	no data available
Decomposition temperature	> 500 °C
Partition coefficient: n-octanol/water	no data available
Viscosity	500 - 900 mPa.s
Flash point	> 100 °C
Autoignition temperature	510 °C / 950 °F
Lower explosion limit	no data available
Upper explosion limit	no data available
Explosivity	Not explosive

SECTION 10: STABILITY AND REACTIVITY

Reactivity	
Thermal decomposition	> 500 °C
Chemical stability	Stable under recommended storage conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.



REASON® 500 SC FUNGICIDE

Version 4.0 / USA
102000003216

6/10
Revision Date: 03/09/2015
Print Date: 01/04/2017

Conditions to avoid	freezing Heat, flames and sparks.
Incompatible materials	no data available
Hazardous decomposition products	No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

Exposure routes Eye contact, Skin contact, Inhalation

Immediate Effects

Eye Moderate eye irritation.

Skin May cause slight irritation.

Inhalation Harmful if inhaled.

Information on toxicological effects

Acute oral toxicity LD50 (rat) > 5,000 mg/kg

Acute inhalation toxicity LC50 (rat) > 0.9 mg/l
Exposure time: 4 h
Determined in the form of liquid aerosol.
Highest attainable concentration.
No deaths

LC50 (rat) > 3.6 mg/l
Exposure time: 1 h
Determined in the form of liquid aerosol.
Extrapolated from the 4 hr LC50.

Acute dermal toxicity LD50 (rabbit) > 5,000 mg/kg

Skin irritation Slight irritation (rabbit)

Eye irritation Mild eye irritation. (rabbit)

Sensitisation Non-sensitizing. (guinea pig)

Assessment repeated dose toxicity

Fenamidone did not cause specific target organ toxicity in experimental animal studies.

Assessment mutagenicity

Fenamidone was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Fenamidone was not carcinogenic in lifetime feeding studies in rats and mice.

ACGIH

None.



REASON® 500 SC FUNGICIDE

Version 4.0 / USA
102000003216

7/10
Revision Date: 03/09/2015
Print Date: 01/04/2017

NTP

None.

IARC

None.

OSHA

None.

Assessment toxicity to reproduction

Fenamidone did not cause reproductive toxicity in a two-generation study in rats.

Assessment developmental toxicity

Fenamidone did not cause developmental toxicity in rats and rabbits.

Further information

Only acute toxicity studies have been performed on the formulated product.
The non-acute information pertains to the active ingredient(s).

SECTION 12: ECOLOGICAL INFORMATION

Toxicity to fish	LC50 (Oncorhynchus mykiss (rainbow trout)) 0.74 mg/l Exposure time: 96 h The value mentioned relates to the active ingredient fenamidone.
Toxicity to aquatic invertebrates	EC50 (Daphnia magna (Water flea)) 0.055 mg/l static test; Exposure time: 48 h The value mentioned relates to the active ingredient fenamidone.
Toxicity to aquatic plants	IC50 (Scenedesmus subspicatus) 3.4 mg/l Exposure time: 72 h The value mentioned relates to the active ingredient fenamidone.
Biodegradability	Fenamidone: ; not rapidly biodegradable
Koc	Fenamidone: Koc: 387
Bioaccumulation	Fenamidone: ; Does not bioaccumulate.
Mobility in soil	Fenamidone: Moderately mobile in soils
Environmental precautions	Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Drift and runoff from treated areas may be hazardous to aquatic organisms in adjacent sites. Do not contaminate surface or ground water by cleaning equipment or disposal of wastes, including equipment wash water. Apply this product as specified on the label.



REASON® 500 SC FUNGICIDE

Version 4.0 / USA
102000003216

8/10
Revision Date: 03/09/2015
Print Date: 01/04/2017

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Product	Dispose in accordance with all local, state/provincial and federal regulations. Pesticide, spray mixture or rinse water that cannot be used according to label instructions may be disposed of on site or at an approved waste disposal facility. Follow advice on product label and/or leaflet.
Contaminated packaging	Triple rinse containers. Puncture container to avoid re-use. Follow advice on product label and/or leaflet.
RCRA Information	Characterization and proper disposal of this material as a special or hazardous waste is dependent upon Federal, State and local laws and are the user's responsibility. RCRA classification may apply.

SECTION 14: TRANSPORT INFORMATION

49CFR	Not dangerous goods / not hazardous material
IMDG	
UN number	3082
Class	9
Packaging group	III
Marine pollutant	YES
Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (FENAMIDONE SOLUTION)
IATA	
UN number	3082
Class	9
Packaging group	III
Environm. Hazardous Mark	YES
Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (FENAMIDONE SOLUTION)

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

Freight Classification: INSECTICIDES OR FUNGICIDES, N.O.I., OTHER THAN POISON



REASON® 500 SC FUNGICIDE

Version 4.0 / USA
102000003216

9/10
Revision Date: 03/09/2015
Print Date: 01/04/2017

SECTION 15: REGULATORY INFORMATION

EPA Registration No. 264-695

US Federal Regulations

TSCA list

1,2-Propanediol 57-55-6

US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)

None.

SARA Title III - Section 302 - Notification and Information

None.

SARA Title III - Section 313 - Toxic Chemical Release Reporting

None.

US States Regulatory Reporting

CA Prop65

This product does not contain any substances known to the State of California to cause cancer.

This product does not contain any substances known to the State of California to cause reproductive harm.

US State Right-To-Know Ingredients

1,2-Propanediol 57-55-6 MN

Canadian Regulations

Canadian Domestic Substance List

None.

Environmental

CERCLA

None.

Clean Water Section 307 Priority Pollutants

None.

Safe Drinking Water Act Maximum Contaminant Levels

None.

EPA/FIFRA Information:

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information required on the pesticide label:

Signal word: Caution!

Hazard statements: Moderate eye irritation.
Avoid contact with skin, eyes and clothing.
Harmful if inhaled.
Avoid breathing spray mist.
Remove and wash contaminated clothing before re-use.
Wash thoroughly with soap and water after handling.



REASON® 500 SC FUNGICIDE

Version 4.0 / USA
102000003216

10/10
Revision Date: 03/09/2015
Print Date: 01/04/2017

SECTION 16: OTHER INFORMATION

NFPA 704 (National Fire Protection Association):

Health - 2 Flammability - 1 Instability - 0 Others - none

HMIS (Hazardous Materials Identification System, based on the Third Edition Ratings Guide)

Health - 1 Flammability - 1 Physical Hazard - 0 PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

Reason for Revision: Revised according to the current OSHA Hazard Communication Standard (29CFR1910.1200)

Revision Date: 03/09/2015

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.