

Product Bulletin

Corteva Agriscience LLC

9330 Zionsville Road

Indianapolis, IN 46268-1054 USA

Delegate WG[®]

EPA Reg. No. 62719-541

Special 2(ee) Recommendation[†]

(For Distribution and Use in the States of California, Colorado, Idaho, Michigan, Minnesota, Montana, Nebraska, North Dakota, Oregon, Washington and Wyoming)

For Control of Cutworms in Root and Tuber Vegetables (Crop Group 1)¹

¹Root and tuber vegetables (crop group 1) potato and sugar beet

Refer to product label for Delegate WG for general use precautions, mixing directions, application directions, and restrictions.

ATTENTION

[†]This recommendation is made as permitted under FIFRA Section 2(ee) and has not been submitted to or approved by EPA.

- It is a violation of federal law to use this product in a manner inconsistent with its labeling.
- Read the label affixed to the container for Delegate WG insecticide before applying. Carefully follow all precautionary statements and applicable use directions except as specified below.
- Use of Delegate WG according to this Section 2(ee) recommendation is subject to all use precautions and limitations imposed by the label affixed to the container for Delegate WG insecticide.

Directions for Use

Pests	Delegate WG (oz/acre)
cutworms	3.0 – 4.0 (0.047 – 0.063 lb ai/acre)

Application Timing: For determining when to treat, scout with enough regularity to monitor the population size. Treat when pests appear, targeting eggs at hatch or small larvae. Consult your Corteva Agriscience representative, extension service specialist, certified crop advisor or your state agricultural experiment station for any additional local use recommendations for your area.

Application Rate: Apply Delegate WG as a foliar spray at the rate specified to control target pest. Use a higher rate in the rate range for heavy infestations or advanced growth stages of target pests. Heavy infestation may require repeat applications but follow resistance management guidelines.

Resistance Management: Do not make more than two consecutive applications of Group 5 insecticides (spinetoram and spinosad). If additional treatments are required after two consecutive applications of Group 5 insecticides, rotate to another class of effective insecticides for at least one application. Consult your Corteva Agriscience representative, extension service specialist, certified crop advisor or your state agricultural experiment station for any additional local use recommendations for your area.

Restrictions:

- **Preharvest Interval:** Do not apply within 7 days of harvest.
- **Do not apply more than a total of 16 oz of Delegate WG** (0.25 lb ai spinetoram) per acre per year.
- **Maximum Number of Applications:** Do not make more than four applications per calendar year. See Resistance Management regarding number of applications for specific pests.
- **Minimum Treatment Interval:** Do not make applications less than 7 days apart.

[™][®] Trademarks of Corteva Agriscience and its affiliated companies

R359-043

Issued: 06/20/2022

Initial