FIFRA Section 24(c) Special Local Need (SLN) Label

Corteva Agriscience LLC

9330 Zionsville Road

Indianapolis, IN 46268-1054 USA

For Distribution and Use Only in the State of Oregon

Stinger®

EPA Reg. No. 62719-73

EPA SLN No. OR-240002

For Control of Broadleaf Weeds and Canada Thistle in Caneberry (Subgroup 13-07A)¹

¹ Caneberry (subgroup 13-07A) including blackberry; loganberry; raspberry, red and black; wild raspberry; cultivars, varieties, and/or hybrids of these

This label is valid until December 31, 2029, or until withdrawn, canceled, suspended, or otherwise amended.

Use of Stinger[®] herbicide on caneberry may result in crop injury, crop yield reduction and/or crop loss. Read and understand the Special Conditions and Risks of Use section on this label before using this product in accordance with this FIFRA Section 24(c) Special Local Need.

Active Ingredient:	% by Weight
clopyralid: 3,6-dichloro-2-	
pyridinecarboxylic acid,	
monoethanolamine salt	40.9%
Other Ingredients	59.1%
Total	

Acid Equivalent: clopyralid: 3,6-dichloro-2-pyridinecarboxylic acid - 31% (3 lb/gal)

Keep Out of Reach of Children CAUTION

Environmental Hazards

Follow all applicable directions, restrictions, and precautions in the Environmental Hazards section of the label affixed to the main container of Stinger.

Directions for Use

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- This SLN label and the label affixed to the main container of Stinger must be in the possession of the user at the time of pesticide application.
- Follow all applicable directions, restrictions, Worker Protection Standard requirements, and precautions on this SLN label and the label affixed to the main container of Stinger.

Application Rate: To control broadleaf weeds and Canada thistle, apply 1/3 pint of Stinger® per acre per application (0.125 lb ae per acre per application) as a banded application to the soil, extending out a minimum of 3 feet on each side of the plant row. Apply Stinger in a minimum spray volume of 10 gallons per acre. Avoiding contact of spray on foliage (where possible) will reduce the potential for crop injury. For suppression of Canada thistle, apply after the majority of basal leaves have emerged but prior to bud stage and at least 30 days prior to harvest.

Spot Treatment: Hand-held sprayers may be used for spot applications. Refer to the Hand Held Sprayers section of the label affixed to the main container of Stinger for conversion rates, mixing, and application directions for hand-held sprayers.

Wipe Treatments: For wipe treatments, apply a 2% solution of Stinger in water (2.5 fl oz or 75 mL per gallon). Make a maximum of two applications. The total usage of Stinger from all types of applications cannot exceed 10.6 fl oz per acre or 2/3 pint (0.25 lb ae) per acre per year. Do not permit Stinger to contact desirable foliage or crop injury will result.

Restrictions:

- **Do not** apply more than a total of 2/3 pint of Stinger (0.25 lb ae) per acre per year per crop.
- The minimum retreatment interval is 30 days.
- Preharvest Interval: Do not apply within 30 days of harvest.
- **Do not** make more than two applications per crop per year at the 1/3 pint of Stinger (0.125 lb ae) per acre rate.
- Do not apply by aircraft.
- Chemigation: Do not apply this product through any type of irrigation system.
- Follow all applicable precautions and restrictions on this SLN label and the label affixed to the main container of Stinger regarding composting and the use of treated soil, treated plant material and manure of livestock that have grazed on treated plant material.

Precautions:

Stinger is a residual herbicide and applications must be made based upon accurate rate per acre
calibrations. Applications of Stinger can injure the caneberry plant and significantly reduce yields
depending upon rates used, timing of application, and environmental conditions.

Special Conditions and Risks of Use

USE OF Stinger® herbicide (THE "PRODUCT") ON CANEBERRY (THE "CROP") MAY RESULT IN CROP INJURY, CROP YIELD REDUCTION AND/OR CROP LOSS. READ AND UNDERSTAND THESE SPECIAL CONDITIONS AND RISKS OF USE BEFORE USING THE PRODUCT ON THE CROP.

Corteva Agriscience makes the Product available for use in the manner described in this Special Local Need (SLN) on the basis that, in the sole opinion of the user, the benefits and utility derived from the use of the Product on the Crop outweigh the potential risk of Crop injury or loss. The decision to use this Product in the manner described in this SLN Labeling must be made by each individual user on the basis of anticipated benefits versus (i) the risk of Crop injury, Crop yield reduction and Crop loss, (ii) the severity of the target pest infestation, (iii) the cost and availability of alternative pest controls, and (iv) any other relevant factors.

By purchasing the Product for use, or using the Product, in the manner described in this SLN Labeling, you acknowledge and accept that:

- (1) You assume all risk of Crop injury, Crop yield reduction and Crop loss;
- (2) Corteva Agriscience does not make, and does not authorize any agent or representative to make, any representations or recommendations regarding the use of this Product on the Crop other than the statements on this SLN Labeling;
- 3) Corteva Agriscience does not make, and does not authorize any agent or representative to make, any warranties, express or implied, with respect to the use of the Product on the Crop and disclaims all warranties, express or implied, including any implied warranties of fitness for a particular purpose or merchantability;
- (4) Corteva Agriscience disclaims all liability for any damages, losses, expenses, claims or causes of actions arising out of or relating to Crop injury, Crop yield reduction and/or Crop loss:
- (5) These Special Conditions and Risks of Use supersede any contrary representations or recommendations by Corteva Agriscience, its agents or representatives, and any provisions in or on any Product literature or labeling including any provisions on the label affixed to the Product container.

If these Special Conditions and Risks of Use are not acceptable, the unopened Product may be returned to the seller for a refund or used for a different labeled use in accordance with the label affixed to the Product container. These Special Conditions and Risks of Use are required by Corteva Agriscience and not specified by the U.S. EPA or the State of Oregon.

Section 24(c) Registrant:

Corteva Agriscience LLC 9330 Zionsville Road Indianapolis, IN 46268-1054 USA

™® Trademarks of Corteva Agriscience and its affiliated companies

R043-215

Accepted Date: 01/05/24 Replaces: R043-146