GENERAL USE DIRECTIONS

FLOWER POWER is designed to be applied at bud swell. Multiple fruiting crops may require more than one application applied 10-14 days apart. **FLOWER POWER** is water soluble and suitable for use in conventional liquid applicator systems. Shake it thoroughly and dilute in sufficient water to assure adequate, even coverage without producing runoff. Agitate the spray mixture during application.

MULTIPLE

FLOWERING CROPS	RATE/ACRE	TIMING
Beans	2 pints	Begin at flowering then
		every 7-10 days
Berry Crops	2 pints	Begin at flowering then
		every 7-10 days
Corn	2 pints	Before tassle appears
Cotton	2 pints	Begin at flowering then
		every 7-10 days
Cucurbits	2 pints	Begin at flowering then
		every 7-10 days
Grapes	2 pints	Begin at flowering then
		every 7-10 days
Peppers	2 pints	Begin at flowering then
		every 7-10 days
Potatoes	2 pints	At tuber initiation
Strawberries	2 pints	Begin at flowering then
		every 7-10 days
Tomatoes	2 pints	Begin at flowering then
		every 7-10 days
Vine Crops	2 pints	Begin at flowering then
		every 7-10 days

TREE CROPS	RATE/ACRE	TIMING
Avacados	3 pints	At flowering
Citrus	3 pints	At flowering
Mangos	3 pints	At flowering
Nut Crops	3 pints	At flowering
Olives	3 pints	At flowering
Oranges	3 pints	At flowering
Oranges	3 pints	At flowering
Tree Fruit	3 pints	At flowering

Mixing Instructions

Do not mix with fertilizers containing phosphorus or sulfur. Many pesticides may be mixed and applied with any solution containing **FLOWER POWER**. **Mixing sequence**: 1. Water 2. **FLOWER POWER** 3. Pesticide or other fertilizer. Always conduct a "jar test" utilizing all products to be mixed in proper proportion in order to establish compatibility. **User Safety Recommendations**: Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove clothing immediately if it gets inside. Then wash thoroughly and put on clean clothing. **Environmental Hazards**: Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash water. Information regarding the contents and levels of metals in this product is available on the internet at http://www.aapfco.org/metals.htm

WARNING: This product contains boron at a level that may be detrimental to growing plants. Use of FLOWER POWER on crops other than those recommended on this label may result in injury to those crops. Contact your local agricultural authority for additional information. This product also contains molybdenum. The application of fertilizers with molybdenum may result in forage crops containing levels of molybdenum which are toxic to ruminant animals.

Stoller Flower Power™

Guaranteed Analysis

Boron (B) 3.00%
Copper (Cu) 0.1%
0.1% Chelated Copper
Molybdenum (Mo) 0.02%
Zinc (Zn) 4.0%
4.0% Chelated Zinc

Derived from Boric Acid, Copper Chloride, Sodium Molybdate and Zinc Oxide chelated with Ethanol, 2-amino-2-hydroxy-1,2,3-propanetricarboxylate.

MAXIMUM Chloride (Cl) content is less than 0.1%

<u>If inhaled:</u> remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth to mouth. Get medical attention. <u>If in eyes:</u> wash with plenty of water. Call a physician if irritation persists. <u>If on skin:</u> wash with plenty of soap and water. Get medical attention if irritation persists.

GENERAL INFORMATION

FLOWER POWER is a foliar micronutrient and is non-phototoxic when used as directed. FLOWER POWER is completely available and absorbed by the leaf and bud surface. FLOWER POWER contains a patented formulation of boron with copper, molybdenum and zinc. Where these nutrients are deficient, reproductive bud viability, flowering and pollination may be reduced along with increased flower abortion. This is particularly important during very hot or very cold temperatures. Information regarding the contents and levels of metals in this product is available on the internet at http://www.aafpco.org/metals.htm

STORAGE INSTRUCTIONS

We recommend when storing pails of **FLOWER POWER** to stack a maximum of two pallets high, with each pallet two pails high.

PRECAUTIONARY STATEMENT

May be harmful if absorbed through skin. May cause eye irritation. Avoid contact with skin, eyes or clothing. **Personal Protective Equipment:** Applicators and other handlers must wear long-sleeved shirt and long pants. water-proof gloves and shoes plus socks. Follow manufacturer instructions for cleaning and maintaining PPE. If no such instructions for washable, use detergent and hot water. Keep and wash PPE separately from other laundry.

Density: 10.3 lbs/gal (1.236 Kg/L)			
☐ 2.5 gallons (25.75 lbs)	☐ 5 gallons (51.5 lbs)		
☐ 10 liters (12.36 Kg)	☐ 20 liters (24.72 Kg)		

A NUTRIENT SUPPLEMENT FOR FOLIAR APPLICATION

WARNING:

For use on: Beans, Berry Crops, Citrus, Cotton, Cucurbits, Grapes, Nut Crops, Oranges, Peppers, Potatoes, Strawberries, Tomatoes, Tree Fruit and Vine Crops. Use of this product on any other crops or under conditions other than those recommended may result in serious injury to those crops.



StollerUSA

Z-FLOWERPWR

US Patent: 5,997,600

Manufactured and Guaranteed by Stoller Enterprises, Inc. 9090 Katy Freeway #400 | Houston Texas 77055 USA Phone: 1-800-539-5283 or 713-461-1493 | Fax: 713-465-1533 E-Mail: stoller@stollerusa.com | Website: www.StollerUSA.com