



SAFETY DATA SHEET

SECTION 1 PRODUCT AND COMPANY IDENTIFICATION


PRODUCT NAME: Hydrate Plus NF
PRODUCT IDENTIFIER CODE(S): 101300
PRODUCT RECOMMENDED/INTENDED USE: Non-Ionic Wetting Agent
MANUFACTURER/SUPPLIER: Texas Refinery Corp.
ADDRESS: 500 Airport Drive, Mansfield, TX 76063
GENERAL INFORMATION: 817-332-1161
24 HR. EMERGENCY PHONE NUMBER: CHEMTREC 1-800-424-9300

SECTION 2 HAZARDS IDENTIFICATION

GHS Classification(s):

Health	Physical	Environmental
Eye Irritant- Category 2A Skin Irritant- Category 3	No known physical hazards.	No known environmental hazards.

GHS Label:

Pictogram(s): 	
Signal Word: Warning! Hazard Statements: Causes serious eye irritation. May cause skin irritation.	Precautionary Statements: Avoid contact with eyes and skin. Wear protective gloves, clothing and eye/face protection. Wash hands thoroughly after handling. Keep container tightly closed when not in use. Store in a cool, dry, well-ventilated area. Keep out of reach of children. Dispose of contents and container in accordance with all federal, state and local regulations. Response: FIRST AID: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get immediate medical attention. IF SKIN IRRITATION OCCURS: Remove contaminated clothing and wash skin thoroughly with soap and water. If skin irritation persists, get medical attention. IF SWALLOWED: Do NOT induce vomiting. Rinse mouth and give large quantities of water if victim is conscious. Never give anything by mouth to an unconscious person. If vomiting occurs spontaneously, keep airway open. Get immediate medical attention. IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.

SECTION 3 COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS #	WT. %
Nonylphenol, ethoxylated	127087-87-0	< 20.0
3,5,7-Triaza-1-azoniatricyclo[3.3.1.1 ^{3,7}]decane, 1-(3-chloro-2-propenyl)-, chloride (CTAC)	4080-31-3	<1.0
Sodium bicarbonate	144-55-8	<1.0
Hexamethylenetetramine	100-97-0	<1.0
Dichloromethane (methylene chloride)	75-09-2	<1.0
1,3-Dichloropropene	542-75-6	<1.0
Sodium sulfite, anhydrous	7757-83-7	<1.0
Polydimethylsiloxane	63148-62-9	2.0-30
Non-hazardous components or components below reportable levels	N/A	75.0-80.0

SECTION 4

FIRST AID MEASURES

PRINCIPAL ROUTES OF EXPOSURE: Eyes and skin

EFFECTS OF EXPOSURE (ACUTE AND CHRONIC): May cause skin irritation. However, brief contact is not known to be irritating. Contact with eyes may cause severe irritation with possible chemical burns of the eye. Ingestion may cause abdominal discomfort, nausea, vomiting, and/or diarrhea. If directly inhaled, mist from this product may cause respiratory irritation, chest discomfort and/or coughing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get immediate medical attention.

IF SKIN IRRITATION OCCURS: Remove contaminated clothing and wash skin thoroughly with soap and water. If irritation persists, get medical attention.

IF SWALLOWED: Do NOT induce vomiting. Rinse mouth and give large quantities of water if victim is conscious. Never give anything by mouth to an unconscious person. If vomiting occurs spontaneously, keep airway open. Get immediate medical attention.

IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: None known

NOTES TO PHYSICIAN: None

SECTION 5

FIRE FIGHTING MEASURES

SUITABLE EXTINGUISHING MEDIA: Powder, alcohol-resistant foam, carbon dioxide (CO₂).

UNSUITABLE EXTINGUISHING MEDIA: Do not use water jet as an extinguisher, as this may spread and scatter the fire.

SPECIAL HAZARDS ARISING FROM THE CHEMICAL: During a fire, gases hazardous to health may be formed.

SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIREFIGHTERS: Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

FIREFIGHTING EQUIPMENT/INSTRUCTIONS: Move containers from the fire area if you can do so without risk.

SPECIFIC METHODS: Use standard firefighting procedures and consider the hazards of other involved materials.

UNUSUAL FIRE AND EXPLOSION HAZARDS: No unusual fire or explosion hazards noted.

SECTION 6

ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS: Keep unnecessary personnel away. Wear appropriate protective equipment and clothing during cleanup. Do not touch or walk through spilled material. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection refer to Section 8 of the SDS.

MATERIALS AND METHODS FOR CONTAINMENT AND CLEANUP: This product is miscible in water. This material contains a component that is classified as a water pollutant under the Clean Water Act and should be prevented from contaminating soil or from entering sewage and drainage systems which lead to waterways.

Large Spills: Stop the flow of material, if this can be done without risk. Use water spray to reduce vapors or divert vapor cloud drift. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into appropriate disposal containers. Following product recovery, flush area with water to remove residues.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for reuse. For waste disposal, refer to Section 13 of the SDS.

ENVIRONMENTAL PRECAUTIONS: Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground. Inform appropriate managerial or supervisory personnel of all environmental releases.

SECTION 7

HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING: Avoid contact with eyes, skin and clothing. Do not taste or swallow. When using, do not eat, drink or smoke. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Avoid release into the environment. Observe good industrial hygiene and safety practices.

STORAGE: Keep container tightly closed when not in use. Keep out of reach of children. Do not allow product to freeze. Store in a cool, dry, well-ventilated place. Store only in the original container. Recommended storage temperature is between 40-120°F.

SECTION 8**EXPOSURE CONTROLS/PERSONAL PROTECTION**

OCCUPATIONAL EXPOSURE LIMITS: Occupational exposure limits have not been established for this product as a whole.

Component Data:

Component	ACGIH TLV	OSHA PEL	NIOSH REL
Sodium bicarbonate	TWA 10 mg/m ³	TWA 10 mg/m ³	No data available
Dichloromethane (methylene chloride)	TWA 50 ppm	TWA 25 ppm STEL 125 ppm Action Level 12.5 ppm	No data available
1,3-Dichloropropene	TWA 1 ppm	No data available	No data available

BIOLOGICAL LIMIT VALUES: No biological exposure limits noted for the ingredient(s).

APPROPRIATE ENGINEERING CONTROLS: Use only in an outdoors or well-ventilated area. Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eyewash facilities and emergency shower must be available when handling this product. It is recommended that users of this product perform a risk assessment to determine the appropriate PPE.

INDIVIDUAL PROTECTION MEASURES, SUCH AS PERSONAL PROTECTIVE EQUIPMENT

EYE/FACE PROTECTION: Wear chemical goggles and face shield. Avoid contact with eyes. Provide an emergency eyewash fountain and quick drench shower in immediate work areas.

HAND PROTECTION: Wear appropriate chemical resistant gloves.

BODY PROTECTION: Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended. Other items such as chemical resistant boots are recommended.

RESPIRATORY PROTECTION: In case of insufficient ventilation, wear suitable respiratory equipment. Chemical respirator with organic vapor cartridge.

GENERAL HYGIENE CONSIDERATIONS: Keep away from food and drink. Always observe good personal hygiene practices, such as washing after handling the material and before eating, drinking, smoking and using toilet facilities. Routinely wash work clothing and protective equipment to remove contaminants. Wash contaminated clothing before reuse. Discard contaminated shoes that cannot be cleaned.

SECTION 9**PHYSICAL AND CHEMICAL PROPERTIES**

APPEARANCE (Color and physical state): Green liquid

ODOR: Slight detergent odor

ODOR THRESHOLD: Not determined

pH: 10.0-12.5 (Concentrate)

MELTING POINT/FREEZING POINT: Freezing point = 32°F (as water)

BOILING POINT (°F/C): >210/99

FLASH POINT (°F/C): None

EVAPORATION RATE (Butyl Acetate =1): Not determined

FLAMMABILITY (solid, gas): N/A

EXPLOSIVE PROPERTIES: Not an explosive

UPPER/LOWER FLAMMABILITY OR EXPLOSIVE LIMITS: N/A

VAPOR PRESSURE (mm Hg): Not determined

VAPOR DENSITY (Air=1): Not determined

SOLUBILITY (in water): Soluble

SPECIFIC GRAVITY (H₂O=1): 1.02

PERCENT VOLATILE BY VOLUME (including water): > 80.0

AUTOIGNITION TEMPERATURE: Not determined

DECOMPOSITION TEMPERATURE: Not determined

PARTITION COEFFICIENT (n-octanol/water): Not determined

SECTION 10**STABILITY AND REACTIVITY**

REACTIVITY: The product is stable and non-reactive under normal conditions of use, storage and transport.

CHEMICAL STABILITY: This material is stable under normal conditions.

POSSIBILITY OF HAZARDOUS REACTIONS: Hazardous polymerization does not occur.

CONDITIONS TO AVOID: Avoid excessive heat and contact with incompatible materials. Protect from sunlight.

INCOMPATIBLE MATERIALS: Strong acids, acids, oxidizing agents, aluminum metals, inorganic acids and bases.
HAZARDOUS DECOMPOSITION PRODUCTS: Carbon oxides and other organic compounds which may be toxic.

SECTION 11

TOXICOLOGICAL INFORMATION

ACUTE TOXICITY VALUES: There is no data available for this product as a whole. Acute toxicity data for individual components of this product are listed below:

Component/CAS	Oral LD ₅₀	Dermal LD ₅₀	Inhalation LC ₅₀
Nonylphenol, ethoxylated 127087-87-0	270 mg/kg (Guinea pig) 280 mg/kg (Mouse) 72 mg/kg (Rat)	No data available	973 ppm/4H (Dog) 1.8 mg/L/4H (Dog) 1.5 mg/L/4H (Guinea pig) 1.505 mg/L/4H (Mouse) 1.44 mg/L/4H (Rat) 0.9 mg/L/1H (Rat)
3,5,7-Triaza-1- azoniatricyclo[3.3.1.1 ^{3,7}]decane, 1-(3- chloro-2-propenyl)-, chloride (CTAC) 4080-31-3	1000 mg/kg (Rat)	>5000 mg/kg (Rabbit)	>5.2 mg/L/4H (Rat)
Sodium sulfite, anhydrous 7757-83-7	820 mg/kg (Mouse)	No data available	No data available

IRRITANT EFFECT ON THE SKIN: There is no data available for this product as a whole. May cause skin irritation. However, brief contact is not known to be irritating.

IRRITANT EFFECT ON THE EYES: There is no data available for this product as a whole. Contact with eyes may cause severe irritation with possible chemical burns of the eye.

SENSITIZATION: There is no data available for this product as a whole.

Nonylphenol, ethoxylated (CAS# 127087-87-0): Not a respiratory sensitizer. Not expected to cause skin sensitization.

MUTAGENICITY: Not classified.

Nonylphenol, ethoxylated: No data available to indicate this component is mutagenic or genotoxic.

Sodium sulfite, anhydrous: Has been genotoxic in many short-term test systems including causing chromosome aberrations in mouse cells and sperm abnormalities in mice. It has been mutagenic in yeast and *Mirococcus aureus*, but was not mutagenic in the Ames Almonella/microsome assay. Other genetic studies with sodium sulfite have shown that it did not induce chromosome aberrations, sister chromatid exchanges or micronuclei in hamsters or mice.

CARCINOGENICITY: Not classified.

Nonylphenol, ethoxylated: This product is not considered to be a carcinogen by IARC, ACGIH, NTP or OSHA.

Dichloromethane (methylene chloride): ACGIH: Group A3- Confirmed animal carcinogen with unknown relevance to humans. NTP: Anticipated carcinogen. OSHA: Potential cancer hazard. IARC: Group 2B- Possibly carcinogenic to humans.

1,3- Dichloropropene: ACGIH: Group A3- Confirmed animal carcinogen with known relevance to humans. NTP: Anticipated carcinogen. IARC: Group 2B- Possibly carcinogenic to humans.

Sodium Sulfite, anhydrous: IARC- Group 3 (Not classifiable)

Methylene chloride: Methylene chloride has been shown to increase the incidence of malignant tumors in mice and benign tumors in rats. Other animal studies, as well as several human epidemiology studies, failed to show a tumorigenic response. Methylene chloride is not believed to pose a measurable carcinogenic risk to man when handled as recommended. Studies have shown that tumors observed in mice are unique to that species.

1,3-Dichloropropene: Has been shown to cause cancer in laboratory animals by the oral route. Inhalation exposure resulted in an increase in the normal occurrence of benign lung tumors in male mice.

REPROTOXICITY/TERATOGENICITY: Not classified.

Nonylphenol, ethoxylated: This component is not expected to cause reproductive or developmental effects.

CTAC: CTAC has caused birth defects in rats administered relatively high oral doses; no effects were observed at lower doses. CTAC did not cause birth defects or any other effects on the fetus when relatively high doses were administered dermally, the most likely route of exposure.

Methylene chloride: Has been toxic to the fetus in laboratory animals at doses toxic to the mother.

Sodium sulfite, anhydrous: No human reproductive hazard data were found for sodium sulfite. When injected at doses of 1 to 5 mg/, sodium sulfite interfered with meiosis (chromosome separation) in the egg production in mice, cows and ewes. There were no reproductive effects in a multi-generational study in rats.

SINGLE TARGET ORGAN TOXICITY, Single Exposure: Not classified.

SINGLE TARGET ORGAN TOXICITY, Repeated Exposure: Not classified.

CTAC: In animals, effects have been reported on the following organs after ingestion: Liver. High doses of sodium carbonate caused bladder effects in rats; however, repeated ingestion of sodium bicarbonate by humans has not resulted in known significant adverse effects.

ASPIRATION HAZARD: Not an aspiration hazard.

FURTHER INFORMATION ON TOXICOLOGY: None

SECTION 12

ECOLOGICAL INFORMATION

ECOTOXICITY: There is no data available for this product as a whole. Acute ecotoxicity data for individual components of this product are listed below:

Component/CAS	Toxicity to Fish	Toxicity to Invertebrates	Toxicity to Algae
Nonylphenol, ethoxylated 127087-87-0	LC ₅₀ = 73-96 mg/L;96H (Fathead minnow)	No data available	No data available
3,5,7-Triaza-1- azoniatricyclo[3.3.1.1 ^{3,7}]decane, 1-(3-chloro-2-propenyl)-, chloride (CTAC) 4080-31-3	LC ₅₀ = 66 mg/L;96H (Bluegill sunfish) LC ₅₀ = 64 mg/L;96H (Rainbow trout)	EC ₅₀ = 25.8 mg/L;48H (Water flea) LC ₅₀ = 14.1 mg/L (Copepod Acartia tonsa) LC ₅₀ = >128 mg/L (Grass shrimp) LC ₅₀ = 182 mg/L (Pink shrimp)	ErC ₅₀ = 1.5 mg/L;96H (Green Algae) NOEC= 0.243 mg/L;96H (Green Algae)
Sodium sulfite, anhydrous 7757-83-7	LC ₅₀ = 2600 mg/L;96H (Mosquito fish)	LC ₅₀ = 69 mg/L;50H (Daphnia magna)	No data available

PERSISTENCE AND DEGRADABILITY: No data is available on the degradability of this product.

CTAC: Material is readily biodegradable. Passes OECD (tests) for ready biodegradability.

Biodegradation: 75% Exposure Time: 28d Method: OECD 301A Test 10 Day Window: Pass

Biodegradation: 83-90% Exposure Time: 28d Method: OECD 306 Test 10 Day Window: N/A

BIOACCUMULATIVE POTENTIAL: No data available.

CTAC: Bioconcentration potential is low (BCF <100 or Log Pow <3). Partition Coefficient (Log Pow): 0.3 measured

MOBILITY IN SOIL: No data available.

CTAC: Potential for mobility in soil is medium (Koc between 150 and 500). Partition Coefficient, soil organic carbon/water (Koc): 320 estimated

ENVIRONMENTAL FATE: Sodium sulfite, anhydrous: Oxidizes in air to form sulphates in the environment.

OTHER ADVERSE EFFECTS: No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this product.

SECTION 13

DISPOSAL CONSIDERATIONS

PROCEDURES: Dispose of contents and container in accordance with all federal, state and local regulations. Collect and reclaim product or dispose of in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container.

CONTAMINATED PACKAGING: Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after a container has been emptied.

SECTION 14

TRANSPORT INFORMATION

U.S. DEPARTMENT OF TRANSPORTATION (DOT) SHIPPING DESCRIPTION: Not regulated

INTERNATIONAL MARITIME ORGANIZATION (IMDG) SHIPPING DESCRIPTION: Not regulated

FREIGHT CLASSIFICATION: Adjuvants, Sprayable Product, Dry or Liquid, Designed for Addition to Sprayable Defoliants, Fertilizers, Fungicides, Herbicides, Insecticides or Mitecides (NMFC 42652)

SECTION 15

REGULATORY INFORMATION

US FEDERAL REGULATIONS

TOXIC SUBSTANCES CONTROL ACT (TSCA): All hazardous components of this product are listed on or exempted from the TSCA inventory.

TSCA Chemical Action Plans: Listed Substances: Nonylphenol, ethoxylated (CAS# 127087-87-0). Nonylphenol (NP) and Nonylphenol Ethoxylates (NPEs) Action Plan.

CERCLA Hazardous Substance List (40 CFR 302.4): This product may produce the residual chemical ethylene oxide (CAS# 75-21-8).

SARA 311/312 Hazardous Chemical: Yes

SARA 302 Extremely Hazardous Substance: Residuals: Ethylene oxide (CAS# 75-21-8), Reportable Quantity: 10 lbs. Threshold Planning Quantity: 1000 lbs.

SARA 304 Emergency Release Notification: Residuals: Ethylene oxide (CAS# 75-21-8), 10 lbs.

OSHA Specifically Regulated Substances (20 CFR 1910.1001-1050): Residuals: Ethylene oxide (CAS# 75-21-8): Cancer, reproductive toxicity, mutagenicity, central nervous system, skin sensitization, skin irritation, eye irritation, respiratory tract irritation, acute toxicity, flammability.

SARA 313 (TRI Reporting): Glycol ethers as defined by EPA (65 FR 47372, Aug 2, 2000) (CAS# Mixture), <0.01 % by wt.

Residuals: Ethylene oxide (CAS# 75-21-8), <0.001 % by wt.

3,5,7-Triaza-1-azoniatricyclo[3.3.1.1^{3,7}]decane, 1-(3-chloro-2-propenyl)-, chloride (CTAC) (CAS# 4080-31-3), 0.1344% by wt.

1,3-Dichloropropene (CAS# 542-75-6), <0.1% by wt.

Dichloromethane (methylene chloride) (CAS# 75-09-2), <0.1% by wt.

SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT OF 1986 (SARA) Hazard Categories:

Immediate Hazard Yes

Delayed Hazard No

Fire Hazard No

Pressure Hazard No

Reactivity Hazard No

CLEAN WATER ACT (CWA): If spilled into waters of the U.S., this product may be reportable under the Clean Water Act.

CLEAN AIR ACT (CAA) Section 112 Hazardous Air Pollutants (HAPs) List: Residuals: Ethylene oxide (CAS# 75-21-8)

CLEAN AIR ACT (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68-130): Residuals: Ethylene oxide (CAS# 75-21-8)

SAFE DRINKING WATER ACT (SDWA): Not regulated.

OSHA HAZARD COMMUNICATION STANDARD: This material is considered to be hazardous in accordance with OSHA 29 CFR 1910.1200.

US STATE REGULATIONS

US- California Candidate Chemicals: Listed on Initial List: Residuals: Ethylene oxide (CAS# 75-21-8)

US California Controlled Substances: CA Department of Justice (California Health and Safety Code Section 11100): Not listed.

US California Proposition 65: WARNING: This product contains a chemical known to the State of California to cause cancer and birth defects or other reproductive harm.

Residuals: Ethylene oxide (CAS# 75-21-8): Carcinogenic substance, Listed: July 1, 1987
Developmental toxin, Listed: August 7, 2009
Female Reproductive toxin, Listed: February 27, 1987
Male Reproductive toxin, Listed: August 7, 2009

Dichloromethane (methylene chloride) (CAS# 75-09-2)

1,3-Dichloropropene (CAS# 542-75-6)

Chemical/CAS	Massachusetts RTK	New Jersey RTK	Pennsylvania RTK	Rhode Island RTK
Residuals: Ethylene oxide (CAS# 75-21-8)	X	X	X	X
Dichloromethane (methylene chloride) (CAS# 75-09-2)			X	
1,3-Dichloropropene (CAS# 542-75-6)			X	

INTERNATIONAL INVENTORIES

Component	AICS	DSL	NDSL	IECSC	EINECS	ELINCS	ENCS	ECL	NZIoC	PICCS	TSCA
Nonylphenol, ethoxylated	X	X		X	X		X	X	X	X	X
Sodium sulfite, anhydrous		X			X						X

Legend:

AICS- Australian Inventory of Chemical Substances

DSL/NDSL- Canadian Domestic Substances List/ Non-Domestic Substances List

IECSC- Inventory of Existing Chemical Substances in China

EINECS- European Inventory of Existing Commercial Chemical Substances

ELINCS- European List of Notified Chemical Substances

ENCS- Japan Inventory of Existing and New Chemical Substances

ECL- Korean Existing Chemicals List

NZIoC- New Zealand Inventory

PICCS- Philippine Inventory of Chemicals and Chemical Substances

TSCA- US and Puerto Rico Toxic Substances Control Act Inventory

SECTION 16**OTHER INFORMATION**

REVISION INDICATOR: New SDS compliant with GHS AND OSHA.

DATE OF REVISION: 05/04/2017

SUPERSEDES: 08/05/2016

DISCLAIMER: THIS INFORMATION IS BEING SUPPLIED TO YOU UNDER OSHA "RIGHT TO KNOW" REGULATION 29 CFR 1910.1200 AND IS OFFERED IN GOOD FAITH. THE INFORMATION CONTAINED HEREIN IS BASED ON THE DATA AVAILABLE TO US AND IS BELIEVED TO BE TRUE AND ACCURATE TO THE BEST OF OUR KNOWLEDGE. TEXAS REFINERY CORP. MAKES NO WARRANTY, EXPRESSED OR IMPLIED, REGARDING THE ACCURACY OF THIS DATE, THE HAZARDS CONNECTED WITH THE USE OF THE MATERIAL, OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF. TEXAS REFINERY CORP. MAKES NO WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, CONCERNING THE SAFE USE OF THIS MATERIAL IN YOUR PROCESS OR IN COMBINATION WITH OTHER SUBSTANCES. TEXAS REFINERY CORP. ASSUMES NO RESPONSIBILITY FOR DAMAGE OR INJURY FROM THE USE OF THE PRODUCT DESCRIBED HEREIN.