

RESTRICTED USE PESTICIDE

Toxic to fish and aquatic organisms

For retail sale to and use only by certified applicators, or persons under their direct supervision and only for those uses covered by the certified applicator's certification.

Group 3A Insecticide

Supplemental Label

Fastac® CS

Insecticide

For in-furrow use in legume vegetables (subgroup 6C): Dried shelled pea and bean (except soybean)

This supplemental label expires October 1, 2020, and must not be used or distributed after this date.

Active Ingredient*:

alpha-cypermethrin: mixture of

(S)-α-cyano-3-phenoxybenzyl (1R,3R)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate
and

(R)-α-cyano-3-phenoxybenzyl (1S,3S)-3-

(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate 9.88%

Other Ingredients:** 90.12%

Total: 100.00%

* Contains 0.83 pound active ingredients per gallon

** Contains petroleum distillate

EPA Reg. No. 7969-364

CAUTION/PRECAUCION

Directions For Use

- It is a violation of federal law to use this product in a manner inconsistent with its labeling.
- The supplemental labeling and the entire **Fastac® CS insecticide** container label, EPA Reg. No. 7969-364, must be in possession of the user at the time of application.
- Read the label affixed to the container for **Fastac CS** before applying.
- Use of **Fastac CS** according to this labeling is subject to the use precautions and limitations imposed by the label affixed to the container for **Fastac CS**.

Application Information

Refer to the **Fastac CS** container label for additional application instructions and restrictions.

Table 1. Crop-specific Application Instructions

Crop	Insects Controlled	Application Rate/Acre	Application Method
At-plant application: Legume vegetables: Dried shelled pea and bean (except soybean), subgroup 6c, including: Adzuki bean Blackeyed pea Broad bean (dry) Catjang Chickpea Cowpea Crowder pea Field bean Grain lupin Guar Kidney bean Lablab bean (hyacinth bean) Lentil Lima bean (dry) Moth bean Mung bean Navy bean Pea (field, pigeon) Pinto bean Rice bean Southern pea Sweet lupin Tepary bean Urd bean White lupin White sweet lupin	Cutworms White grubs Wireworms	3.8 fl ozs (0.025 lb ai)	Cutworms: Apply at planting on the soil surface in a 5 to 7 inch band in a minimum of 2 to 7 gallons per acre or broadcast in a minimum of 10 gallons per acre. White grubs and wireworms: Apply in-furrow or in a 3 to 4 inch T-band (band over the open furrow) at planting in a minimum of 2 to 7 gallons per acre.
• Maximum Application Rate/Acre - 3.8 fl ozs (0.025 lb ai) of Fastac® CS insecticide • Maximum Seasonal Application Rate/Acre - 11.4 fl ozs (0.075 lb ai) of Fastac CS • Minimum Application Interval - 5 days • PHI - 21 days (dried shelled peas or beans)			

Conditions of Sale and Warranty

The **Directions For Use** of this product reflect the opinion of experts based on field use and tests. The directions are believed to be reliable and must be followed carefully. However, it is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or use of the product in a manner inconsistent with its labeling, all of which are beyond the control of BASF CORPORATION ("BASF") or the Seller. To the extent consistent with applicable law, all such risks shall be assumed by the Buyer.

BASF warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the **Directions For Use**, subject to the inherent risks, referred to above.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BASF MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY OR ANY OTHER EXPRESS OR IMPLIED WARRANTY.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BUYER'S EXCLUSIVE REMEDY AND BASF'S EXCLUSIVE LIABILITY, WHETHER IN CONTRACT, TORT, NEGLIGENCE, STRICT LIABILITY, OR OTHERWISE, SHALL BE LIMITED TO REPAYMENT OF THE PURCHASE PRICE OF THE PRODUCT.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BASF AND THE SELLER DISCLAIM ANY LIABILITY FOR CONSEQUENTIAL, EXEMPLARY, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.

BASF and the Seller offer this product, and the Buyer and User accept it, subject to the foregoing **Conditions of Sale and Warranty** which may be varied only by agreement in writing signed by a duly authorized representative of BASF.

1108

Fastac is a registered trademark of BASF.

© 2017 BASF Corporation
All rights reserved.

007969-00364.20170629b.NVA 2017-04-357-0129

BASF Corporation
26 Davis Drive
Research Triangle Park, NC 27709


We create chemistry