

MATERIAL SAFETY DATA SHEET

SECTION I – IDENTIFICATION OF THE PRODUCT AND OF THE COMPANY			
TRADE NAME:	CheckMate [®] OFM-SL		
SYNONYMS:	430 mg OFM mating disruption dispenser		
USE:	CheckMate [®] OFM-SL is a hand-applied product that emits the pheromone of the oriental fruit moth (<i>Grapholita molesta</i>). The product is used in agriculture to control populations of this pest via mating disruption.		
COMPANY IDENTIFICATION:	Suterra LLC 20950 NE Talus Place Bend, Oregon 97701 U.S.A. TEL: (541) 388-3688 FAX: (541) 388-3705		
EMERGENCY TELEPHONE NUMBERS: LEAK, FIRE, SPILL, OR ACCIDENT: (800) 424-9300 (CHEMTREC – U.S.A. & CANADA) (703) 527-3887 (CHEMTREC – Collect - All Other Countries)			
MEDICAL:	Call Doctor, Poison Co	ontrol Center or (541) 388-3688	3
SECTION II – HAZARDS IDENTIFICATION			
None of the ingredients of this material meet the definition of "Hazardous Chemical" given in OSHA Hazard Communication Regulation 29 CFR 1910.1200(c). The information on this form is furnished as a customer service.			
	SECTION III - CON	MPOSITION	
	MONENT(S)	CASNO	
PRINCIPAL CO	VIPUNENI(S)	CAS NO.	CHEMICAL FORMULA
Z-8-dodecen-1-yl acetate		28079-04-1	C ₁₄ H ₂₆ O ₂
E-8-dodecen-1-yl acetate		38363-29-0	$C_{14}H_{26}O_2$
Z-8-dodecen-1-ol		40642-40-8	C ₁₂ H ₂₄ O

Page 1 - Material Safety Data Sheet for CheckMate® OFM-SL

		SECTION IV – FIR	RST AID MEASURES	
EYE				
CONTACT:	Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses if worn after the first five minutes and continue rinsing. Call a doctor or Poison Control Center for advice.			
SKIN				
CONTACT:		Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a doctor or Poison Control Center for advice.		
INHALATION:	Move person to fresh air. If person is not breathing call 911 or an ambulance then give artificial respiration, preferably mouth-to-mouth if possible. Call a doctor or Poison Control Center for advice.			
INGESTION:	Call a doctor or Poison Control Center immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a Poison Control Center or doctor. Do not give anything by mouth to an unconscious person.			
		SECTION V – FIREF	IGHTING MEASURES	
FLASH POINT	F	LAMMABLE LIMITS	LEL	UEL
(Method Used)	(% by Volume in Air)		
Not established for formulation 230°F for OFM pheromor blend.		lot established.	Not established.	Not established.
EXTINGUISHING MED	IA:	Dry Chemical, Foam, Carb	oon Dioxide (CO ₂)	i
UNUSUAL FIRE AND EXPLOSION HAZARDS	5:	Carbon oxides formed whe	en burned.	
ADVICE FOR FIREFIGH	HTERS:	Evacuate area of all unnece	essary personnel. Use standar	rd fire fighting procedures.
		SECTION VI – ACCIDEN	TAL RELEASE MEASURI	ES
Large spills can be swept		tect from ignition. Keep out		
		SECTION VII – HAN	DLING AND STORAGE	
1 1 1				reathing vapors. Store in cool, well ontaminate water sources, food or
SI	ECTIO	N VIII – EXPOSURE CON	TROLS / PERSONAL PRO	TECTION
		EXPOSURE I	LIMIT VALUES	
RECOMMENDED EXPO	OSURE	LIMITS: None established.		
LISTED AS CARCINOG BY NTP, IARC, OR OSH		No.		
OTHER HEALTH EFFE	OTHER HEALTH EFFECTS: No known adverse effects expected.			
HEALTH HAZARD CATEGORIES: EPA Toxicity Category: III - CAUTION.				

		EFFECTS OF OVEREXPOSURE	
EYE CONTACT:	Pheromone is n membrane.	Pheromone is mildly irritating. Avoid contact with eyes when in contact with dispenser	
SKIN CONTACT:	Pheromone is moderately irritating. Avoid contact of skin with dispenser membrane.		
INHALATION:	Avoid breathing	Avoid breathing vapors when in confined areas.	
INGESTION:	Due to product form ingestion is not considered likely.		
CHRONIC:	Long-term studies have not been done on the concentrated active ingredient, however, no adverse effects expected.		
	-	EXPOSURE CONTROLS	
RESPIRATORY PROTECTION:	Not generally required under normal use conditions.		
PROTECTIVE GLOVES:	Use chemical resistant gloves when handling dispensers.		
EYE PROTECTION:	Wear protective eyewear.		
OTHER PROTECTIVE EQUIPMENT:	Not generally required under normal use conditions.		
VENTILATION:	Use adequate ventilation.		
NOTE:	normal uses and	tion information provided in this Section is based upon label information as to d conditions. Where special or unusual uses or conditions exist, it is suggested that tance of an industrial hygienist or other qualified professional be sought.	
	SECTION	IX –PHYSICAL AND CHEMICAL PROPERTIES	
APPEARANCE		Plastic hand-applied dispenser.	
ODOR		Mild, herbaceous odor.	
MOLECULAD MELCU	E.		
MOLECULAR WEIGH	Г	Not established for end-use dispenser. 636 for OFM pheromone blend.	
рН		Not established.	
pH SOLUBILITY IN WATI		Not established. Not applicable for end-use dispenser. Low solubility for OFM pheromone blend.	
рН		Not established. Not applicable for end-use dispenser. Low solubility for OFM pheromone blend. Not applicable for end-use dispenser. 120-125°C @ 3mmHg for OFM pheromone	
pH SOLUBILITY IN WATI		Not established. Not applicable for end-use dispenser. Low solubility for OFM pheromone blend. Not applicable for end-use dispenser. 120-125°C @ 3mmHg for OFM pheromone blend.	
pH SOLUBILITY IN WATH BOILING POINT		Not established. Not applicable for end-use dispenser. Low solubility for OFM pheromone blend. Not applicable for end-use dispenser. 120-125°C @ 3mmHg for OFM pheromone	
pH SOLUBILITY IN WATI BOILING POINT MELTING POINT		Not established. Not applicable for end-use dispenser. Low solubility for OFM pheromone blend. Not applicable for end-use dispenser. 120-125°C @ 3mmHg for OFM pheromone blend. Not applicable for end-use dispenser. > 0°C for OFM pheromone blend.	
pH SOLUBILITY IN WATH BOILING POINT MELTING POINT FLASH POINT	ER	Not established. Not applicable for end-use dispenser. Low solubility for OFM pheromone blend. Not applicable for end-use dispenser. 120-125°C @ 3mmHg for OFM pheromone blend. Not applicable for end-use dispenser. > 0°C for OFM pheromone blend. Not established for end-use dispenser. 230°F for OFM pheromone blend.	
pH SOLUBILITY IN WATT BOILING POINT MELTING POINT FLASH POINT FLAMMABILITY	ER H ₂ O = 1)	Not established. Not applicable for end-use dispenser. Low solubility for OFM pheromone blend. Not applicable for end-use dispenser. 120-125°C @ 3mmHg for OFM pheromone blend. Not applicable for end-use dispenser. > 0°C for OFM pheromone blend. Not established for end-use dispenser. 230°F for OFM pheromone blend. Not established for end-use dispenser. 0.88 ± 0.01 for OFM pheromone active	

SECTION X – STABILITY AND REACTIVITY DATA		
	The product is stable. No dangerous reactions are expected. Pheromone is sensitive to heat and light.	
INCOMPATIBILITY:	Pheromone to strong oxidizing agents.	
HAZARDOUS DECOMPOSITION		
	Carbon oxides formed when burned.	
HAZARDOUS POLYMERIZATION:	Will not occur.	
SECTION	N XI – TOXICOLOGICAL INFORMATION	
Due to the formulation type, no studies have Information about the pheromone active ingr Oriental Fruit Moth (OFM) Pheromone Blen LD_{50} , Oral, Rat: > 5050 mg/kg LD_{50} , Dermal, Rabbit: > 5050 mg/kg LD_{50} , Intratrachael, Rat: > 2 mg//L Eye Irritation, Rabbit: Mildly irritating. Skin Irritation, Rabbit: Moderately irritat Ames Mutation Assay: Negative.	redient is reported here: <u>d</u> :	
SECTIO	ON XII – ECOLOGICAL INFORMATION	
Due to the formulation type, no studies have Information about the pheromone active ingr <u>Oriental Fruit Moth (OFM) Pheromone Blen</u> Acute Avian LD ₅₀ Bobwhite Quail: Acute Fish 96 Hour LC ₅₀ Rainbow Trout: Aquatic Invertebrate 48 Hour EC ₅₀ Daphnia	redients is reported here: <u>d</u> : > 2050 mg/kg > 0.99 mg/L	

SECTION XIII – DISPOSAL CONSIDERATIONS

ENVIRONMENTAL HAZARDS/ WASTE DISPOSAL:

Used dispensers should be wrapped in newspaper, placed in garbage bags and discarded. Do not reuse containers. Discard in trash. Dispose of in accordance with local, state, and federal regulations.

USED DISPENSER AND CONTAINER DISPOSAL:

Used dispensers should be wrapped in newspaper, place in garbage bag and discarded in trash. Nonrefillable container. Do not reuse or refill containers.

<u>Plastic containers</u>: Triple rinse (or equivalent). Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

<u>Bag/Cardboard box</u>: Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

SECTION XIV – TRANSPORT INFORMATION

TRANSPORT BY GROUND:

Description:	Plastic hand-applied pheromone dispenser.
Hazard Class:	Not applicable – Not classified as dangerous.
Identification Numbers:	Unclassified.
Packing Group:	Not applicable.
Flashpoint:	Not established for end-use dispenser.

TRANSPORT BY AIR:

Description:	Plastic hand-applied pheromone dispenser.
Hazard Class:	Not applicable – Not classified as dangerous.
Identification Numbers:	Unclassified.
Packing Group:	Not applicable.
Flashpoint:	Not established for end-use dispenser.

SECTION XV – REGULATORY INFORMATION

REGULATORY LICENSE:

U.S. EPA Registration Number 56336-46 Product is categorized under U.S. EPA Toxicity Health Hazard Category III – CAUTION

SECTION XVI – OTHER INFORMATION

Suterra LLC is unaware of any local, state or federal regulations which define the active ingredient as hazardous.

As of the preparation date, this product did not contain a chemical or chemicals subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

While this information and recommendations set forth are believed to be accurate as of the date hereof, Suterra LLC makes no warranty with respect hereto and disclaims all liability from reliance thereon.

Version Date: 09/04/2012 Supersedes: New

Page 5 - Material Safety Data Sheet for CheckMate® OFM-SL