

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



CALLISTO GT HERBICIDE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/11/2026	S00057224787	Date of first issue: 06/11/2026

SECTION 1. IDENTIFICATION

Product name : CALLISTO GT HERBICIDE
Design code : A19573B

Product Registration number : 100-1470

Manufacturer or supplier's details

Company name of supplier : Syngenta Crop Protection, LLC
Address : Post Office Box 18300
Greensboro NC 27419
United States of America (USA)

Telephone : 1 800 334 9481
Telefax : 1 336 632 2192

E-mail address : sds.requests@syngenta.com
Emergency telephone : 1 800 888 8372

Recommended use of the chemical and restrictions on use

Recommended use : Herbicide

Restrictions on use : General Use Pesticide

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Hazards for the product as supplied

Not a hazardous substance or mixture.

Other hazards

None known.

GHS label elements

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS No./Unique ID	Concentration (% w/w)	Trade secret
glyphosate-potassium	39600-42-5*	41.6502	-
sodium; 1,2-bis-(2-ethyl-	577-11-7*	>= 3 - <= 7	TSC

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



CALLISTO GT HERBICIDE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/11/2026	S00057224787	Date of first issue: 06/11/2026

hexyloxycarbonyl)-ethanesulfonate			
mesotrione (ISO)	104206-82-8*	3.4	-
ethanol	64-17-5*	>= 0.1 - <= 1	TSC

* Indicates that the identifier is a CAS No.

TSC- the actual concentration or concentration range is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

- | | |
|---|---|
| General advice | : Have the product container, label or Safety Data Sheet with you when calling the emergency number, a poison control center or physician, or going for treatment. |
| If inhaled | : Take the victim into fresh air.
If breathing is irregular or stopped, administer artificial respiration.
Keep patient warm and at rest.
Call a physician or poison control center immediately. |
| In case of skin contact | : Take off all contaminated clothing immediately.
Wash off immediately with plenty of water.
If skin irritation persists, call a physician.
Wash contaminated clothing before re-use. |
| In case of eye contact | : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
Remove contact lenses.
Immediate medical attention is required. |
| If swallowed | : If swallowed, seek medical advice immediately and show this container or label.
Do NOT induce vomiting. |
| Most important symptoms and effects, both acute and delayed | : Nonspecific
No symptoms known or expected. |
| Notes to physician | : There is no specific antidote available.
Treat symptomatically. |

SECTION 5. FIRE-FIGHTING MEASURES

- | | |
|---------------------------------------|---|
| Suitable extinguishing media | : Extinguishing media - small fires
Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Extinguishing media - large fires
Alcohol-resistant foam
or
Water spray |
| Unsuitable extinguishing media | : Do not use a solid water stream as it may scatter and spread fire. |
| Specific hazards during fire fighting | : As the product contains combustible organic ingredients, fire will produce dense black smoke containing hazardous products of combustion (see section 10).
Exposure to decomposition products may be a hazard to |

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



CALLISTO GT HERBICIDE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/11/2026	S00057224787	Date of first issue: 06/11/2026

- health.
- Hazardous combustion products : Carbon oxides
Nitrogen oxides (NO_x)
Sulfur oxides
Oxides of phosphorus
- Further information : Do not allow run-off from fire fighting to enter drains or water courses.
Cool closed containers exposed to fire with water spray.
- Special protective equipment for fire-fighters : Wear full protective clothing and self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Refer to protective measures listed in sections 7 and 8.
- Environmental precautions : Prevent further leakage or spillage if safe to do so.
Do not flush into surface water or sanitary sewer system.
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).
Clean contaminated surface thoroughly.
Clean with detergents. Avoid solvents.
Retain and dispose of contaminated wash water.

SECTION 7. HANDLING AND STORAGE

- Advice on safe handling : No special protective measures against fire required.
Avoid contact with skin and eyes.
When using do not eat, drink or smoke.
For personal protection see section 8.
- Conditions for safe storage : No special storage conditions required.
Keep containers tightly closed in a dry, cool and well-ventilated place.
Keep out of the reach of children.
Keep away from food, drink and animal feedingstuffs.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
------------	---------	----------------------------------	--	-------

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



CALLISTO GT HERBICIDE

Version 1.0 Revision Date: 06/11/2026 SDS Number: S00057224787 Date of last issue: -
Date of first issue: 06/11/2026

mesotrione (ISO)	104206-82-8	TWA	5 mg/m3	Syngenta
ethanol	64-17-5	STEL	1,000 ppm	ACGIH
		TWA	1,000 ppm 1,900 mg/m3	NIOSH REL
		TWA	1,000 ppm 1,900 mg/m3	OSHA Z-1
		TWA	1,000 ppm 1,900 mg/m3	OSHA P0

Engineering measures : THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THE PRODUCT. FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS CONSULT THE PRODUCT LABEL.

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated.

The extent of these protection measures depends on the actual risks in use.

Maintain air concentrations below occupational exposure standards.
Where necessary, seek additional occupational hygiene advice.

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally required.
When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

Hand protection

Remarks : Wear protective gloves. The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The break through time depends amongst other things from the material, the thickness and the type of glove and therefore has to be measured for each case. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Eye protection : No special protective equipment required.

Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.
Remove and wash contaminated clothing before re-use.
Wear as appropriate:

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



CALLISTO GT HERBICIDE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/11/2026	S00057224787	Date of first issue: 06/11/2026

Protective measures : Impervious clothing
: The use of technical measures should always have priority over the use of personal protective equipment.
When selecting personal protective equipment, seek appropriate professional advice.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: suspension
Color	: beige
Odor	: No data available
Odor Threshold	: No data available
pH	: 4.9 Concentration: 100 %w/v
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available
Flash point	: Method: Pensky-Martens closed cup does not flash
Evaporation rate	: No data available
Flammability (solid, gas)	: No data available
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapor pressure	: No data available
Relative vapor density	: No data available
Density	: 1.310 g/cm ³ (68 °F / 20 °C)
Solubility(ies)	
Water solubility	: No data available
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: No data available
Autoignition temperature	: > 1202 °F / > 650 °C

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



CALLISTO GT HERBICIDE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/11/2026	S00057224787	Date of first issue: 06/11/2026

Decomposition temperature : No data available

Viscosity
Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Particle characteristics
Particle size : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : None reasonably foreseeable.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : No dangerous reaction known under conditions of normal use.

Conditions to avoid : No decomposition if used as directed.

Incompatible materials : None known.

Hazardous decomposition products : No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Ingestion
Inhalation
Skin contact
Eye contact

Acute toxicity

Based on available data, the classification criteria are not met.

Product:

Acute oral toxicity : LD50 (Rat, female): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 2.53 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

Components:

glyphosate-potassium:

Acute oral toxicity : LD50 (Rat, female): Calculated value 2,111 mg/kg

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



CALLISTO GT HERBICIDE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/11/2026	S00057224787	Date of first issue: 06/11/2026

Acute inhalation toxicity : LC50 (Rat, male and female): Calculated value > 4.95 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat, male and female): Calculated value > 2,400 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

sodium; 1,2-bis-(2-ethyl-hexyloxycarbonyl)-ethanesulfonate:

Acute oral toxicity : LD50 (Rat, male and female): 3,000 mg/kg

Acute dermal toxicity : LD50 (Rabbit, male): > 10,000 mg/kg

mesotrione (ISO):

Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 4.75 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

ethanol:

Acute oral toxicity : LD50 (Rat): 10,470 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 1,800 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit): 15,800 mg/kg

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Product:

Species : Rabbit
Result : No skin irritation

Components:

glyphosate-potassium:

Species : Rabbit
Result : No skin irritation

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



CALLISTO GT HERBICIDE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/11/2026	S00057224787	Date of first issue: 06/11/2026

sodium; 1,2-bis-(2-ethyl-hexyloxycarbonyl)-ethanesulfonate:

Result : Irritating to skin.

mesotrione (ISO):

Species : Rabbit
Result : No skin irritation

ethanol:

Result : No skin irritation

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Product:

Species : Rabbit
Result : No eye irritation

Components:

glyphosate-potassium:

Species : Rabbit
Result : No eye irritation

sodium; 1,2-bis-(2-ethyl-hexyloxycarbonyl)-ethanesulfonate:

Result : Irreversible effects on the eye

mesotrione (ISO):

Species : Rabbit
Result : No eye irritation

ethanol:

Result : No eye irritation

Respiratory or skin sensitization

Skin sensitization

Based on available data, the classification criteria are not met.

Respiratory sensitization

Not classified due to lack of data.

Product:

Species : Guinea pig
Result : Does not cause skin sensitization.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



CALLISTO GT HERBICIDE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/11/2026	S00057224787	Date of first issue: 06/11/2026

Components:

glyphosate-potassium:

Species	:	Guinea pig
Result	:	Does not cause skin sensitization.

sodium; 1,2-bis-(2-ethyl-hexyloxycarbonyl)-ethanesulfonate:

Test Type	:	Draize Test
Species	:	Humans
Result	:	Not a skin sensitizer.

mesotrione (ISO):

Species	:	Guinea pig
Result	:	Does not cause skin sensitization.

ethanol:

Result	:	Does not cause skin sensitization.
Result	:	Did not cause sensitization on laboratory animals.

Germ cell mutagenicity

Not classified due to lack of data.

Components:

glyphosate-potassium:

Germ cell mutagenicity - Assessment	:	Animal testing did not show any mutagenic effects.
-------------------------------------	---	--

sodium; 1,2-bis-(2-ethyl-hexyloxycarbonyl)-ethanesulfonate:

Germ cell mutagenicity - Assessment	:	Weight of evidence does not support classification as a germ cell mutagen.
-------------------------------------	---	--

mesotrione (ISO):

Germ cell mutagenicity - Assessment	:	Animal testing did not show any mutagenic effects.
-------------------------------------	---	--

ethanol:

Germ cell mutagenicity - Assessment	:	Weight of evidence does not support classification as a germ cell mutagen.
-------------------------------------	---	--

Carcinogenicity

Not classified due to lack of data.

Components:

glyphosate-potassium:

Carcinogenicity - Assessment	:	No evidence of carcinogenicity in animal studies.
------------------------------	---	---

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



CALLISTO GT HERBICIDE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/11/2026	S00057224787	Date of first issue: 06/11/2026

sodium; 1,2-bis-(2-ethyl-hexyloxycarbonyl)-ethanesulfonate:

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

mesotrione (ISO):

Carcinogenicity - Assessment : Animal testing did not show any carcinogenic effects.

ethanol:

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

IARC

Group 1: Carcinogenic to humans
ethanol

64-17-5

OSHA

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified due to lack of data.

Components:

glyphosate-potassium:

Reproductive toxicity - Assessment : No toxicity to reproduction

sodium; 1,2-bis-(2-ethyl-hexyloxycarbonyl)-ethanesulfonate:

Reproductive toxicity - Assessment : No toxicity to reproduction, No effects on or via lactation

mesotrione (ISO):

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

ethanol:

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity, No effects on or via lactation

STOT-single exposure

Not classified due to lack of data.

Components:

sodium; 1,2-bis-(2-ethyl-hexyloxycarbonyl)-ethanesulfonate:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

ethanol:

Assessment : The substance or mixture is not classified as specific target

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



CALLISTO GT HERBICIDE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/11/2026	S00057224787	Date of first issue: 06/11/2026

organ toxicant, single exposure.

STOT-repeated exposure

Not classified due to lack of data.

Components:

glyphosate-potassium:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

sodium; 1,2-bis-(2-ethyl-hexyloxycarbonyl)-ethanesulfonate:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

mesotrione (ISO):

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

ethanol:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration toxicity

Not classified due to lack of data.

Components:

ethanol:

No aspiration toxicity classification

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

glyphosate-potassium:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): Calculated value > 1,511 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia): Calculated value > 1,227 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): Calculated value 66 mg/l
Exposure time: 72 h

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



CALLISTO GT HERBICIDE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/11/2026	S00057224787	Date of first issue: 06/11/2026

sodium; 1,2-bis-(2-ethyl-hexyloxycarbonyl)-ethanesulfonate:

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 1 - 10 mg/l
Exposure time: 48 h

mesotrione (ISO):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 120 mg/l
Exposure time: 96 h

LC50 (Cyprinus carpio (Carp)): > 97.1 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 900 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): 12 mg/l
Exposure time: 96 h

NOEC (Raphidocelis subcapitata (freshwater green alga)): 0.75 mg/l
End point: Growth rate
Exposure time: 96 h

ErC50 (Lemna gibba (gibbous duckweed)): 0.0301 mg/l
Exposure time: 7 d

EC10 (Lemna gibba (gibbous duckweed)): 0.00187 mg/l
End point: Growth rate
Exposure time: 7 d

Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 12.5 mg/l
Exposure time: 36 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 180 mg/l
Exposure time: 21 d

Persistence and degradability

Components:

sodium; 1,2-bis-(2-ethyl-hexyloxycarbonyl)-ethanesulfonate:

Biodegradability : Result: Readily biodegradable.

mesotrione (ISO):

Stability in water : Degradation half life: > 30 d (25 °C)
Remarks: Persistent in water.

Bioaccumulative potential

Components:

mesotrione (ISO):

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



CALLISTO GT HERBICIDE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/11/2026	S00057224787	Date of first issue: 06/11/2026

Bioaccumulation : Remarks: Low bioaccumulation potential.

Mobility in soil

Components:

mesotrione (ISO):

Distribution among environmental compartments	: Remarks: Highly mobile in soils
Stability in soil	: Dissipation time: 6 - 105 d Percentage dissipation: 50 % (DT50) Remarks: Product is not persistent.

Other adverse effects

Components:

mesotrione (ISO):

Results of PBT and vPvB assessment	: Not persistent, bioaccumulative, and toxic (PBT). Remarks: Weight of evidence
Endocrine disrupting potential	: Does not have endocrine disrupting properties. Remarks: Weight of evidence

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues	: Do not contaminate ponds, waterways or ditches with chemical or used container. Do not dispose of waste into sewer. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. This product will not be classified as a RCRA characteristic hazardous waste when discarded.
Contaminated packaging	: Empty remaining contents. Triple rinse containers. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number	: UN 3082
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (MESOTRIONE)
Class	: 9
Packing group	: III
Labels	: 9

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



CALLISTO GT HERBICIDE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/11/2026	S00057224787	Date of first issue: 06/11/2026

Environmentally hazardous : yes
Remarks : This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

IATA-DGR

UN/ID No. : UN 3082
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s. (MESOTRIONE)
Class : 9
Packing group : III
Labels : Miscellaneous
Packing instruction (cargo aircraft) : 964
Packing instruction (passenger aircraft) : 964
Environmentally hazardous : yes
Remarks : This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

IMDG-Code

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (MESOTRIONE)
Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes
Remarks : This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

Domestic regulation

49 CFR

Not regulated as a dangerous good

Remarks : Shipment by ground under DOT is non-regulated; however it may be shipped per the applicable hazard classification to facilitate multi-modal transport involving ICAO (IATA) or IMO.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



CALLISTO GT HERBICIDE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/11/2026	S00057224787	Date of first issue: 06/11/2026

SECTION 15. REGULATORY INFORMATION

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

Caution

Harmful if inhaled.

Causes moderate eye irritation.

Avoid breathing spray mist.

Avoid contact with eyes or clothing.

May cause skin sensitization reactions in certain individuals.

Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

CERCLA Reportable Quantity

Listed substances in the product are at low enough levels to not be expected to exceed the RQ

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : No SARA Hazards

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

California Prop. 65

WARNING: This product can expose you to chemicals including ethanol, which is/are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

SECTION 16. OTHER INFORMATION

Further information

SAFETY DATA SHEET


according to the OSHA Hazard Communication Standard



CALLISTO GT HERBICIDE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/11/2026	S00057224787	Date of first issue: 06/11/2026

NFPA 704:



HMIS® IV:

HEALTH	/	0
FLAMMABILITY		0
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

ACGIH	: USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL	: USA. NIOSH Recommended Exposure Limits
OSHA P0	: USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)
OSHA Z-1	: USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
Syngenta	: Syngenta Occupational Exposure Limits
ACGIH / STEL	: Short-term exposure limit
NIOSH REL / TWA	: Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
OSHA P0 / TWA	: 8-hour time weighted average
OSHA Z-1 / TWA	: 8-hour time weighted average
Syngenta / TWA	: Time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardization; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organization for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Admin-

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



CALLISTO GT HERBICIDE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/11/2026	S00057224787	Date of first issue: 06/11/2026

istration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorization and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECL - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 06/11/2026

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN