



Reax PLUS MICROBOOSTER

4-0-0

GUARANTEED ANALYSIS

Total Nitrogen (N).....	4.0%
4.0% Ammoniacal Nitrogen	
Sulfur (S).....	2.5%
2.5% Combined Sulfur (S)	
Iron (Fe).....	1.0%
1.0% Water Soluble Iron (Fe)	
Manganese (Mn).....	1.0%
1.0% Water Soluble Manganese (Mn)	
Zinc (Zn).....	3.0%
3.0% Water Soluble Zinc (Zn)	

Derived From: Anhydrous Ammonia, Ferrous Sulfate, Manganese Sulfate and Zinc Sulfate

ALSO CONTAINS NON-PLANT FOOD INGREDIENT

Soil Amending Guaranteed Analysis	
2.90%.....	Humic Acids (derived from Leonardite)
97.10%.....	Total Other Ingredients (inert as a nonplant food ingredient)

PURPOSE STATEMENT:

Reax™ Plus MicroBooster augments a balanced crop nutrient management program and may enhance micronutrient uptake.

KEEP OUT OF REACH OF CHILDREN



WARNING

May cause damage to organs through prolonged or repeated exposure. (brain)

Read carefully and follow all instructions. Keep out of reach of children. If medical advice is needed, have product container or label at hand. Do not breathe vapor. Get medical advice or attention if you feel unwell. Dispose of contents and container in accordance with all local, regional, national and international regulations. IF IN EYES: Rinse eyes immediately with water. Remove contact lenses, if present and easy to do, then continue rinsing. Seek medical attention if symptoms occur or you feel unwell. IF SWALLOWED: Rinse mouth. Do not induce vomiting unless instructed by a medical professional. Seek medical attention if symptoms occur or you feel unwell. IF INHALED: Move person to fresh air and keep comfortable for breathing. Seek medical attention if symptoms occur or you feel unwell. IF ON SKIN: Wash off with soap and water. Seek medical attention if symptoms occur or you feel unwell.

FOR A MEDICAL EMERGENCY OR HELP WITH ANY SPILL, LEAK, FIRE OR EXPOSURE INVOLVING THIS MATERIAL, CALL DAY OR NIGHT CHEMTREC 1-800-424-9300.

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to the intended application site, and sweep any product that lands on impervious surfaces (the driveway, sidewalk or street) back on to the intended application site.

DIRECTIONS FOR USE

Reax Plus MicroBooster can be applied to most crops. Reax Plus MicroBooster is designed for soil application and for foliar use. Apply directly to soils or inject through irrigation systems where water quality is satisfactory to maintain solubility. Foliar applications should be as a dilute spray. Application rates vary by crop or situation. Mixing with irrigation water for field storage is generally not recommended. Products blended with irrigation water should be used immediately and not stored for prolonged periods.

Crop	Application rate per acre	Application Directions and Timing
(01) Root and Tuber Vegetables including Carrot, Ginseng, Horseradish, Parsley (turnip-rooted), Potato, Radish, Sugar Beet, Sweet Potato, Turnip	Soil: 1-8 qt/A Foliar: 1-8 qt/ac Fertigation: 1-8 qt/ac Transplant Water: 1-3 gal/ac	*See General Soil, Foliar and Fertigation Instructions (for all crops): Transplant water: Do Not exceed 3% solution to water.
(03) Bulb Vegetables including Garlic, Leek, Onion	Soil: 1-8 qt/ac Foliar: 1-8 qt/ac Fertigation: 1-8 qt/ac Transplant Water: 1-3 gal/ac	*See General Soil, Foliar and Fertigation Instructions (for all crops): Transplant water: Do Not exceed 3% solution to water.
(04) Leafy Vegetables including Celery, Head and Leaf Lettuce and Spinach	Soil: 1-8 qt/ac Foliar: 1-4 qt/ac Fertigation: 1-8 qt/ac Transplant Water: 1-3 gal/ac	*See General Soil, Foliar and Fertigation Instructions (for all crops): Transplant water: Do Not exceed 3% solution to water.
(05) Brassica Vegetables including Broccoli, Cabbage, Cauliflower, Kale, and Mustard greens	Soil: 1-8 qt/ac Foliar: 1-4 qt/ac Fertigation: 1-8 qt/ac Transplant Water: 1-3 gal/ac	*See General Soil, Foliar and Fertigation Instructions (for all crops): Transplant water: Do Not exceed 3% solution to water.
(06) Legume Vegetables (Succulent or Dried) including Bean (all types), Peas and Soybeans	Soil: 1-8 qt/ac Foliar: 1-4 qt/ac Fertigation: 1-8 qt/ac Transplant Water: 1-3 gal/ac	*See General Soil, Foliar and Fertigation Instructions (for all crops): Transplant water: Do Not exceed 3% solution to water.
(08) Fruiting Vegetables including Eggplant, Pepper and Tomato	Soil: 1-8 qt/ac Foliar: 1-8 qt/ac Fertigation: 1-8 qt/ac Transplant Water: 1-3 gal/ac	*See General Soil, Foliar and Fertigation Instructions (for all crops): Transplant water: Do Not exceed 3% solution to water.
(09) Cucurbit Vegetables including Cantaloupe, Cucumber, Honeydew, Muskmelon, Squash (summer and winter) and Watermelon	Soil: 1-8 qt/ac Foliar: 1-4 qt/ac Fertigation: 1-8 qt/ac Transplant Water: 1-3 gal/ac	*See General Soil, Foliar and Fertigation Instructions (for all crops): Transplant water: Do Not exceed 3% solution to water.
(10) Citrus Fruit including Grapefruit, Lemon, Lime, Sweet Orange and Tangerine	Soil: 1-4 gal/ac Foliar: 1-8 qt/ac Fertigation: 1-8 qt/ac	*See General Soil, Foliar and Fertigation Instructions (for all crops):
(11) Pome Fruits including Apple and Pear	Soil: 1-4 gal/ac Foliar: 1-8 qt/ac Fertigation: 1-8 qt/ac	*See General Soil, Foliar and Fertigation Instructions (for all crops):
(12) Stone Fruits including Apricot, Cherry, Peach and Plumcot	Soil: 1-4 gal/ac Foliar: 1-8 qt/ac Fertigation: 1-8 qt/ac	*See General Soil, Foliar and Fertigation Instructions (for all crops):
(13) Berry and Small Fruit including Blackberry, Blueberry, Caneberry, Kiwi, Raspberry and Grape	Soil: 1-8 qt/ac Foliar: 1-4 qt/ac Fertigation: 1-8 qt/ac	*See General Soil, Foliar and Fertigation Instructions (for all crops):
(14) Tree Nuts including Almonds, Cashews and Pecans	Soil: 1-4 gal/ac Foliar: 1-8 qt/ac Fertigation: 1-8 qt/ac	*See General Soil, Foliar and Fertigation Instructions (for all crops):
(15) Grain, Cereal	Soil: 1-8 qt/ac Foliar: 1-4 qt/ac Fertigation: 1-8 qt/ac	*See General Soil, Foliar and Fertigation Instructions (for all crops):
(16) Forage, Fodder and Straw of Cereal Grains	Soil: 1-8 qt/ac Foliar: 1-4 qt/ac Fertigation: 1-8 qt/ac	*See General Soil, Foliar and Fertigation Instructions (for all crops):
(17) Grass Forage, Fodder and Hay	Soil: 1-8 qt/ac Foliar: 1-4 qt/ac Fertigation: 1-8 qt/ac	*See General Soil, Foliar and Fertigation Instructions (for all crops):
(18) Nongrass Animal Feeds including Alfalfa, Clover, Hay and Vetch	Soil: 1-8 qt/ac Foliar: 1-4 qt/ac Fertigation: 1-8 qt/ac	*See General Soil, Foliar and Fertigation Instructions (for all crops):
(19) Herbs and Spices including Basil, Dill, Mustard and Sage	Soil: 1-8 qt/ac Foliar: 1-4 qt/ac Fertigation: 1-8 qt/ac	*See General Soil, Foliar and Fertigation Instructions (for all crops):

Crop	Application rate per acre	Application Directions and Timing
(20) Oil Seed Crops including Canola, Flax and Sunflower	Soil: 1-8 qt/ac Foliar: 1-4 qt/ac Fertigation: 1-8 qt/ac	*See General Soil, Foliar and Fertigation Instructions (for all crops):
(22) Stalk, Stem and leaf petiole vegetables, Asparagus, bamboo shoots and celery	Soil: 1-8 qt/ac Foliar: 1-4 qt/ac Fertigation: 1-8 qt/ac	*See General Soil, Foliar and Fertigation Instructions (for all crops):
Cotton	Soil: 1-8 qt/ac Foliar: 1-4 qt/ac Fertigation: 1-8 qt/ac	*See General Soil, Foliar and Fertigation Instructions (for all crops):
Peanut	Soil: 1-8 qt/ac Foliar: 1-4 qt/ac Fertigation: 1-8 qt/ac	*See General Soil, Foliar and Fertigation Instructions (for all crops):
Sugarcane	Soil: 1-8 qt/ac Foliar: 1-4 qt/ac Fertigation: 1-8 qt/ac	*See General Soil, Foliar and Fertigation Instructions (for all crops):
Tobacco	Soil: 1-8 qt/ac Foliar: 1-4 qt/ac Fertigation: 1-8 qt/ac	*See General Soil, Foliar and Fertigation Instructions (for all crops):
Ornamental and Landscape	Soil: 0.5-4 qt/ac Foliar: 1-4 qt/ac Fertigation: 0.5-4 qt/ac	Do not exceed 3% spray solution to water. Do not spray in temperatures more than 85° F.
Turf	Soil: 0.5 to 5.0 fl oz. per 1000 sq. ft. Foliar: 0.5-2.5 fl oz per 1000 sq ft.	Do not exceed 3% spray solution to water. Do not spray in temperatures more than 85° F.

*General Soil, Foliar and Fertigation Instructions (for all crops):

Soil: Can be applied in pre-plant, as a starter, side dress, top dressed or banded in soil. Apply in a surface or subsurface band. Repeat applications are beneficial.
Foliar: For aerial and foliar applications use a minimum of 10 gal of water per acre. Dilute concentrate sprays use a minimum of 25 gal of water per acre. May be applied through center pivot irrigation systems. Do not spray in temperatures more than 85° F. Repeat applications may be beneficial.
Fertigation: Apply in irrigation system after filter, continue irrigation for a minimum of 2 hours after application to flush lines and to maximize distribution with drip and micro sprinkler. Repeat applications may be beneficial.

Aerial Application:

In aerial application use adequate water to obtain thorough coverage.

Caution:

Foliar applications close to harvest may leave a brown residue on the harvestable portion of the crop. Rainfall, sprinkler irrigation or high humidity should alleviate this condition.

Caution:

Always check compatibility with other products prior to use.

DO NOT apply with conventional calcium fertilizers.

Fertilizer solutions with a pH of 4 or less may not be compatible.

Combining with liquid fertilizer solutions is more effective if done at a blending plant with vigorous agitation in blending process.

MIXING INSTRUCTIONS

- Partially fill tank with water or fertilizer and start agitation.
- Add other nutrients or pesticides if compatible.
- Add Reax Plus MicroBooster to circulating tank mix.
- Fill tank and agitate thoroughly.

STORAGE AND DISPOSAL

STORAGE: Store in original containers only. Keep containers tightly closed when not in use. Store in a cool, dry well-ventilated area, preferably in a locked storage area away from children, feed and food products, and seed. Store at ambient temperatures. Do not contaminate water, food, or feed by storage or disposal. **DISPOSAL:** Do not reuse container. Completely empty container into application equipment. Thoroughly rinse container, adding rinse water to the spray tank.

CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

BEFORE BUYING OR USING THIS PRODUCT, read the Directions for Use and the following Conditions of Sale and Limitation of Warranty and Liability. By buying or using this product, the buyer or user accepts the following Conditions of Sale and Limitation of Warranty and Liability, which no employee or agent of LOVELAND PRODUCTS, INC. or the seller is authorized to vary. LOVELAND PRODUCTS, INC. warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, when the product is used in accordance with such Directions for Use under normal conditions of use. LOVELAND PRODUCTS, INC. MAKES NO OTHER WARRANTY, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. THE BUYER'S OR USER'S EXCLUSIVE REMEDY FOR ANY INJURY, LOSS, OR DAMAGE RESULTING FROM THE HANDLING OR USE OF THIS PRODUCT SHALL BE LIMITED TO ONE OF THE FOLLOWING, AT THE ELECTION OF LOVELAND PRODUCTS, INC. OR THE SELLER: DIRECT DAMAGES NOT EXCEEDING THE PURCHASE PRICE OF THE PRODUCT OR REPLACEMENT OF THE PRODUCT. LOVELAND PRODUCTS, INC. AND THE SELLER SHALL NOT BE LIABLE TO THE BUYER OR USER OF THIS PRODUCT FOR ANY CONSEQUENTIAL, SPECIAL, OR INDIRECT DAMAGES, OR DAMAGES IN THE NATURE OF A PENALTY.

Information regarding the contents and levels of metals in this product is available on the internet at <http://www.regulatory-info-lpi.com/>

Tests have not been carried out under all possible use conditions and Seller cannot and does not represent or warrant that the goods are compatible with all other chemicals or under all use conditions.

Reax Plus MicroBooster is a registered trademark of Loveland Products, Inc.



WARNING

This product can expose you to chemicals including nickel, which are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

F1548



Density: 10.77 lbs/gallon @ 68 °F
Net Contents: 265 gallons (1,003.13 liters)
Net Weight: 2,854 lbs (1,295 kg)
 Product Code:



Density: 10.77 lbs/gallon @ 68 °F
Liquid Measure: gallons (liters)
Net Weight: lbs (kg)
 Product code: