

**KALO**

SDS Revision Date: 11/09/2016

SAFETY DATA SHEET

SECTION 1

IDENTIFICATION

Company Name KALO, Inc.

Address 13200 Metcalf Ave, Suite 250

City, State, Zipcode Overland Park, KS 66213

Phone Numbers 1-800-255-5196 / 1-913-491-9146 (fax)

Website www.kalo.com

24 HOUR EMERGENCY NUMBER/CHEMTREC (USA)
1-800-424-9300

Poison Control Center (USA)
1-800-222-1212

Product Identity Benchmark HT

Reference/Item Number BMKHT01, BMKHT02, BMKHT30, BMKHT55, BMKHT265

Intended Use Foam Marker

Application Method See technical data sheet.

SECTION 2

HAZARD(S) IDENTIFICATION

Using the toxicity data listed in Sections 11 and 12, the product is labeled as follows:

[EYE IRRITANT 2]:

H319: Causes serious eye irritation.

[SKIN IRRITANT 2]:

H315: Causes skin irritation.

[COMBUSTIBLE LIQUID]:

H227: Combustible liquid.

[PREVENTION]:

P264: Wash thoroughly after handling.

P280: Wear protective gloves/eye/face protection.

P210: Keep away from heat/sparks/open flames/hot surfaces. No smoking.

[RESPONSE]:

P302+352: If on skin, wash with plenty of soap and water.

P305+351+338: If in eyes, rinse continuously with water for several minutes. Remove contact lenses if present and easy to do; continue rinsing.

P332+313: If skin irritation occurs, get medical advice/attention.

P337+313: If eye irritation occurs, get medical advice/attention.

P362: Take off contaminated clothing and wash before reuse.

P370+376: In case of fire, stop leak if safe to do so.

[STORAGE]:

P403+235: Store in a well-ventilated space. Keep cool.

[DISPOSAL]:

P501: Dispose of contents/container in accordance with local/national regulations.

HAZARD COMMUNICATION STANDARD (HCS) PICTOGRAM(S)**WARNING**

SECTION 3

COMPOSITION/INFORMATION ON INGREDIENTS

This product is labeled with the following GHS classifications, as it contains substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations. This product is a proprietary blend and the ingredients and mixture percentages are being withheld as a trade secret.

Ingredient/Chemical Designations	Weight %	CAS Number	GHS Classification	Notes
Proprietary blend of surfactants, coupling agents and solvent	50-100	Trade Secret	Eye Irrit 2; H319 / Skin Irrit 2; H315 / Combustible Liq; H227	[1] [2]

[1] Substance classified with a health or environmental hazard.

[2] Substance with a workplace exposure limit.

[3] PBT-substance or vPvB-substance.

This product contains the following substances with established workplace exposure

Ingredient	CAS Number	Weight %
2-butoxyethanol	111-76-2	8-10
2-methylpentane-2,4-diol	107-41-5	8-10

SECTION 4

FIRST AID MEASURES

[DESCRIPTIONS]:

General:	In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.
Inhalation:	Remove to fresh air. Keep patient warm and at rest. If breathing is irregular or stopped, give artificial respiration. If unconscious, place in the recovery position and obtain immediate medical attention. Give nothing by mouth.
Eyes:	Irrigate copiously with clean fresh water for at least 10 minutes, holding the eyelids apart and seek medical attention.
Skin:	Remove contaminated clothing. Wash skin thoroughly with soap and water or use a recognized skin cleanser. Do NOT use solvents or thinners.
Ingestion:	If accidentally swallowed, obtain immediate medical attention. Keep at rest. Do NOT induce vomiting.

[MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED]:

Overview:	No data available. See Section 2 for further details.
Eyes:	Causes serious eye irritation.
Skin:	Causes skin irritation.

SECTION 5

FIRE FIGHTING MEASURES

Extinguishing Media:	Recommended extinguishing media: alcohol resistant foam, CO ₂ , powder, water spray. Do not use water jet.
Special Hazards:	Combustion may yield smoke, carbon monoxide and other products of incomplete combustion. Oxides of sulfur, nitrogen or phosphorus may also be formed. Keep away from heat, sparks, open flames and hot surfaces. No smoking.
Advice For Firefighters:	Evacuate area. Prevent contamination from run-off adjacent areas, streams, drinking water and sewers. Do not flush down sewers or other drainage systems. Exposed firefighters must wear standard protective equipment and in enclosed areas self-contained breathing apparatus. Use water-spray to cool fire exposed surfaces and personnel.

SECTION 6

ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures:	Keep all sources of ignition away from spill/release. In case of a major spill or spillage in a confined space, evacuate the area and check vapor levels.
Environmental Precautions:	Do not allow spills to enter drains or water courses.
Methods and Material For Containment and Cleaning Up:	Ventilate the area and avoid breathing vapors. Take the personal protective measures listed in Section 8. Contain and absorb spillage with non-combustible materials (e.g. sand/earth/vermiculite). Place in closed containers outside buildings and dispose of according to the Waste Regulations (see Section 13.) Clean, preferably with a detergent. Do not use solvents. Do not allow spills to enter drains or water courses. If drains, sewers, streams or lakes are contaminated, inform the local water company immediately. In the case of contamination of rivers, streams, or lakes, the Environmental Protection Agency should also be informed.

SECTION 7

HANDLING AND STORAGE

Precautions For Safe Handling:	Do not get in eyes, on skin or on clothing. Do not breathe vapors or mists. Keep container closed. Use only with adequate ventilation. Use good personal hygiene practices. Wash hands before eating, drinking or smoking. Remove contaminated clothing and clean before reuse. Destroy contaminated belts and shoes and other items that cannot be decontaminated. Keep away from excessive heat and flame. See Section 2 for further details [PREVENTION].
Conditions For Safe Storage:	Store in tightly closed containers in dry, well-ventilated area away from excessive heat and incompatibles.
Incompatible Materials:	Oxidizing agents, strong acids, strong bases.
Specific End Use(s):	See technical data sheet.

SECTION 8

EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with established limits for exposure are listed below:

Exposure Data:	CAS No.	Ingestion	Source	Value
	0000107-41-5	2-methylpentane-2,4-diol	OSHA	No established limit
			ACGIH	Ceiling: 25 ppm
			NIOSH	C 25 ppm (125 mg/m3)
Exposure Data:	CAS No.	Ingestion	Source	Value
	0000111-76-2	2-butoxyethanol	OSHA	TWA: 50 ppm (240 mg/m3) [skin]
			ACGIH	TWA: 20 ppm (revised 2003)
			NIOSH	TWA 5 ppm (24 mg/m3) [skin]
Carcinogen Data:	This product contains no ingredients that are suspected of being or known to be a carcinogen under OSHA, NTP or IARC.			
[EXPOSURE CONTROLS]:				
Respiratory:	If workers are exposed to concentrations above the exposure limit they must use the appropriate, certified respirators.			
Eyes:	Wear safety eyewear (e.g. safety spectacles/goggles/visors) to protect against the splash of liquids.			
Skin:	Overalls, which cover the body, arms, and legs, should be worn. Skin should not be exposed. All parts of the body should be washed after contact.			
Engineering Controls:	Provide adequate ventilation. Where reasonably practicable, this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates, and any vapor below occupational exposure limits, suitable respiratory protection must be worn.			
Other Work Practices:	See technical data sheet. See Section 2 for further details [PREVENTION].			

SECTION 9

PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Clear liquid	Upper Flammability Limits:	Upper Explosive Limit: Not measured
Odor:	Sweet	Lower Flammability Limits:	Lower Explosive Limit: Not measured
Odor Threshold:	Not measured	Vapor Pressure (Pa):	Not measured
pH:	7-9 (1% aqueous dilution)	Vapor Density:	Not measured
Melting/Freezing Points (°C):	Not measured	Solubility in Water:	Not measured
Initial Boiling Point/Range (°C):	No Established Limit (C) / No Established Limit (F)	Partition Co-efficient n-octanol/water (Log Kow):	Not measured
Flash Point:	>80°C / >176°F Seta Flash Closed Cup (SFCC)	Auto-Ignition Temperature (°C):	Not measured
Evaporation Rate (Ether=1):	Not measured	Decomposition Temperature:	Not measured
Flammability (Solid, Gas):	Not applicable	Viscosity (cSt):	Not measured
Specific Gravity @ 20°C	1.02-1.04	VOC %:	Not measured
Other Information:	No other relevant information.	Density, g/ml @ 25°C:	Not measured

SECTION 10

STABILITY AND REACTIVITY

Reactivity:	Not chemically reactive.
Chemical Stability:	Stable under normal ambient and anticipated conditions of use.
Hazardous Reactions:	Hazardous reactions not anticipated.
Conditions To Avoid:	Extended exposure to high temperatures can cause decomposition. Avoid all possible sources of ignition.
Incompatible Materials:	Oxidizing agents, strong acids, strong bases.
Hazardous Decomposition Prod.:	Not anticipated under normal conditions of use.

SECTION 11

TOXICOLOGICAL INFORMATION

Acute Toxicity:	Ingredients	Oral LD50 mg/kg	Skin LD50mg/kg	Inhalation Vapor/Dust/Mist LC50mg/L/4hr
	Proprietary Blend	>5,000.00 / Category: NA	>5,000.00 / Category: NA	No data available
Category --:	Item: Acute Toxicity (mouth) / Hazard: Not applicable.			
Category --:	Item: Acute Toxicity (skin) / Hazard: Not applicable.			
Category --:	Item: Acute Toxicity (inhalation) / Hazard: Not applicable.			
Category 2:	Item: Skin Corrosion/Irritation / Hazard: Causes skin irritation.			
Category 2:	Item: Eye Damage/Irritation / Hazard: Causes serious eye irritation.			
Category --:	Item: Sensitization (respiratory) / Hazard: Not applicable.			
Category --:	Item: Sensitization (skin) / Hazard: Not applicable.			
Category --:	Item: Germ Toxicity / Hazard: Not applicable.			
Category --:	Item: Carcinogenicity / Hazard: Not applicable.			
Category --:	Item: Reproductive Toxicity / Hazard: Not applicable.			
Category --:	Item: Specific Target Organ Systemic Toxicity (single exposure) / Hazard: Not applicable.			
Category --:	Item: Specific Target Organ Systemic Toxicity (repeated exposure) / Hazard: Not applicable.			
Category --:	Item: Aspiration Hazard / Hazard: Not applicable.			

SECTION 12

ECOLOGICAL INFORMATION

Toxicity:	Ecotoxicity studies have not been conducted on this preparation. See Section 3 for chemical specific data.
Persistence and Degradability:	There is no data available on the preparation itself.
Bioaccumulative Potential:	Not measured.
Mobility in Soil:	No data available.
Results of PBT and vPvB Assess:	This product contains no PBT/vPvB chemicals.
Other Adverse Effects:	No data available.

SECTION 13

DISPOSAL CONSIDERATIONS

Waste Treatment Methods:	Do not allow into drains or water courses. Wastes and emptied containers should be disposed of in accordance with regulations made under the Control of Pollution Act and the Environmental Protection Act. Using information provided in this data sheet advice should be obtained from the Waste Regulation Authority, whether the special waste regulations apply. Dispose of contents in accordance with local and national regulations.
---------------------------------	--

SECTION 14**TRANSPORT INFORMATION**

DOT Bulk Containers: This product is regulated in bulk containers greater than 119 gallons only!

DOT Proper Shipping Name: NA 1993, Combustible Liquid, N.O.S. (ethylene glycol monobutyl ether), 3, PG III

DOT Hazard Class: 3

DOT Packing Group: III

DOT Label: None (placard bulk containers)

IMDG Proper Shipping Name: Not regulated

IMDG Hazard Class: Not applicable

IMDG Packing Group: Not applicable

IMDG Marine Pollutant: No

ICAO/IATA: See bill of lading.

SECTION 15**REGULATORY INFORMATION**

Regulatory Overview: The regulatory data in Section 15 is not intended to be all-inclusive, only selected regulations are represented.

TSCA: All ingredients of this product are listed on the TSCA (Toxic Substance Control Act) inventory or are not required to be listed on the TSCA inventory.

WHMIS Classification: B3 D2B

US EPA Tier II Hazards: Fire: Yes / Sudden Release of Pressure: No / Reactive: No / Immediate (acute): Yes / Delayed (chronic): No

EPCRA 311/312: Chemicals and RQs (>0.1%): To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

EPCRA 302: Extremely Hazardous (>0.1%): To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

EPCRA 313 Toxic Chemicals (>0.1%): To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 Carcinogens (>0.0%): To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65: Developmental Toxins (>0.0%): To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65: Female Repro Toxins (>0.0%): To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65: Male Repro Toxins (>0.0%): To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

N.J. RTK Substance (>1%): 2-butoxy-ethanol / 2-methylpentane-2,4-diol

Penn RTK Substances (>1%): 2-butoxy-ethanol / 2-methylpentane-2,4-diol

SECTION 16**OTHER INFORMATION**

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.