SAFETY DATA SHEET

Authority® Elite Herbicide

SDS #: 7479-1-A

Revision date: 2016-05-26

Format: NA Version 1.02



1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier

Product Name Authority® Elite Herbicide

Other means of identification

Product Code(s) 7479-1-A

Synonyms SULFENTRAZONE (FMC 97285):

2',4'-dichloro-5'-(4-difluoromethyl-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl)

methanesulfonanilide (IUPAC name);

N-[2,4-dichloro-5-[4-(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo-1H-

1,2,4-triazol-1-yl]phenyl] methanesulfonamide (CAS name)

s-METOLACHLOR: Acetamide,

2-chloro-N-(2-ethyl-6-methylphenyl)-N-(2-methoxy-1-methylethyl)-,(S)

Active Ingredient(s) Sulfentrazone, s-Metolachlor

Triazolinones, Chloroacetanilide herbicide **Chemical Family**

Alternate Commercial Name F7583-3 Herbicide

Recommended use of the chemical and restrictions on use

Herbicide **Recommended Use:**

Restrictions on Use: Use as recommended by the label

Manufacturer Address

FMC Corporation 2929 Walnut Street Philadelphia, PA 19104

(215) 299-6000 (General Information)

msdsinfo@fmc.com (E-Mail General Information)

Emergency telephone number

For leak, fire, spill or accident emergencies, call:

1 800 / 424 9300 (CHEMTREC - U.S.A.)

1 703 / 527 3887 (CHEMTREC - Collect - All Other Countries)

Medical Emergencies:

1 800 / 331-3148 (PROSAR - U.S.A. & Canada)

1 651 / 632-6793 (PROSAR - All Other Countries - Collect)

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Version 1.02

Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Serious eye damage/eye irritation	Category 2B
Skin sensitization	Category 1B
Carcinogenicity	Category 2
Specific target organ toxicity (repeated exposure)	Category 2

GHS Label elements, including precautionary statements

EMERGENCY OVERVIEW

Warning

Hazard Statements

H317 - May cause an allergic skin reaction

H320 - Causes eye irritation

H332 - Harmful if inhaled

H351 - Suspected of causing cancer

H373 - May cause damage to organs through prolonged or repeated exposure



Precautionary Statements - Prevention

P201 - Obtain special instructions before use

P202 - Do not handle until all safety precautions have been read and understood

P271 - Use only outdoors or in a well-ventilated area

P264 - Wash face, hands and any exposed skin thoroughly after handling

P272 - Contaminated work clothing should not be allowed out of the workplace

P280 - Wear protective gloves

P260 - Do not breathe dust/fume/gas/mist/vapors/spray

Precautionary Statements - Response

P308 + P313 - If exposed or concerned: Get medical advice/attention

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P337 + P313 - If eye irritation persists: Get medical advice/ attention

P302 + P352 - IF ON SKIN: Wash with plenty of water and soap

P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention

P363 - Wash contaminated clothing before reuse

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

Precautionary Statements - Storage

P405 - Store locked up

Precautionary Statements - Disposal

P501 - Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

No hazards not otherwise classified were identified.

Other Information

Very toxic to aquatic life with long lasting effects.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Family

Triazolinones, Chloroacetanilide herbicide.

Version 1.02

Chemical name	CAS-No	Weight %
Chemical name	CAS-NO	weight %
s-Metolachlor	87392-12-9	67.3
Sulfentrazone	122836-35-5	7.5
Naphtha (petroleum), heavy aromatic	64742-94-5	<10
2-Methylnaphthalene	91-57-6	<3
N,N-Dimethylcaprylamide	1118-92-9	1-5
Decanamide, N,N-dimethyl-	14433-76-2	1-5
1-Methylnaphthalene	90-12-0	<2
1-hexanol	111-27-3	1-5
Naphthalene	91-20-3	0.1-1

Synonyms are provided in Section 1.

4 I	FIRS	ST A		MEA	SII	RES
			710			\sim

Eye Contact Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove

contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison

control center or doctor for further treatment advice.

Skin ContactTake off contaminated clothing. Rinse skin immediately with plenty of water for 15-20

minutes. Call a poison control center or doctor for further treatment advice.

Inhalation Move to fresh air. If person is not breathing, call 911 (within the U.S. and Canada) or an

ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a

poison control center or doctor for further treatment advice.

Ingestion If swallowed, do not induce vomiting - seek medical advice Call a poison control center or

doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor.

Do not induce vomiting or give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed

None known.

Indication of immediate medical attention and special treatment needed, if necessary

Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media Carbon dioxide (CO₂). Foam. Dry powder. Water spray.

Specific Hazards Arising from the

Chemical

Explosion data

Sensitivity to Mechanical Impact Sensitivity to Static Discharge None known Not flammable

Not sensitive. Not sensitive.

Protective equipment and precautions for firefighters

Wear self-contained breathing apparatus and protective suit.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions Isolate and post spill area. Remove all sources of ignition. Wear suitable protective clothing,

gloves and eye/face protection. For personal protection see section 8.

Other For further clean-up instructions, call FMC Emergency Hotline number listed in Section 1

"Product and Company Identification" above.

Environmental Precautions Keep people and animals away from and upwind of spill/leak. Keep material out of lakes,

Authority® Elite Herbicide

SDS #: 7479-1-A Revision date: 2016-05-26

Version 1.02

streams, ponds, and sewer drains.

Methods for Containment Dike to prevent runoff. Absorb with earth, sand or other non-combustible material and

transfer to containers for later disposal.

Methods for cleaning up Clean and neutralize spill area, tools and equipment by washing with bleach water and

soap. Absorb rinsate and add to the collected waste. Waste must be classified and labeled

prior to recycling or disposal. Dispose of waste as indicated in Section 13.

7. HANDLING AND STORAGE

Handling Handle in accordance with good industrial hygiene and safety practice. Do not contaminate

other pesticides, fertilizers, water, food, or feed by storage or disposal.

Storage Keep in a dry, cool and well-ventilated place. Keep away from open flames, hot surfaces

and sources of ignition. Keep out of reach of children and animals. Store in original

container.

Incompatible products None known

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Chemical name	ACGIH TLV	OSHA PEL	NIOSH	Mexico
2-Methylnaphthalene (91-57-6)	TWA: 0.5 ppm	-	-	-
1-Methylnaphthalene (90-12-0)	TWA: 0.5 ppm	-	-	-
Naphthalene (91-20-3)	TWA: 10 ppm	TWA: 10 ppm TWA: 50 mg/m³	IDLH: 250 ppm TWA: 10 ppm TWA: 50 mg/m³ STEL: 15 ppm STEL: 75 mg/m³	Mexico: TWA 10 ppm Mexico: TWA 50 mg/m³ Mexico: STEL 15 ppm Mexico: STEL 75 mg/m³
Chemical name	British Columbia	Quebec	Ontario TWAEV	Alberta
2-Methylnaphthalene (91-57-6)	TWA: 0.5 ppm Skin	-	TWA: 0.5 ppm Skin	-
1-Methylnaphthalene (90-12-0)	TWA: 0.5 ppm Skin	-	TWA: 0.5 ppm	-
Naphthalene (91-20-3)	TWA: 10 ppm STEL: 15 ppm Skin	TWA: 10 ppm TWA: 52 mg/m³ STEL: 15 ppm STEL: 79 mg/m³	TWA: 10 ppm STEL: 15 ppm Skin	TWA: 10 ppm TWA: 52 mg/m³ STEL: 15 ppm STEL: 79 mg/m³ Skin

Appropriate engineering controls

Engineering measures Apply technical measures to comply with the occupational exposure limits. When working in

confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for

breathing and wear the recommended equipment.

Individual protection measures, such as personal protective equipment

Eye/Face Protection For dust, splash, mist or spray exposure, wear chemical protective goggles.

Skin and Body Protection Wear long-sleeved shirt, long pants, socks, and shoes.

Hand Protection Protective gloves

SDS #: 7479-1-A

Revision date: 2016-05-26 Version 1.02

Respiratory Protection For dust, splash, mist or spray exposures wear a filtering mask.

Hygiene measuresClean water should be available for washing in case of eye or skin contamination. Wash

skin prior to eating, drinking, chewing gum or using tobacco. Shower or bathe at the end of working. Remove and wash contaminated clothing before re-use. Launder work clothing

separately from regular household laundry.

General information If the product is used in mixtures, it is recommended that you contact the appropriate

protective equipment suppliers.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance Amber Liquid
Physical State Liquid
Color Amber
Odor Mild

Odor threshold No information available

oH 4.78

Melting point/freezing point Not applicable

Boiling Point/Range No information available

Flash point 94-98 °C

Evaporation RateFlammability (solid, gas)
No information available
No information available

Flammability Limit in Air

Upper flammability limit:
Lower flammability limit:
Vapor pressure
Vapor density

No information available
No information available
No information available
No information available

Density 9.24 lb/gal (1.11 g/mL) @ 23.1 degrees C

No information available Specific gravity No information available Water solubility No information available Solubility in other solvents Partition coefficient No information available **Autoignition temperature** No information available **Decomposition temperature** No information available Viscosity, kinematic No information available Viscosity, dynamic No information available **Explosive properties** No information available **Oxidizing properties** No information available Molecular weight No information available **Bulk density** No information available

10. STABILITY AND REACTIVITY

Reactivity Not applicable

Chemical Stability Stable under recommended storage conditions.

Possibility of Hazardous Reactions None under normal processing.

Hazardous polymerization Hazardous polymerization does not occur.

Conditions to avoid None known Incompatible materials None known.

Hazardous Decomposition Products None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Product Information

LD50 Oral 3129 mg/kg (rat) **LD50 Dermal** > 5000 mg/kg (rat)

Authority® Elite Herbicide

SDS #: 7479-1-A

Revision date: 2016-05-26

Version 1.02

LC50 Inhalation > 2.02 mg/L (rat)

Serious eye damage/eye irritation

Moderately irritating.

Skin corrosion/irritation

Moderately irritating (rabbit).

Sensitization

Sensitizer

Information on toxicological effects

Symptoms Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Chronic toxicity Prolonged exposure may cause chronic effects.

Mutagenicity Sulfentrazone: Did not show mutagenic effects in animal experiments

Carcinogenicity s-Metolachlor produced benign liver tumors in female rats administered high doses.

Sulfentrazone: Did not show carcinogenic effects in animal experiments.

Neurological effects Sulfentrazone: Altered motor activity and FOB effects, which reverse after single exposure,

with no signs of histopathology

Reproductive toxicity s-Metolachlor: No toxicity to reproduction in animal studies. Offspring Toxicity

(sulfentrazone): LOAEL = 33 mg/kg/day for males; 40 mg/kg/day for females.

Developmental toxicity s-Metolachlor: Not teratogenic in animal studies. Sulfentrazone: NOAEL of 10 mg/kg/day in

the developmental toxicity study in rat. NOAEL of 14 mg/kg/day in a 2-generation

reproduction study.

STOT - single exposure Not classified.

STOT - repeated exposure May cause damage to organs through prolonged or repeated exposure. See listed target

organs below.

Target organ effects s-Metolachlor: Liver. Sulfentrazone: Hematopoietic system.

Neurological effects Sulfentrazone: Altered motor activity and FOB effects, which reverse after single exposure,

with no signs of histopathology

Aspiration hazard No information available.

Chemical name	ACGIH	IARC	NTP	OSHA
Naphthalene	A3	Group 2B	Reasonably Anticipated	X
91-20-3		-		

12. ECOLOGICAL INFORMATION

Ecotoxicity

s-Metolachlor (87392-12-9)				
Active Ingredient(s)	Duration	Species	Value	Units
s-Metolachlor	96 h LC50	Rainbow trout	11.9	mg/L
	5 d EC50	Algae	0.008	mg/L
	48 h EC50	Water flea	26	mg/L
	LD50 Oral	Bobwhite quail	>2510	mg/kg

Sulfentrazone (122836-35-5)				
Active Ingredient(s)	Duration	Species	Value	Units
Sulfentrazone	72 h EC50	Algae	32.8	mg/L
	48 h EC50	Crustacea	60.4	mg/L
	96 h LC50	Fish	94	mg/L
	21 d NOEC	Fish	5.9	mg/L
	21 d NOEC	Crustacea	0.51	mg/L

Persistence and degradability s-Metolachlor: Persistent. Does not readily hydrolyze. Sulfentrazone: Persistent. Does not

readily hydrolyze. Not readily biodegradable.

Bioaccumulation s-Metolachlor: Low potential for bioconcentration. Sulfentrazone: The substance does not

have a potential for bioconcentration.

SDS #: 7479-1-A

Revision date: 2016-05-26

Version 1.02

Mobility Sulfentrazone: Immobile. Not expected to reach groundwater.

13. DISPOSAL CONSIDERATIONS

Waste disposal methods Improper disposal of excess pesticide, spray mixture, or rinsate is prohibited. If these

wastes cannot be disposed of by use according to label instructions, contact appropriate

disposal authorities for guidance.

Contaminated Packaging Dispose of in accordance with local regulations.

14. TRANSPORT INFORMATION

DOT This material is not a hazardous material as defined by U.S. Department of Transportation

at 49 CFR Parts 100 through 185.

TDG Classification below is only applicable when shipped by vessel and is not applicable when

shipped by road or rail only.

UN/ID no UN3082

Proper Shipping Name Environmentally hazardous substance, liquid, n.o.s.

Hazard class 9
Packing Group III

Marine Pollutant s-Metolachlor, Sulfentrazone.

Description UN3082, Environmentally hazardous substance, liquid, n.o.s. (s-Metolachlor,

Sulfentrazone), 9, PGIII, Marine Pollutant

ICAO/IATA

UN/ID no UN3082

Proper Shipping Name Environmentally hazardous substance, liquid, n.o.s.

Hazard class 9
Packing Group III

Description UN3082, Environmentally hazardous substance, liquid, n.o.s. (s-Metolachlor,

Sulfentrazone), 9, PGIII, Marine Pollutant

IMDG/IMO

UN/ID no UN3082

Proper Shipping Name Environmentally hazardous substance, liquid, n.o.s.

Hazard class 9
Packing Group III

Marine Pollutant s-Metolachlor, Sulfentrazone

Description UN3082, Environmentally hazardous substance, liquid, n.o.s. (s-Metolachlor,

Sulfentrazone), 9, PGIII, Marine Pollutant

15. REGULATORY INFORMATION

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical name	CAS-No	Weight %	SARA 313 - Threshold Values %
Naphthalene - 91-20-3	91-20-3	0.1-1	0.1

SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic health hazard	Yes
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

Version 1.02

Clean Water Act

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Toluene 108-88-3	1000 lb	Х	Χ	X
Naphthalene 91-20-3	100 lb	Х	Х	X

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs
Toluene	1000 lb	
108-88-3	454 kg	
Cumene	5000 lb	
98-82-8	2270 kg	
Naphthalene	100 lb	
91-20-3	45.4 kg	

FIFRA Information

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

Caution

Harmful if swallowed. Causes moderate eye irritation

This pesticide is toxic to fish and marine/estuarine invertebrates.

Difference between SDS and EPA pesticide label

CAUTION

Harmful if swallowed. Causes moderate eye irritation

This pesticide is toxic to fish and marine/estuarine invertebrates.

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals.

Chemical name	California Prop. 65
Naphthalene - 91-20-3	Carcinogen

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
2-Methylnaphthalene	X		
91-57-6			
1-Methylnaphthalene	X	X	X
90-12-0			
1-hexanol	X		X
111-27-3			
Naphthalene	X	X	X
91-20-3			

International Inventories

Version 1.02

Chemical name	TSCA (United States)	DSL (Canada)	EINECS/ELINC S (Europe)	ENCS (Japan)	China (IECSC)	KECL (Korea)	PICCS (Philippines)	AICS (Australia)
Naphtha (petroleum), heavy aromatic 64742-94-5	Х	Х	X	Х	X	X	Х	Х
2-Methylnaphthalene 91-57-6	Х	Х	Х	Χ	Х		Х	X
N,N-Dimethylcaprylamid e 1118-92-9	X	Х	X	Х	Х			Х
Decanamide, N,N-dimethyl- 14433-76-2	Х	Х	Х	Х	Х	Х		Х
1-Methylnaphthalene 90-12-0	Х	Х	Х	Х	Х		Х	Х
1-hexanol 111-27-3	Х	Х	Х	Х	Х	Х	Х	Х
Naphthalene 91-20-3	Х	Х	Х	Х	Х	Х	Х	Х

Mexico - Grade

Slight risk, Grade 1

Chemical name	Carcinogen Status	Mexico
Naphthalene		Mexico: TWA 10 ppm
·		Mexico: TWA 50 mg/m ³
	Mexico: STEL 15 ppm	
		Mexico: STEL 75 mg/m ³

Chemical name	Mexico - Pollutant Release and Transfer Register - Reporting Emissions for Fabrication, Process or Use -Threshold Quantities	Pollutant Release and Transfer Register - Reporting Emissions - Threshold Quantities
Toluene	1000 5000 kg/yr	1000 kg/yr
Cumene	1000 5000 kg/yr	1000 kg/yr

WHMIS Hazard Class

D2B - Toxic materials



16. OTHER INFORMATION

NFPA	Health Hazards 1	Flammability 1	Instability 0	Special Hazards -
HMIS	Health Hazards 2*	Flammability 1	Physical hazard 0	Personal Protection X

*Indicates a chronic health hazard.

Revision date: 2016-05-26

Reason for revision: (M)SDS sections updated

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, IS MADE CONCERNING THE INFORMATION PROVIDED HEREIN. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. Use of this product is

Authority® Elite Herbicide

SDS #: 7479-1-A

Revision date: 2016-05-26

Version 1.02

regulated by the U.S. Environmental Protection Agency (EPA). It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Further, since the conditions and methods of use are beyond the control of FMC Corporation, FMC corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared By:

FMC Corporation

FMC Logo - Trademark of FMC Corporation

© 2016 FMC Corporation. All Rights Reserved.

End of Safety Data Sheet