



MEC AMINE-D®

Intended Only for Sale To, Use and Storage by Lawncare and Landscaping Personnel or Commercial Applicators

Contains 2,4-D, Mecoprop-p and Dicamba.

ACTIVE INGREDIENTS:

*Dimethylamine Salt of 2,4-Dichloro-phenoxyacetic acid	30.56%
**Dimethylamine Salt of (+)-R-2-(2-methyl-4-chlorophenoxy) propionic acid ‡	8.17%
***Dimethylamine Salt of Dicamba (3,6-dichloro-o-anisic acid)	2.77%
OTHER INGREDIENTS:	58.50%
	TOTAL 100.00%

This product contains:

- *2.44 lbs. 2,4-Dichlorophenoxyacetic acid per gallon or 25.38%
- **0.65 lb. (+)-R-2-(2-methyl-4-chlorophenoxy) propionic acid per gallon or 6.75%
- ***0.22 lb. 3,6-dichloro-o-anisic acid per gallon or 2.30%

† Contains the single isomer form of Mecoprop-p.

Selective Broadleaf Weed Control in Turfgrasses Including for Use on Sod Farms. To Control Dandelion, Clover, Henbit, Plantains, Wild Onion and Many Other Broadleaf Weeds. Also for Highways, Rights-of-Way and Other Similar Non-Crop Areas (as listed on this label)

KEEP OUT OF REACH OF CHILDREN DANGER

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

FIRST AID

If in eyes: • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice. If swallowed: • Call a poison control center or doctor immediately for treatment advice. • Have a person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person. If on skin or clothing: • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice. If inhaled: • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. • Call a poison control center or doctor for further treatment advice. FOR A MEDICAL EMERGENCY INVOLVING THIS PRODUCT CALL: 1-866-944-8565. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. Note to Physician: If in eyes, specialized ophthalmologic attention may be necessary. If swallowed, probable mucosal damage may contraindicate gastric lavage. There is no specific antidote; treat symptomatically.

MANTENER FUERA DEL ALCANCE DE LOS NIÑOS PELIGRO

PRIMEROS AUXILIOS

En caso de contacto con los ojos: • Mantenga los ojos abiertos y enjuáguelos lenta y cuidadosamente con agua, durante 15 a 20 minutos. • Quite los lentes de contacto, si los lleva, después de los primeros 5 minutos, luego continúe enjuagando los ojos. • Llame a un centro toxicológico o a un médico para que le recomiendan un tratamiento. En caso de ingestión: • Llame de inmediato a un centro toxicológico o a un médico para que le recomiendan un tratamiento. • Haga que la persona beba un vaso de agua a sorbos si puede tragar. • No induzca el vómito a menos que se lo indique el centro toxicológico o el médico. • No administre nada por vía oral a una persona inconsciente. En caso de contacto con la piel o la ropa: • Quite la ropa contaminada. • Enjuague la piel de inmediato con abundante agua durante 15 a 20 minutos. • Llame a un centro toxicológico o a un médico para que le recomiendan un tratamiento. En caso de inhalación: • Traslade a la persona al aire libre. • Si la persona no está respirando llame al 911 o a una ambulancia, luego dé respiración artificial, de preferencia de boca a boca, si es posible. • Llame a un centro toxicológico o a un médico para que le recomiendan un tratamiento. ANTE UNA EMERGENCIA MÉDICA RELACIONADA CON ESTE PRODUCTO, LLAME AL: 1-866-944-8565. Lleve con usted el envase o la etiqueta del producto cuando llame a un centro toxicológico o a un médico, o cuando vaya a recibir tratamiento. Nota para el médico: Si entra en contacto con los ojos, puede ser necesaria una atención oftalmológica especializada. En caso de ingestión, el probable daño de la mucosa puede contraindicar el lavado gástrico. No existe un antídoto específico; trate de acuerdo con los síntomas.

EPA REG. NO. 34704-239

L121112-103124

FORMULATED FOR

LOVELAND PRODUCTS, INC.® P.O. BOX 1286 GREELEY, COLORADO 80632-1286

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
DANGER

Corrosive, causes irreversible eye damage. Harmful if swallowed. Do not get into eyes, on skin or on clothing.

Personal Protective Equipment (PPE)

Some materials that are chemical-resistant to this product are made of any waterproof material. If you want more options, follow the instructions for category "A" on an EPA chemical-resistance category selection chart.

All mixers, loaders, applicators, and other handlers must wear:

- Long-sleeved shirt and long pants,
- Shoes and socks,
- Protective eyewear*,
- Chemical resistant gloves, except for applicators using ground boom equipment, and
- Chemical resistant apron when mixing or loading, cleaning up spills or equipment, or otherwise exposed to the concentrate.

*Eye protection is not required ONLY when 5 or more parts water is used to dilute 1 part of this product.

User safety requirements:

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. Discard clothing and other absorbent material that have been drenched or heavily contaminated with the product's concentrate. Do not reuse them.

See Engineering Controls for additional requirements.

Engineering Controls:

When handlers use closed systems, such as enclosed cabs, in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240(d) (4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

USER SAFETY RECOMMENDATIONS

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. If pesticide gets on skin, wash immediately with soap and water.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and aquatic invertebrates and may adversely affect nontarget plants. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. Do not contaminate water when disposing of equipment washwaters or rinsate.

This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.

Use of this product in certain portions of California, Oregon, and Washington is subject to the January 22, 2004 Order for injunctive relief in Washington Toxics Coalition, et al. v. EPA, C01-0132C, (W.D. WA). For further information, please refer to EPA Web Site: <http://www.epa.gov/esp>.

Groundwater Contamination:

Most cases of groundwater contamination involving phenoxy herbicides such as 2,4-D and MCPP have been associated with mixing/loading and disposal sites. Exercise caution when handling 2,4-D and MCPP pesticides at such sites to prevent contamination of groundwater supplies. Use of closed systems for mixing or transferring this pesticide will reduce the probability of spills. Placement of the mixing/loading equipment on an impervious pad to contain spills will help prevent groundwater contamination.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specified instructions and exceptions pertaining to the statements on this label about Personal Protective Equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard. **Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 48 hours.**

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is:

- Coveralls worn over short-sleeve shirt and short pants,
- Chemical-resistant gloves made of any waterproof material,
- Chemical-resistant footwear plus socks,
- Chemical-resistant headgear for overhead exposure, and
- Protective eyewear.

NON-AGRICULTURAL USE REQUIREMENTS

The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR part 170). The WPS applies when this product is used to produce agricultural plants on farms, forest, nurseries, or greenhouses.

Only protected handlers may be in the area during application.

Do not enter or allow people (or pets) to enter the treated area until sprays have dried.

RESTRICTIONS

Do not apply this product in a way that will contact workers or other persons, either directly or through drift.

- Do not apply directly to or near water, storm drains, gutters, sewers, or drainage ditches.
- Do not apply within 25 feet of rivers, fishponds, lakes, streams, reservoirs, marshes, estuaries, bays and oceans.
- To prevent product run-off, do not over-water the treated area(s) or apply when raining or when rain is expected that day.
- Aerial applications are prohibited.

PRECAUTIONS

- Do not use this product on or near desirable plants, including within the drip line of the roots of desirable trees and shrubs, since injury may result.
- To prevent injury, avoid drift of spray mist onto vegetables, flowers, ornamental plants, shrubs, trees, and other desirable plants. Do not pour spray solutions near these plants.

Spray Drift Management

A variety of factors including weather conditions (e.g., wind direction, wind speed, temperature, relative humidity) and method of application can influence pesticide drift. The applicator must evaluate all factors and make appropriate adjustments when applying this product.

Boom Height

Do not apply with a nozzle height greater than 4 feet above the crop canopy.

Droplet Size

Use only a Medium or coarser spray (ASABE standard 572) or a volume mean diameter of 300 microns or greater for spinning atomizer nozzles.

Wind Speed

Do not apply at wind speeds greater than 10 mph. Only apply this product if the wind direction favors on-target deposition and there are not sensitive areas (including, but not limited to, residential areas, bodies of water, known habitat for nontarget species, nontarget crops) within 250 feet downwind.

Temperature Inversions

If applying at wind speeds less than 3 mph, the applicator must determine if: a) conditions of temperature inversion exist, or b) stable atmospheric conditions exist at or below nozzle

height. Do not make applications into areas of temperature inversions or stable atmospheric conditions.

Susceptible Plants

Do not apply under circumstances where spray drift may occur to food, forage, or other plantings that might be damaged or crops thereof rendered unfit for sale, use or consumption. Susceptible crops include, but are not limited to, cotton, okra, flowers, grapes (in growing stage), fruit trees (foliage), soybeans (vegetative stage), ornamentals, sunflowers, tomatoes, beans, and other vegetables, or tobacco. Small amounts of spray drift that might not be visible may injure susceptible broadleaf plants.

Other State and Local Requirements

Applicators must follow all state and local pesticide drift requirements regarding application of 2,4-D herbicides. Where states have more stringent regulations, they must be observed.

Equipment

All ground application equipment must be properly maintained and calibrated using appropriate carriers or surrogates.

ADJUVANT USE When an adjuvant is to be used with this product, Loveland Products recommends using LI 700® or Liberat®.

SMALL QUANTITY DILUTION TABLE

To spray small areas use the following dilution table.

If rate on label (pt/A) shows:	Amount of product for 1000 sq ft
0.5 pt	0.20 fl oz (1-3/16 teaspoons)
0.67 pt	0.25 fl oz (1.5 teaspoons)
0.75 pt	0.67 fl oz (2 teaspoons)
1 pt	0.375 fl oz (2.25 teaspoons)
2 pints (1 qt)	0.75 fl oz (1.5 tablespoons)
3 pints (1.5 quarts)	1.0 fl oz (2.5 tablespoons)
4 pints (2 quarts)	1.5 fl oz (3 tablespoons)
8 pints (4 quarts)	3.0 fl oz (9 tablespoons)

WEEDS CONTROLLED BY MEC AMINE-D®

Bedstraw	Ground ivy	Pigweed	Spurge
Black medic	Heal-all	Plantain	Wild Carrot
Buckhorn	Henbit	Poison Ivy	Wild Garlic
Burdock	Knotweed	Poison Oak	Wild Lettuce
Chicory	Lambsquarters	Purslane	Wild Onion
Chickweed	Lespideza	Ragweed	Yarrow
Clover	Mallow	Sheep Sorrel	
Dandelion	Morningglory	Shepherd's Purse	
Dock	Peppergrass	Speedwell	

USE SITE INSTRUCTIONS SOD FARMS

Mec Amine-D provides selective broadleaf control in warm season and cool season turfgrass established for commercial sod production.

Application Rates

Application Rates for sod farms are listed in the tables under the 'Ornamental and Recreational Lawns and Turf' Section.

Restrictions

- Do not apply this product through any type of irrigation system or by air.
- Do not apply this product immediately before rainfall or irrigation.
- Do not irrigate or water the turfgrass within 24 hours after application.
- Do not make more than 2 applications per year.
- Do not exceed a maximum of 4.0 pints Mec Amine-D (1.2 lbs ae 2,4-D) per acre per application.
- Minimum interval of 30 days between applications.

Precautions

- Delay mowing 1 to 2 days before and after the application of this product.
- Treated areas may be reseeded 3 to 4 weeks after application.
- Do not apply this product to 'Floratam' St. Augustinegrass as injury is likely to occur.

Application Schedules for Sod Farms

Apply Mec Amine-D to broadleaf weeds that are actively growing. Follow-up applications may be required for dense infestations of perennial and biennial weeds.

Newly Seeded Areas

Precaution

- To minimize risk of injury, apply Mec Amine-D to grass seedlings after the second mowing.

Newly Sodded, Sprigged or Plugged Areas

Precautions

- Delay the application of Mec Amine-D to newly sodded, sprigged or plugged grasses until 3 to 4 weeks after the sodding, sprigging or plugging operations.
- To reduce risk of injury, applications to Bermudagrass, Zoysia grass, Bahiagrass should be made while dormant.

ORNAMENTAL AND RECREATIONAL LAWNS AND TURF

Use Sites

Mec Amine-D is for use on lawns and ornamental areas (Residential/Domestic, Industrial, and Institutional).

Residential/Domestic turf sites are defined as ornamental and turf areas associated with the household or home life, including but not limited to:

- Apartment Complexes
- Condominiums
- Patient care areas of nursing homes, mental institutions, hospitals or convalescent homes.

Industrial turf sites are defined as ornamental and turf areas in areas not associated with residential activities, including but not limited to:

- Cemeteries
- Golf Courses
- Office Buildings
- Parks
- Retail Outlets
- Streets

Institutional turf sites are defined as ornamental and turf areas around properties or facilities providing a service to public or private organizations, including but not limited to:

- Hospitals
- Libraries
- Museums
- Nursing Homes
- Schools
- Sports Facilities

Applications	Rates	Comments
Cool Season Grasses such as: Bluegrass Fescue Rye	3 to 4 pts per acre (1.1 to 1.5 fl oz/1000 sq ft) (0.9 to 1.2 lb ae 2,4-D/acre)	For normal application, use 40 to 80 gallons of water per acre (1 to 2 gallons of water per 1000 sq ft).
Warm Season Grasses Such As: Bahiagrass Bermudagrass Centipedegrass St. Augustinegrass Zoysiagrass	2 to 2.5 pts per acre (0.75 to 0.9 fl oz/1000 sq ft) (0.6 to 0.8 lb ae 2,4-D/acre)	For professional lawn maintenance, use 1 to 5 gallons of water per 1000 sq ft. Higher water volumes may be used when tank mixed with a turf fertilizer. Follow fertilizer labels for proper amounts to add. Use 40 to 200 gallons of water per acre (1 to 5 gallons of water per 1000 sq ft). Use reduced rates if grass is stressed from heat or drought. Exercise care when applying during growth stages from dormancy to green-up and from green-up to dormancy. Some temporary discoloration may occur on warm season grasses. NOTE: If Bermudagrass is dormant, up to 4 pts per acre may be used (1.5 fl oz/1000 sq ft). Some hybrid Bermudagrasses may be sensitive to this product. Contact your local extension service weed control specialist.

Lower Volume Equipment: Use as little as 5 gallons of water per acre. Use only application equipment that is capable of spreading a uniform droplet, wetting each weed surface.

Restrictions

- Do not apply this product through any type of irrigation system or by air.
- Do not exceed a maximum of 4.0 pts Mec Amine-D/acre (1.2 lbs ae 2,4-D/acre) per application.

- Do not make more than 2 applications per year.
- The maximum seasonal rate is 8.0 pts Mec Amine-D/acre (2.4 lbs ae 2,4-D/acre), excluding spot treatments.

Precautions

- Overdosing Bentgrass, St. Augustine, and Centipede grasses may result in injury.
- Large volumes of spray water (i.e. one fluid ounce (0.019 lb ae 2,4-D) in 5 gallons of water per 1500 square feet) will aid in obtaining uniform coverage.
- When applying with a hand-type sprayer, use a single nozzle sprayer. If a multiple nozzle spray is used, sideways application with a boom configured such that the spray from more than one nozzle may land on the same area will result in heavy, localized over-application and subsequent turf discoloration or injury.

NON-TURF AREAS

(Fencerows, Hedgerows, Roadsides (including aprons and guardrails), Non-irrigation Ditches, Rights-of-way, Utility Power Lines, Railroads, Airports, and Industrial Sites):

Restrictions

- Do not apply to commercial timber or other plants being grown for sale or other commercial use.
- Do not apply to plants being grown for commercial seed production.
- Do not apply to plants being grown for research purposes.
- Do not apply by air.

Precautions

- To avoid injury, do not apply this product to St. Augustinegrass at the non-turf rates specified below in this section.
- Avoid overdosing Bentgrass as injury may result.
- Some hybrid Bermudagrass may be sensitive to this product. Contact your local Extension Service Weed Control Specialist for sensitive grasses in your area.
- Large volumes of spray water (i.e. 1 fluid ounce (0.019 lb ae 2,4-D) in 5 gallons water per 1500 square feet; 1.9 pts (0.56 lb ae 2,4-D) in 150 gals per acre) will aid in obtaining uniform coverage.
- When applying with a hand-type sprayer, use a single nozzle sprayer. If a multiple nozzle spray is used, sideways application with a boom configured such that the spray from more than one nozzle may land on the same area will result in heavy, localized over-application and subsequent turf discoloration or injury.

Postemergence (annual and perennial weeds) applications:

Broadleaf Weeds	Amount Per Acre	Amount Per 1000 sq ft	Directions
Small broadleaf weeds	2.6 pts (0.8 lb ae 2,4-D) per 50 to 300 gals of water.	1.0 fl oz (0.019 lb ae 2,4-D) per 50 to 300 gals of water.	Thoroughly saturate all weeds with spray mixture. Apply any time between the time when plants come into full leaf (Spring) to when the plants begin to go dormant. Best results are obtained when weeds are young and actively growing. Do not cut weeds until herbicide has translocated throughout the plant causing root death.
Heavy, dense stands	6.5 pts (2.0 lb ae 2,4-D) per 300 gals of water.	2.4 fl oz (0.045 lb ae 2,4-D) per 6.8 gal of water.	
Spot applications with small tank sprayers	Spot Treatment Only 4 fl oz (0.076 lb ae 2,4-D) per 1 gal of water		Spray to thoroughly wet all foliage.

Restrictions

- Do not make more than 2 applications per year.
- Do not exceed a maximum 6.5 pints of Mec Amine-D (2.0 lb ae 2,4-D) per acre, or 2.4 fl oz (0.045 lb ae 2,4-D) per 1000 sq ft, per application, including spot treatment.
- Minimum interval of 30 days between applications.

Postemergence applications (woody plants):

For control of woody plants, apply to both stems and foliage any time from the time foliage is completely matured until the time plants start to go dormant. All leaves, stems and suckers must be completely wet to the ground line for effective control. Regrowth may be anticipated on the more resistant species. Add 6.0 to 9.0 pints of Mec Amine-D to 100 gallons of water applying 200 to 600 gallons of spray mixture per acre (43,560 square feet) depending upon the height and thickness of the brush. Mix thoroughly before spraying.

Broadleaf Weeds	Amount Per Acre	Amount Per 1000 Sq Ft	Directions
Woody Plants	6.0 to 9.0 pts (0.5 to 0.75 lb ae MCPP-p) per 200 to 600 gals of water.	2.2 to 3.3 fl oz per 5.0 to 14.0 gal of water.	Apply to both stems and foliage any time from the time foliage is completely matured until the time plants start to go dormant. All leaves, stems and suckers must be completely wet to the ground line for effective control. Regrowth may be anticipated on the more resistant species.
Spot applications with small tank sprayers	Spot Treatment Only 4 fl oz (0.076 lb ae 2,4-D) per 1 gal of water		Spray to thoroughly wet all foliage.

Restrictions

- Do not make more than 1 application per year.
- Do not exceed a maximum broadcast application of 9.0 pints Mec Amine-D (0.75 lb ae MCPP-p) per acre, or 3.3 fl oz 1000 sq ft per year, including spot treatment.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: KEEP FROM FREEZING. Store in safe manner. Store in original container only. Keep container tightly closed when not in use. Reduce stacking height where local conditions can affect package strength. Personnel should use clothing and equipment consistent with good pesticide handling. Do not store under conditions which might adversely affect the container or its ability to function properly.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law and may contaminate groundwater. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER HANDLING:

Nonrefillable container:

Do not reuse this container to hold materials other than pesticides or dilute pesticides (rinsate). After emptying and cleaning, it may be allowable to temporarily hold rinsate or other pesticide-related materials in the container. Contact your state regulatory agency to determine allowable practices in your state. Once cleaned, some agricultural plastic pesticide containers can be taken to a container collection site or picked up for recycling. To find the nearest site, contact your chemical dealer or manufacturer, or contact The Agricultural Container Recycling Council (ACRC) at www.acrcycle.org. If not recycled, then puncture and dispose of in a sanitary landfill, or incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke. Triple rinse or pressure rinse container (or equivalent) promptly after emptying.

For packages equal to or less than 5 gallons: Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. **Pressure rinse as follows:** Empty the remaining contents into application equipment or a mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over application equipment or mix tank or collect rinsate for later use or disposal. Insert pressure rinsing nozzle in the side of the container, and rinse at about 40 PSI for at least 30 seconds. Drain for 10 seconds after the flow begins to drip.

For packages with capacities greater than 5 gallons or 50 pounds: Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. **Pressure rinse as follows:** Empty the remaining contents into application equipment or a mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over application equipment or mix tank or collect rinsate for later use or disposal. Insert pressure rinsing nozzle in the side of the container, and rinse at about 40 PSI for at least 30 seconds. Drain for 10 seconds after the flow begins to drip.

For refillable containers:

Refill this container with pesticide only. Do not reuse this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean the container before final disposal, empty the remaining contents from this container into application equipment or mix tank. Fill the container about 10 percent full with water. Agitate vigorously or recirculate water with the pump for 2 minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times.

In Case of Spill: For help with any spill, leak, fire or exposure involving this material, call day or night CHEMREC - 1-800-424-9300. Steps to be taken in case material is released or spilled: Dike and contain the spill with inert material (sand, earth, etc.) and transfer liquid and solid diking material to separate containers for disposal. Remove contaminated clothing, and wash affected skin areas with soap and water. Wash clothing before re-use. Keep the spill out of all sewers and open bodies of water.

CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

BEFORE BUYING OR USING THIS PRODUCT, read the entire Directions for Use and the following Conditions of Sale and Limitation of Warranty and Liability. By buying or using this product, the buyer or user accepts the following Conditions of Sale and Limitation of Warranty and Liability, which no employee or agent of LOVELAND PRODUCTS, INC. or the seller is authorized to vary in any way.

Follow the Directions for Use of this product carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Crop or other plant injury, ineffectiveness, or other unintended consequences may result from such risks as weather or crop conditions, mixture with other chemicals not specifically identified in this product's label, or use of this product contrary to the label instructions, all of which are beyond the control of LOVELAND PRODUCTS, INC. and the seller. The buyer or user of this product assumes all such inherent risks.

Subject to the foregoing inherent risks, LOVELAND PRODUCTS, INC. warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use when the product is used in strict accordance with such Directions for Use under normal conditions of use. EXCEPT AS WARRANTED IN THIS LABEL AND TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THIS PRODUCT IS SOLD "AS IS," AND LOVELAND PRODUCTS, INC. MAKES NO OTHER WARRANTY, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR ELIGIBILITY OF THIS PRODUCT FOR ANY PARTICULAR TRADE USAGE.

IN THE UNLIKELY EVENT THAT BUYER OR USER BELIEVES THAT LOVELAND PRODUCTS, INC. HAS BREACHED A WARRANTY CONTAINED IN THIS LABEL AND TO THE EXTENT REQUIRED BY APPLICABLE LAW, BUYER OR USER MUST SEND WRITTEN NOTICE OF ITS CLAIM TO THE FOLLOWING ADDRESS: LOVELAND PRODUCTS, INC., ATTENTION: LAW DEPARTMENT, P.O. BOX 1286, GREELEY, CO 80632-1286.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE BUYER'S OR USER'S EXCLUSIVE REMEDY FOR ANY INJURY, LOSS, OR DAMAGE RESULTING FROM THE HANDLING OR USE OF THIS PRODUCT, INCLUDING BUT NOT LIMITED TO CLAIMS OF BREACH OF WARRANTY OR CONTRACT, NEGLIGENCE, STRICT LIABILITY, OR OTHER TORTS, SHALL BE LIMITED TO ONE OF THE FOLLOWING, AT THE ELECTION OF LOVELAND PRODUCTS, INC. OR THE SELLER: DIRECT DAMAGES NOT EXCEEDING THE PURCHASE PRICE OF THE PRODUCT OR REPLACEMENT OF THE PRODUCT. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, LOVELAND PRODUCTS, INC. AND THE SELLER SHALL NOT BE LIABLE TO THE BUYER OR USER OF THIS PRODUCT FOR ANY CONSEQUENTIAL, SPECIAL, OR INDIRECT DAMAGES, OR DAMAGES IN THE NATURE OF A PENALTY.

LI 700® and Liberate® are registered trademarks of Loveland Products, Inc.

DECLARACIONES DE PRECAUCIÓN SOBRE LOS RIESGOS PARA LOS SERES HUMANOS Y LOS ANIMALES DOMÉSTICOS

PELIGRO

Es corrosivo, provoca lesiones oculares irreversibles. Es nocivo en caso de ingestión. Evite el contacto con los ojos, la piel o la ropa.

Equipos de protección personal (EPP)

Algunos materiales que son resistentes a los productos químicos de este producto son de cualquier material impermeable. Si desea más opciones, siga las instrucciones para la categoría "A" en una tabla de selección de categorías de resistencia química de la EPA.

Todos los mezcladores, cargadores, aplicadores y otros manipuladores deben llevar:

- Camisetas de manga larga y pantalones largos
- Zapatos y medias
- Gafas protectoras*
- Guantes resistentes a productos químicos, excepto para los aplicadores que usan equipos con barra de pulverización de la tierra
- Delantal resistente a los productos químicos cuando se mezcla o carga, se limpian derrames o equipos, o se exponen de otra manera al concentrado.

*Las gafas de protección SOLO son necesarias cuando se usan 5 o más partes de agua para diluir 1 parte de este producto.

Requisitos de seguridad del usuario:

Siga las instrucciones del fabricante para la limpieza o mantenimiento de los equipos de protección personal (EPP). En caso de no existir dichas instrucciones de lavado, use detergente y agua caliente. Mantenga y lave los EPP separados del resto de la ropa para lavar. Deseche la ropa y otros materiales absorbentes que se hayan empapado o estén muy contaminados con el concentrado del producto. No vuelva a usarlos.

Consulte los controles de ingeniería para requisitos adicionales.

Controles de ingeniería:

Cuando los manipuladores usan sistemas cerrados, como las cabinas cerradas de manera tal que cumplen con los requisitos enumerados en la Norma de Protección del Trabajador (WPS) para pesticidas agrícolas [40 CFR 170.240 (d) (4-6)], los requisitos del EPP del manipulador pueden reducirse o modificarse según se especifica en la WPS.

RECOMENDACIONES DE SEGURIDAD PARA EL USUARIO

Los usuarios deben hacer lo siguiente:

- Lavarse las manos antes de comer, beber, masticar chicle, consumir tabaco o ir al baño.
- Quitar la ropa o el EPP de inmediato si el pesticida penetra en su interior. Luego deberá lavarse por completo y ponerse ropa limpia. Si el pesticida entra en contacto con la piel, lavarse de inmediato con agua y jabón.
- Quitar el equipo de protección personal de inmediato después de manipular este producto. Lavar el exterior de los guantes antes de quitárselos. Tan pronto como sea posible, lavarse por completo y ponerse ropa limpia.

El uso de este producto de forma contraria a lo indicado en su etiqueta constituye una infracción de la ley federal.

REQUISITOS PARA EL USO AGRÍCOLA

Use este producto solo de conformidad con su etiquetado y con la Norma de Protección de los Trabajadores, 40 CFR parte 170. Esta norma contiene los requisitos para la protección de los trabajadores agrícolas en granjas, bosques, viveros e invernaderos, y de los manipuladores de pesticidas agrícolas. Contiene los requisitos para la capacitación, descontaminación, notificación y asistencia de emergencia. Además, contiene instrucciones específicas y excepciones relativas a las declaraciones de esta etiqueta sobre el equipo de protección personal (EPP) y el intervalo de ingreso restringido. Los requisitos en este recuadro de la etiqueta se aplican solo a los usos de este producto que están cubiertos por la Norma de Protección del Trabajador. **No ingrese ni permita el ingreso de trabajadores a las zonas tratadas durante el intervalo de ingreso restringido (IRR) de 48 horas.**

Los EPP necesarios para el ingreso anticipado a las zonas tratadas que se permite según la Norma de Protección de los Trabajadores y que implica el contacto con todo lo que haya sido tratado, como plantas, tierra o agua, son:

- Overoles puestos sobre una camisa de manga corta y pantalones cortos
- Guantes resistentes a productos químicos hechos de cualquier material impermeable
- Zapatos y medias resistentes a productos químicos
- Casco resistente a productos químicos para evitar la exposición de la cabeza
- Gafas protectoras.

REQUISITOS PARA USOS NO AGRÍCOLAS

Los requisitos de este recuadro se aplican a los usos de este producto que NO están incluidos en el ámbito de la Norma de Protección de los Trabajadores para plaguicidas agrícolas (40 CFR parte 170). La WPS se aplica cuando este producto se usa para producir plantas agrícolas en granjas, bosques, viveros o invernaderos.

Solo los manipuladores protegidos pueden estar en la zona durante la aplicación.

No ingrese ni permita que personas (o mascotas) ingresen a la zona tratada hasta que la pulverización se haya secado.

ALMACENAMIENTO Y ELIMINACIÓN

No contamine el agua, los alimentos o forrajes al almacenar o desechar el producto.

ALMACENAMIENTO DEL PESTICIDA: EVÍTE LA CONGELACIÓN. Almacénelo de manera segura. Almacénelo solo en el envase original. Mantenga el envase bien cerrado cuando no esté en uso. Reduzca la altura de apilamiento cuando las condiciones locales puedan afectar la resistencia del envase. El personal debe usar ropa y equipo acorde con la buena manipulación de pesticidas. No lo almacene en condiciones que puedan afectar de forma negativa al envase o a su capacidad para funcionar bien.

ELIMINACIÓN DE PESTICIDAS: los residuos de pesticidas son extremadamente peligrosos. La eliminación inadecuada del exceso de pesticida, de la mezcla de pulverización o del agua de enjuague constituye una violación de la legislación federal y puede contaminar las aguas subterráneas. Si estos residuos no pueden eliminarse de acuerdo con las instrucciones de la etiqueta, comuníquese con la Agencia Estatal de Pesticidas o de Control Ambiental, o con el representante de Residuos Peligrosos de la Oficina Regional de la EPA más cercana para obtener orientación.

MANIPULACIÓN DEL ENVASE:

Envase no rellenable:

No vuelva a usar este envase para contener materiales que no sean pesticidas o pesticidas diluidos (agua de enjuague). Después de vaciarlo y limpiarlo, se puede permitir guardar en el envase de manera temporal el agua de enjuague u otros materiales relacionados con los pesticidas. Comuníquese con la agencia reguladora de su estado para determinar las prácticas permitidas. Una vez limpia, algunos envases plásticos de plaguicidas agrícolas pueden llevarse a un centro de recogida de envases o recogerse para su reciclaje. Para encontrar el sitio más cercano, comuníquese con su distribuidor o con el fabricante de productos químicos, o comuníquese con The Agricultural Container Recycling Council (ACRC) en www.acrcycle.org. Si no se recicla, perfórelo y elimínelo en un vertedero sanitario, o incinerelo, o, si lo permiten las autoridades estatales y locales, químeto. En caso de quemarlo, manténgase alejado del humo. Enjuague el envase tres veces o enjuáguelo a presión (o con un proceso equivalente) de inmediato después de vaciarlo.

Para envases de hasta 5 galones: enjuague tres veces como se indica a continuación: vacíe el contenido restante en el equipo de aplicación o en un tanque de mezcla y drene durante 10 segundos después de que el flujo comience a gotear. Llene el envase 1/4 de su capacidad con agua y vuelva a taparlo. Agite durante 10 segundos. Vierta el agua de enjuague en el equipo de aplicación o un tanque de mezcla, o bien almáncene los residuos del agua de enjuague para su uso o eliminación posterior. Drene durante 10 segundos después de que el flujo comience a gotear. Repita este procedimiento dos veces más. **Enjuague a presión de la siguiente manera:** vacíe el contenido restante en el equipo de aplicación o un tanque de mezcla y continúe drenando durante 10 segundos después de que el flujo comience a gotear. Mantenga el envase boca abajo sobre el equipo de aplicación o el tanque de mezcla, o bien recoja el agua de enjuague para su uso o eliminación posterior. Inserte la boquilla de enjuague a presión en el costado del envase y enjuague a unos 40 PSI durante al menos 30 segundos. Drene durante 10 segundos después de que el flujo comience a gotear.

Para envases con capacidades superiores a 5 galones o 50 libras, enjuáguelos tres veces de la siguiente manera: vacíe el contenido restante en el equipo de aplicación o en un tanque de mezcla. Llene el envase 1/4 de su capacidad con agua. Vuelva a colocar y ajuste la tapa. Ponga el recipiente de costado y hágale rodar hacia delante y hacia atrás, asegurándose de que da al menos una vuelta completa, durante 30 segundos. Coloque el envase en posición vertical e inclínelo hacia delante y hacia atrás varias veces. Gire el envase sobre su otro extremo y gírela hacia adelante y hacia atrás varias veces. Vierta toda el agua de enjuague en el equipo de aplicación o un tanque de mezcla, o bien almáncene los residuos del agua de enjuague para su uso o eliminación posterior. Repita este procedimiento dos veces más. **Enjuague a presión de la siguiente manera:** vacíe el contenido restante en el equipo de aplicación o un tanque de mezcla y continúe drenando durante 10 segundos después de que el flujo comience a gotear. Mantenga el envase boca abajo sobre el equipo de aplicación o el tanque de mezcla, o bien recoja el agua de enjuague para su uso o eliminación posterior. Inserte la boquilla de enjuague a presión en el costado del envase y enjuague a unos 40 PSI durante al menos 30 segundos. Drene durante 10 segundos después de que el flujo comience a gotear.

Almacenamiento y eliminación (continuación):

Para envases rellenable:

Vuelva a llenar este envase solo con pesticida. No vuelva a usar este envase para ningún otro fin. La limpieza del envase antes de la eliminación final es responsabilidad de la persona que deseche el envase. La limpieza antes de rellenarlo es responsabilidad de la persona que lo rellena. Para limpiar el envase antes de la eliminación final, vacíe el contenido restante de este envase en el equipo de aplicación o el tanque de mezcla. Llene el envase hasta un 10 % de su capacidad con agua. Agite con fuerza o vuelva a poner a circular el agua con la bomba durante 2 minutos. Vierta o bombee el agua de enjuague en el equipo de aplicación o el sistema de recolección del agua de enjuague. Repita este procedimiento de enjuague dos veces más.

En caso de derrame: para obtener ayuda en caso de derrame, fuga, incendio o exposición que involucre este material, comuníquese de dia o de noche con CHEMTREC al 1-800-424-9300. Pasos a seguir en caso de que se libere o derrame material: embalse y contenga el derrame con material inerte (arena, tierra, etc.) y transfiera el material líquido y sólido del embalse a envases separados para su eliminación. Quitese la ropa contaminada y lave las zonas afectadas de la piel con agua y jabón. Lave la ropa antes de volver a usarla. Mantenga el derrame fuera de todas las alcantarillas y extensiones de agua.

SPECIMEN

INTENTIONALLY LEFT BLANK



PEEL FILM HERE ↑

MEC AMINE-D®

Intended Only for Sale To, Use and Storage by Lawncare and
Landscaping Personnel or Commercial Applicators

Contains 2,4-D, Mecoprop-p and Dicamba.

ACTIVE INGREDIENTS:

*Dimethylamine Salt of 2,4-Dichloro-phenoxyacetic acid	30.56%
**Dimethylamine Salt of (+)-R-2-(2-methyl-4-chlorophenoxy) propionic acid †	8.17%
***Dimethylamine Salt of Dicamba (3,6-dichloro-o-anisic acid)	2.77%
OTHER INGREDIENTS:	58.50%
TOTAL	100.00%

This product contains:

- *2.44 lbs. 2,4-Dichlorophenoxyacetic acid per gallon or 25.38%
- **0.65 lb. (+)-R-2-(2-methyl-4-chlorophenoxy) propionic acid per gallon or 6.75%
- ***0.22 lb. 3,6-dichloro-o-anisic acid per gallon or 2.30%

† Contains the single isomer form of Mecoprop-p.

Selective Broadleaf Weed Control in Turfgrasses Including for Use on Sod Farms. To Control Dandelion, Clover, Henbit, Plantains, Wild Onion and Many Other Broadleaf Weeds. Also for Highways, Rights-of-Way and Other Similar Non-Crop Areas (as listed on this label)

KEEP OUT OF REACH OF CHILDREN **DANGER—PELIGRO**

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

FIRST AID

If in eyes:	<ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15-20 minutes.• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.• Call a poison control center or doctor for treatment advice.
If swallowed:	<ul style="list-style-type: none">• Call a poison control center or doctor immediately for treatment advice.• Have a person sip a glass of water if able to swallow.• Do not induce vomiting unless told to do so by the poison control center or doctor.• Do not give anything by mouth to an unconscious person.
If on skin or clothing:	<ul style="list-style-type: none">• Take off contaminated clothing.• Rinse skin immediately with plenty of water for 15-20 minutes.• Call a poison control center or doctor for treatment advice.
If inhaled:	<ul style="list-style-type: none">• Move person to fresh air.• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.• Call a poison control center or doctor for further treatment advice.

FOR A MEDICAL EMERGENCY INVOLVING THIS PRODUCT CALL: 1-866-944-8565.
Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

Note to Physician: If in eyes, specialized ophthalmologic attention may be necessary. If swallowed, probable mucosal damage may contraindicate gastric lavage. There is no specific antidote; treat symptomatically.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER

Corrosive, causes irreversible eye damage. Harmful if swallowed. Do not get into eyes, on skin or on clothing.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and aquatic invertebrates and may adversely affect nontarget plants. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. Do not contaminate water when disposing of equipment washwaters or rinsate.

This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.

Use of this product in certain portions of California, Oregon, and Washington is subject to the January 22, 2004 Order for injunctive relief in Washington Toxics Coalition, et al. v. EPA, C01-0132C, (W.D. WA). For further information, please refer to EPA Web Site: <http://www.epa.gov/lesp>

EPA REG. NO. 34704-239

L121112-103124

FORMULATED FOR
LOVELAND PRODUCTS, INC.® P.O. BOX 1286 GREELEY, COLORADO 80632-1286

EPA EST. NO. 228-IL-001 (LOT NO. BEGINS "NCH")
EPA EST. NO. 228-MS-001 (LOT NO. BEGINS "NGR")
EPA EST. NO. 73427-IN-1 (LOT NO. BEGINS "NSE")



0 21077 54592 8

NET CONTENTS 2.5 GAL (9.46 L)

14487000