

# Feature® Pro LQ

#### **GUARANTEED ANALYSIS**

Magnesium (Mg)	1.00%
Iron (Fe)	
3.00% Chelated Iron (Fe)	
Manganese (Mn)	3.00%

Derived From: Magnesium Sulfate, Iron EDTA, Iron Citrate, and Manganese Glycinate.

#### ALSO CONTAINS NON PLANT FOOD INGREDIENTS:

0.50% Humic Acids from Leonardite 99.50% Other Ingredients

## KEEP OUT OF REACH OF CHILDREN



Avoid breathing fertilizer mists. Avoid prolonged or repeated skin contact. Avoid eye contact. Wash hands thoroughly after handling this product.



FOR COMMERCIAL OR PROFESSIONAL USE ONLY





**GUARANTEED BY:** 

LOVELAND PRODUCTS, INC.® • PO BOX 1286 • GREELEY CO 80632-1286

DENSITY 10.10 LBS/GALLON @ 68° F NET WEIGHT 25.25 LBS (11.45 KG)

LIQUID MEASURE 2.5 US GALLONS (9.46 L)

### GENERAL INFORMATION

FeATURE® Pro LQ is a supplemental micronutrient containing magnesium, manganese, as well as two separate forms of iron. FeATURE Pro LQ contains both EDTA chelated iron to enhance soil availability as well as a citrate iron.

Do not apply near water, storm drains, or drainage ditches. Do not apply if heavy rains are expected. Apply this product only to your lawn/garden.

### **DIRECTIONS FOR USE**

## AGRICULTURAL USF **FOLIAR APPLICATION**

### Tomatoes and other Vegetables, grapes, small fruits:

Use 1 to 2 quarts per acre in a minimum of 20 gallons of water with ground spray equipment. At least six applications are recommended on most crops. The addition of FreightKar™ 12-0-15 at 2-6 gt/Ac per 100 gallons of water will aid leaf assimilation

Citrus, tropical fruits, peaches and other deciduous tree fruits, pecans and other nuts: Use 3 quarts per acre per application very six weeks. During periods of heavy rainfall, apply every thirty days. The addition of FreightKar 12-0-15 at 2 to 6 quarts per acre per 100 gallons of water will aid leaf assimilation.

#### TURF AND ORNAMENTAL

Warm Season and Cool Season Turf: Maintenance: 3 to 6 oz. per 1.000 sg. ft. Severe Deficiency: 8 to 12 oz. per 1000 sg. ft. Apply 7 to 14 days or as needed.

Ornamentals: Apply two quarts per 50 gallons of water every 30 days or apply split applications of 2 pints per 100 gallons of water weekly as needed

AERIAL APPLICATION: Use applicable rate (see above) of per acre in at least 15 gallons of water per acre.

If in eyes: Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. If swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice. If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance. then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

#### STORAGE and DISPOSAL

STORAGE: Store in original containers only. Keep containers tightly closed when not in use. Store in a cool, dry well-ventilated area, preferably in a locked storage area away from children, feed and food products, and seed. Store at ambient temperatures. Do not contaminate water, food, or feed by storage or disposal, DISPOSAL; Do not reuse container. Triple rinse (or equivalent), adding rinse water to spray tank, then offer for recycling at an ACRC site (go to http://www.acrecycle.org/ locations for) or by reconditioning, or puncture and dispose of in a sanitary landfill or by other procedures approved by state and local authorities. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. Do not contaminate water, food, or feed by storage or disposal.

HANDLING: Avoid breathing fertilizer mists. Avoid prolonged or repeated skin contact. Avoid eye contact. Wash hands thoroughly after handling this product.

#### CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

BEFORE BUYING OR USING THIS PRODUCT, read the Directions for Use and the following Conditions of Sale and Limitation of Warranty and Liability. By buying or using this product, the buyer or user accepts the following Conditions of Sale and Limitation of Warranty and Liability, which no employee or agent of LOVELAND PRODUCTS, INC. or the seller is authorized to vary LOVELAND PRODUCTS. INC. warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, when the product is used in accordance with such Directions for Use under normal conditions of use, LOVELAND PRODUCTS, INC. makes no other warranty, express or implied, including but not limited to merchantability or fitness for a particular purpose. The buyer's or user's exclusive remedy for any injury, loss, or damage resulting from the handling or use of this product shall be limited to one of the following, at the election of LOVELAND PRODUCTS, INC, or the seller; direct damages not exceeding the purchase price of the product or replacement of the product. LOVELAND PRODUCTS, INC. and the seller shall not be liable to the buyer or user of this product for any consequential, special, or indirect damages, or damages in the nature of a penalty.

California Proposition 65: WARNING: This product contains chemicals known to the State of California to cause cancer or birth defects or other reproductive harm.

Information regarding the contents and levels of metals in this product is available on the Internet at http://www.regulatory-info-lpi.com

FeATURE and Signature are registered trademarks and FreightKar is a trademark of Loveland Products, Inc.





# Feature® Pro LQ

GUAR	ANTEED ANALYSIS
Magnesium (Mg)	1.00%
	3.00%
3.00% Chelated Iron (Fe)	
Manganese (Mn)	3 00%

Derived From: Magnesium Sulfate, Iron EDTA, Iron Citrate, and Manganese Glycinate.

#### ALSO CONTAINS NON PLANT FOOD INGREDIENTS:

0.50% Humic Acids from Leonardite 99.50% Other Ingredients

## **KEEP OUT OF REACH OF CHILDREN**



Avoid breathing fertilizer mists. Avoid prolonged or repeated skin contact. Avoid eye contact. Wash hands thoroughly after handling this product.





F1548 FOR COMMERCIAL OR PROFESSIONAL USE ONLY

**GUARANTEED BY:** 

LOVELAND PRODUCTS, INC.® • PO BOX 1286 • GREELEY CO 80632-1286

DENSITY 10.10 LBS/GALLON @ 68° F NET WEIGHT 50.50 LBS (22.90 KG)
LIQUID MEASURE 2 x 2.5 US GALLONS (9.46 L)