

# NFPA HAZARD RATING

## U.S. TRANSPORT SUMMARY

0	Least		
1	Slight	2	Health
2	Moderate	0	Flammability
3	High	0	Reactivity
4	Severe		

Not regulated by the U.S. DOT as a hazardous material. See Section 14 for additional information.

**SECTION 1: IDENTIFICATION** 

Product Name: Gradual-N® 30-0-0

**EPA Registration #:** Exempt

Product ID/Unity #: 10005705, 10116326 Common Name: Slow release nitrogen

**Chemical Description:** Methylene urea and urea fertilizer

Recommended Uses: Fertilizer product – See product label for full directions for use. **Restrictions for Use:** See product label for any potential restrictions on use.

Manufactured For:

WINFIELD SOLUTIONS, LLC

P. O. Box 64589

St. Paul, MN 55164-0589

MEDICAL EMERGENCY TELEPHONE NUMBER: 1-877-424-7452 (24hrs)

Non-Emergency Business Inquiries: 1-855-494-6343 Mon - Fri 8am - 5pm (Central Standard Time)

FOR EMERGENCY, SPILL, LEAK, FIRE, EXPOSURE, OR ACCIDENT, CALL:

CHEMTREC 1-800-424-9300 (24 hours)

# **SECTION 2: HAZARDS IDENTIFICATION**

**EMERGENCY OVERVIEW:** Clear, colorless liquid with a viscosity noticeably greater than water and a slight amine odor. Causes moderate eye and skin irritation.

# POTENTIAL HEALTH EFFECTS:

**Eyes:** Causes moderate but reversible eye irritation.

**Skin**: Causes moderate skin irritation including redness and irritation. **Inhalation**: May cause minor irritation of the upper respiratory tract.

Ingestion: May cause gastric upset if swallowed.

Preexisting Conditions: None known Chronic Health Effects: None known

NTP: Not listed IARC: Not listed OSHA: Not listed Carcinogenicity

OSHA HCS 2012 CLASSIFICATION: Eye Irritation Category 2A; Skin Irritation Category 2

**SIGNAL WORD: WARNING** 

HAZARD STATEMENTS:

Causes serious eye irritation.

Causes skin irritation



# Percent of product with unknown toxicity: 0%

# PRECAUTIONARY STATEMENTS:

Prevention: Wash hands thoroughly after handling. Wear protective gloves, eye and face protection.

Response: If in eyes: Rinse cautiously with water for 15 minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. If eye irritation persists: Get medical attention. If on skin: Wash with plenty of water. If skin

irritation occurs: Get medical attention. Take off contaminated clothing and wash before reuse.

Storage: See Section 7 for storage information. Disposal: See Section 13 for disposal information.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS				
Ingredient	% (wt)	CAS Reg. #		
Urea	31.0 – 34.0%	10043-52-4		
Urea formaldehyde polymer	31.0 – 34.0%	9011-05-6		

\*Ingredients not specifically listed are non-hazardous and are considered to be confidential business information under 29 CFR 1910.1200(i).

See Section 8 for exposure limits.

#### **SECTION 4: FIRST AID MEASURES**

Inhalation: Remove person from contaminated area to fresh air and assist breathing as needed. Seek medical attention

if irritation occurs.

Ingestion: Seek medical attention or call a poison control center for treatment advice. Do not induce vomiting unless

instructed to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious

person.

Eyes: Flush eyes with clean water for at least 15 minutes. Lift eyelids to facilitate irrigation. If present, remove

contact lenses after 5 minutes and continue rinsing. Seek medical attention if irritation persists.

Skin: Remove contaminated clothing and wash before re-using. Flush skin with water and then wash with soap

and water. Seek medical attention if irritation persists.

#### **SECTION 5: FIRE FIGHTING MEASURES**

Suitable Extinguishing Media: Carbon dioxide, dry chemical, foam, water spray or fog

**Special Fire Fighting Procedures:** Wear NIOSH/MSHA approved self-contained breathing apparatus and full bunker gear. Dike area to prevent runoff and contamination of water sources. Dispose of fire control water later. Avoid breathing vapors; keep upwind.

Hazardous Combustion Products: Irritating fumes may be evolved at elevated temperatures.

Unusual Fire and Explosion Hazards: None known

### SECTION 6: ACCIDENTAL RELEASE MEASURES

**Personal Precautions:** Refer to Section 8 for personal protective equipment to be worn during containment and clean-up of a spill involving this product.

**Environmental Precautions:** Do not allow spilled product to enter sewers or waterways.

Methods for Containment: Contain spilled product by diking area with sand or earth.

**Methods for Clean-up:** Cover contained spill with an inert absorbent material such as sand, vermiculite or other appropriate material. Vacuum, scoop, or sweep up material and place in a container for disposal. Do not place spilled material back in original container.

Other Information: None known

#### **SECTION 7: HANDLING AND STORAGE**

**Handling:** Ensure adequate ventilation during handling and use. Immediately clean up spills that occur during handling. Keep containers closed when not in use. Practice good hygiene after using this material, especially before eating, drinking, smoking, using the toilet, or applying cosmetics.

**Storage:** Store in cool, dry areas away from children, food and feed products in an area away from incompatible substances. Protect packaging from physical damage. Protect from exposure to fire. Maintain product above minimum storage temperature. Long term storage may result in settling of solids, formation of crystals, and/or insoluble polymers. Avoid storage or transfer using copper bearing, zinc-clad, or aluminum vessels or equipment.

Minimum Storage Temperature: 32°F

Other Precautions: Consult Federal, state and local laws and regulations pertaining to storage.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION					
Exposure Guidelines Component:	OSHA PEL	ACGIH TLV	NIOSH REL		
No components have an exposure limit	00				

**Respiratory Protection:** For most well-ventilated conditions, no respiratory protection should be needed. If airborne concentrations exceed exposure limits, use a NIOSH approved air-purifying respirator with cartridges/canisters approved for general particulates.

**Engineering Controls:** Local Exhaust: Provide general or local exhaust ventilation systems to maintain airborne

concentrations below OSHA PELs or other specified exposure limits. Local exhaust ventilation is

preferred.

Protective Gloves: Wear chemically protective gloves to prevent exposure to skin.

**Eye Protection:** To avoid contact with eyes, wear chemical safety goggles or safety glasses and full face shield. Contact lenses are not protective eye devices. An emergency eyewash or water supply should be readily accessible to the work area. **Other Protective Clothing or Equipment:** Wear long-sleeve shirt, long pants and shoes plus socks to prevent skin contact. **Work/Hygienic Practices:** Never eat, drink, nor use tobacco in work areas. Practice good hygiene after using this material,

especially before eating, drinking, smoking, using the toilet, or applying cosmetics.

# SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Liquid Specific Gravity (H<sub>2</sub>O=1): 1.26 (typical)

Vapor Pressure (mm Hg): Not determined Density (lbs/gallon): 10.5 lbs/gallon (typical)

Vapor Density (Air=1): Not determined Melting Point/Freezing Point: <20°F

Solubility in Water (wt %): Complete Boiling Point/Range: 215°F (approx.)

Viscosity: PH: >8.0, 10 is typical

Appearance and odor: Clear colorless liquid with a Flash Point: Not determined

viscosity noticeably greater

than water and a slight amine

odor

## SECTION 10: STABILITY AND REACTIVITY

Reactivity: None known

Chemical Stability: Product is stable at ambient temperature and pressure, under normal storage and handling conditions.

Product will form insoluble polymers if stored for long periods of time or at a lowered pH.

Possibility of Hazardous Reactions: None known

**Conditions to Avoid:** Avoid excessive heat and freezing temperatures.

**Incompatible Materials:** Strong bases and acids.

Hazardous Decomposition Products: May release ammonia fumes when heated.

#### **SECTION 11: TOXICOLOGICAL INFORMATION**

**ACUTE TOXICITY** 

**Eye Effects:** Causes moderate but reversible eye irritation.

Skin Effects: Causes moderate skin irritation. Estimated LD50 >2,000 g/kg

**Acute Inhalation Effects:** May cause minor irritation of the upper respiratory tract but is not anticipated to be acutely toxic.

Acute Oral Effects: Estimated LD50 > 2.500 mg/kg

Specific Target Organ None known

. Toxicity:

CHRONIC TOXICITY

Chronic Effects: None known

Carcinogenicity: Chronic exposure to formaldehyde, that may be present in this material, has been linked to

cancer, but at exposure levels far greater than those attainable through this product.

Mutagenicity: No component is anticipated to have mutagenic effects. Teratogenicity: No component is anticipated to have teratogenic effects.

**Reproductive Toxicity:** No component is anticipated to have effects on the reproductive system.

Continued on next page

#### POTENTIAL HEALTH EFFECTS:

Eyes: Causes moderate but reversible eye irritation.

**Skin:** Causes moderate skin irritation including redness and irritation. **Inhalation:** May cause minor irritation of the upper respiratory tract.

Ingestion: May cause gastric upset if swallowed.

## **SECTION 12: ECOLOGICAL INFORMATION**

**ENVIRONMENTAL SUMMARY:** Not determined

**ECOTOXICITY DATA:** 

Fish Acute and Prolonged Toxicity:

Aquatic Invertebrate Acute Toxicity:

Aquatic Plant Toxicity:

Bird Acute and Prolonged Toxicity:

Honeybee Toxicity:

Not determined

Not determined

Not determined

Not determined

**ENVIRONMENTAL EFFECTS:** 

Soil Absorption/Mobility: Not determined Persistence and degradability: Not determined Bioaccumulative Potential: Not determined Other adverse effects: Not determined

## **SECTION 13: DISPOSAL CONSIDERATIONS**

**Waste:** Dispose of in accordance with applicable Federal, state and local laws and regulations.

**Container:** Triple rinse and recycle the container or dispose of in accordance with Federal, state and local laws and regulations. **RCRA Characteristics:** It is the responsibility of the individual disposing of this product to determine the RCRA classification and hazard status of the waste.

	SECTION 14: TRANSPORT INFORMATION
DOT: (Ground)	This product is not regulated by the U.S. Department of Transportation as a hazardous material for ground shipment.
IMDG: (Sea)	This product is not regulated by the IMDG code as a hazardous material for shipment by sea.
IATA: (Air)	This product is not regulated by the IATA as a hazardous material for air shipment.
TDG: (Canada)	This product is not regulated by the TDG as a hazardous material for ground shipment.

## **SECTION 15: REGULATORY INFORMATION**

**TSCA Inventory**: All components are listed on the TSCA inventory.

SARA Title III Information:

Section 302 - Extremely hazardous substances: None listed Section 311/312 - Hazard Categories: Immediate (Acute)

**Section 313** – The following chemicals are subject to the reporting requirements of Section 313 of Title III, Superfund Amendments and Reauthorization Act of 1986 and 40 CFR 372:

None listed

**CERCLA** - This product contains the following chemicals which have a reportable quantity (RQ) under the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA):

None listed

**California Proposition 65:** This product does not contain any chemicals known to the state of California to cause cancer and/or reproductive harm.

Continued on next page

# Gradual-N® 30-0-0

U.S. State Worker and Community Right-To-Know (RTK) Information (CT, IL, MA, MN, NH, NJ, PA, RI):

Chemical NameCAS #State(s)Urea57-13-6MN

Canadian Domestic Substances List: All components are listed on the DSL or NDSL.

WHMIS Classification: D2B

# **SECTION 16: OTHER**

Disclaimer: The information presented herein is based on available data from reliable sources and is correct to the best of WinField Solutions' knowledge. WinField Solutions, LLC makes no warranty, express nor implied, regarding the accuracy of the data or the results obtained from the use of this product. Nothing herein may be construed as recommending any practice or any product in violation of any law or regulations. The user is solely responsible for determining the suitability of any material or product for a specific purpose and for adopting any appropriate safety precautions. We disclaim all liability for injury or damage stemming from any improper use of the material or product described herein.

Revision Date: March 18, 2015 Supersedes document dated: May 6, 2013

Sections Revised: All