

RESTRICTED USE PESTICIDE**Toxic to fish and aquatic organisms**

For retail sale to and use only by certified applicators or persons under their direct supervision and only for those uses covered by the certified applicator's certification.

EPA SLN NO.
VA-080002**FOR DISTRIBUTION
AND USE ONLY IN
VIRGINIA****For Agricultural or Commercial Use Only**

EPA Reg. No. 279-3313

EMERGENCY CALLS: 800-331-3148**IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN
A MANNER INCONSISTENT WITH ITS LABELING****THESE USE DIRECTIONS MUST BE IN THE POSSESSION OF THE USER AT THE TIME OF
PESTICIDE APPLICATION.**

| Crop | Pest | Rate of Application |
|------------------------------|--|---|
| Conifer Seed Orchards | Cone Worms (Dioryctria spp.) Seed Bugs (Leptoglossus and Tetyra spp.) Seed Worms (Cydia) | 6.4 to 12.8 fluid ounces per acre (0.1 to 0.2 lbs active per acre) |

DIRECTIONS FOR USE:

For application by ground equipment, apply recommended dosage in 100 to 500 gallons of water per acre. For aerial applications, apply recommended dosage in minimum of 10 gallons of water per acre or 0.5 gallon refined vegetable oil per acre. Thorough coverage is essential. Begin applications 7 days after peak pollen flight and continue on 30 day interval up to a maximum of 0.6 pounds active per acre per season.

RESTRICTIONS:

- Do not make more than six applications per season or apply more than 0.6 pound active per acre per season.
- All aerial and ground equipment must be properly maintained and calibrated using appropriate carriers.
- Do not make aerial or ground applications during temperature inversions.
- Make aerial or ground applications when wind velocity favors on target product deposition (approximately 3 to 10 mph). Do not apply when wind velocity exceeds 15 mph.
- For aerial applications, the spray boom should be mounted on the aircraft so as to minimize drift caused by wingtip or rotor vortices. Boom length must not exceed 75% of the wing span or rotor diameter.
- Do not apply by ground equipment within 25 feet, or by air within 150 feet of lakes, rivers, permanent streams, marshes or natural ponds, estuaries, commercial fish farm ponds and of aquatic habitat that support endangered species.
- Do not apply directly to water or allow to drift to wetlands. Do not apply to areas where surface water is present or to intertidal areas below the mean high water mark.
- Refer to the EPA registered label for information on chemigation.
- Consult with the Fish and Wildlife Service to ensure protection of threatened or endangered species.

ALL APPLICATION DIRECTIONS, RESTRICTIONS AND PRECAUTIONS ON THE BRIGADE 2EC INSECTICIDE/MITICIDE, EPA REG. NO. 279-3313, EPA REGISTERED LABEL ARE TO BE FOLLOWED. ALSO THE PERSONAL PROTECTIVE EQUIPMENT AND REENTRY INTERVALS ON THIS 24C OR ON THE BASIC LABEL MUST BE FOLLOWED.



FMC Corporation
 Agriculture Products Group
 1735 Market Street
 Philadelphia, PA 19103

Brigade2EC_24c_VA_conifer_01-14-08

Brigade and **FMC** are FMC Trademarks
 ©2008 FMC Corporation