



Safety Data Sheet - GHS

1. IDENTIFICATION: CHEMICAL PRODUCT AND COMPANY

PRODUCT NAME: Fierce® EZ Herbicide
EPA REGISTRATION NUMBER: 59639-237
VC NUMBER(S): 2037, 2065, 2066, 2067, 2068
SYNONYM(S): V-10452 3.04 SC Herbicide
PRODUCT DESCRIPTION: Herbicide

Fierce is a Registered trademark of Valent U.S.A. LLC

MANUFACTURER/DISTRIBUTOR
 VALENT U.S.A. LLC
 P.O. Box 8025
 1600 Riviera Avenue, Suite 200
 Walnut Creek, CA 94596-8025

EMERGENCY TELEPHONE NUMBERS
 HEALTH EMERGENCY OR SPILL (24 hr):
 (800) 892-0099
 TRANSPORTATION (24 hr.): CHEMTREC
 (800) 424-9300 or (202) 483-7616

PRODUCT INFORMATION
 AGRICULTURAL PRODUCTS: (800) 682-5368

2. HAZARDS IDENTIFICATION

This product is an EPA FIFRA registered pesticide. Some classifications on this SDS are not the same as the FIFRA-required classifications on the product label. Certain sections of this SDS are superseded by federal law under EPA FIFRA for a registered pesticide. Please see Section 15, REGULATORY INFORMATION for an explanation.

Classification - (per U.S. OSHA 29 CFR 1910.1200 (Hazcom 2012))

Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Reproductive toxicity	Category 2

Label elements

EMERGENCY OVERVIEW

WARNING



Hazard statements
 Harmful if inhaled

Suspected of damaging fertility or the unborn child

Precautionary statements

Prevention

Obtain special instructions before use
Do not handle until all safety precautions have been read and understood
Use personal protective equipment as required
Avoid breathing dust/fume/gas/mist/vapors/spray
Use only outdoors or in a well-ventilated area

Response

IF exposed or concerned: Get medical advice/attention

Eyes None.

Skin None.

Inhalation IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Ingestion None.

FIRE None.

Spill None.

Storage

Store locked up

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Other Information

- Very toxic to aquatic life with long lasting effects

For information on Transportation requirements see Section 14.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS No.	Weight-%	TRADE SECRET
Flumioxazin	103361-09-7	14.04	
Pyroxasulfone	447399-55-5	17.81	
Propylene glycol	57-55-6	5 - 6	*
Other ingredients	Various CAS#s	60- 65	

* The exact percentage (concentration) of composition has been withheld as a trade secret

Other ingredients, which may be maintained as trade secrets, are any substances other than an active ingredient contained in this product. Some of these may be hazardous, but their identities are withheld because they are considered trade secrets. The hazards associated with the other ingredients are addressed in this document. Specific information on other ingredients for the management of exposures, spills, or safety assessments can be obtained by a treating physician or nurse by calling **(800) 892-0099** at any time.

4. FIRST AID MEASURES

EMERGENCY NUMBER (800) 892-0099

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact **1-800-892-0099** for emergency medical treatment information.

Emergency Telephone: (800) 892-0099
REVISION NUMBER: 4

SDS NO.: 0522
REVISION DATE: 12/03/2018

EYE CONTACT:

Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

SKIN CONTACT:

Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

INGESTION:

Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. DO NOT induce vomiting unless told to do so by the poison control center or doctor. Do not give anything to an unconscious person.

INHALATION:

Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

NOTES TO PHYSICIAN:

None

5. FIRE FIGHTING MEASURES**Flash point °C**

FLASH POINT: Not applicable

Flash point °F

EXTINGUISHING MEDIA: Small fires: Dry chemical powder, carbon dioxide, water spray
Large fires: Water spray, fog, dry chemical powder, carbon dioxide, regular foam
Do NOT use water jet or straight streams

NFPA RATING:

Health:	1
Flammability:	1
Reactivity:	0
Special:	None

(Least-0, Slight-1, Moderate-2, High-3, Extreme-4). These values are obtained using professional judgement. Values were not available in the guidelines or published evaluations prepared by the National Fire Protection Association, NFPA.

FIRE FIGHTING INSTRUCTIONS: As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH approved (or equivalent) and full protective gear. Prevent extinguishing media run off from entering drains, sewers, and bodies of water.

HAZARDOUS DECOMPOSITION PRODUCTS: Under fire conditions some components of this product may decompose. The smoke may contain unidentified toxic and/or irritating compounds. Keep people away. Isolate fire area and deny unnecessary entry.

6. ACCIDENTAL RELEASE MEASURES

VALENT EMERGENCY PHONE NUMBER: (800) 892-0099

CHEMTREC EMERGENCY PHONE NUMBER: (800) 424-9300

OBSERVE PRECAUTIONS IN SECTION 8: PERSONAL PROTECTION

Stop the source of the spill if safe to do so. Contain the spill to prevent further contamination of the soil, surface water, or ground water. For additional spill response information refer to the North American Emergency Response

Guidebook.

UN/NA NUMBER: Not applicable
FOR SPILLS OR LEAKS:

EMERGENCY RESPONSE GUIDEBOOK NO.: Not applicable

CONTAINMENT: Avoid runoff into storm sewers and ditches which lead to waterways. Contain spilled liquids with dry sorbents. Keep well ventilated. Wear proper personal protective equipment.

CLEANUP: Clean up spill immediately. Absorb spill with inert material (such as dry sand or earth), then place in a chemical waste container. Wash area with soap and water. Pick up wash liquid with additional absorbent and place in a chemical waste container. Prevent wash water from entering surface water or drains. Wear proper personal protective equipment.

7. HANDLING AND STORAGE

END USER MUST READ AND OBSERVE ALL PRECAUTIONS ON PRODUCT LABEL.

HANDLING:

Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

STORAGE:

Keep in original container. Store in cool, dry, secure place. Do not put formulation or dilute spray solution into food or drink containers. Do not contaminate water, food or feed by storage or disposal. Do not store or transport near food or feed. Not for use or storage in or around the home.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

END USER MUST READ AND OBSERVE ALL PRECAUTIONS ON PRODUCT LABEL.

INFORMATION FOR END USERS

EYES & FACE: Do not get this material in your eyes. Eye contact can be avoided by wearing protective eyewear.

RESPIRATORY PROTECTION: Not usually required. Use this material in a well ventilated area. If necessary, use a NIOSH approved air purifying respirator with a dust-mist filter / organic vapor cartridge combination.

SKIN & HAND PROTECTION: Applicators and other handlers must wear: long-sleeved shirt and long pants, shoes plus socks and chemical-resistant gloves made of any waterproof material.

Follow manufacturer's instructions for cleaning/maintaining PPE. If there are no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

EXPOSURE LIMITS

Chemical name	ACGIH TLV	8 Hr. TWA:	Manufacturer's Exposure Limits
Flumioxazin	None	None	None

Emergency Telephone: (800) 892-0099
REVISION NUMBER: 4

SDS NO.: 0522
REVISION DATE: 12/03/2018

Pyoxasulfone	None	None	None
Propylene glycol	None	None	None
Other ingredients	None	None	None

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	Liquid		
Appearance	Liquid	Odor	Faint characteristic odor
Color	White	Odor threshold	No information available

<u>PROPERTIES</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	6 - 8	Neat
Melting point/freezing point	No information available	
Boiling point/boiling range	No information available	
Flash point		
Evaporation rate	No information available	
Flammability (solid, gas)	No information available	
Flammability Limits in Air		
Upper flammability limits	No information available	
Lower flammability limit	No information available	
Vapor pressure	No information available	
Vapor density	No information available	
Specific Gravity	1.13 - 1.16	
Water solubility	Dispersible in water	
Solubility in other solvents	No information available	
Partition coefficient	No information available	
Autoignition temperature	No information available	
Decomposition temperature	No information available	
Viscosity	Not Applicable	
Explosive properties	Active ingredient not expected to be explosive based upon structure and formulated products contains no explosive ingredients	
Oxidizing properties	Product ingredients do not include oxidizing or reducing agents	
Liquid Density	No information available	
Bulk density	No information available	

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Extremes of temperature and direct sunlight.

Incompatible materials

None known based on information supplied.

Hazardous Decomposition Products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

ACUTE TOXICITY:

The following information is for this product formulation.

Oral Toxicity LD ₅₀ (rats)	> 5,000 mg/kg	EPA Tox Category	IV
Dermal Toxicity LD ₅₀ (rats)	> 2,000 mg/kg	EPA Tox Category	III
Inhalation Toxicity LC ₅₀ (rats)	> 2.04 mg/L (4 h)	EPA Tox Category	IV
Eye Irritation (rabbits)	Minimally irritating	EPA Tox Category	IV
Skin Irritation (rabbits)	Slightly irritating	EPA Tox Category	IV
Skin Sensitization (guinea pigs)	Non-sensitizer	EPA Tox Category	Not applicable

CARCINOGEN CLASSIFICATION

Chemical name	IARC	OSHA - Select Carcinogens	NTP Carcinogen List
Flumioxazin	Not listed	Not listed	Not listed
Pyrooxasulfone	Not listed	Not listed	Not listed
Propylene glycol	Not listed	Not listed	Not listed
Other ingredients	Not listed	Not Listed	Not listed

TOXICITY OF FLUMIOXAZIN TECHNICAL:

SUBCHRONIC: Compound related effects of Flumioxazin Technical noted in rats following subchronic exposures at high dose levels were hematotoxicity including anemia, and increases in liver, spleen, heart, kidney and thyroid weights. In dogs, the effects produced at high dose levels included a slight prolongation in activated partial thromboplastin time, increased cholesterol and phospholipid, elevated alkaline phosphatase, increased liver weights and histological changes in the liver. The lowest no-observable-effect-level (NOEL) in subchronic studies was 30 ppm in the three-month toxicity study in rats.

CHRONIC/CARCINOGENICITY: In a one year dog feeding study, Flumioxazin Technical produced treatment-related changes in blood chemistry and increased liver weights at 100 and 1000 mg/kg/day. Minimal treatment-related histological changes were noted in the livers of animals in the 1000 mg/kg/day group. Based on these data the NOEL is 10 mg/kg/day. Dietary administration of Flumioxazin Technical for 18 months produced liver changes in mice of the 3000 and 7000 ppm groups. There was no evidence of any treatment-related oncogenic effect. The NOEL for this study is 300 ppm. Dietary administration of Flumioxazin Technical for 24 months produced anemia and chronic nephropathy in rats of the 500 and 1000 ppm groups. The anemia lasted throughout the treatment period, however, it was not progressive nor aplastic in nature. No evidence of an oncogenic effect was observed. The NOEL for this study is 50 ppm.

DEVELOPMENTAL TOXICITY: Flumioxazin Technical produces developmental toxicity in rats in the absence of maternal toxicity at doses of 30 mg/kg/day by the oral route and 300 mg/kg/day by the dermal route. The developmental effects noted consisted primarily of decreased number of live fetuses and fetal weights, cardiovascular abnormalities, wavy ribs and decreased number of ossified sacrococcygeal vertebral bodies. The developmental NOEL in the rat oral and dermal developmental toxicity studies were 10 and 100 mg/kg/day, respectively. The response in rabbits was very different from that in rats. No developmental toxicity was noted in rabbits at doses up to 3000 mg/kg/day, a dose well above the maternal NOEL of 1000 mg/kg/day.

Mechanistic studies indicate that the effects seen in the rat are highly unlikely to occur in the human and that flumioxazin would not be a developmental toxicant in the human.

REPRODUCTION: Reproductive toxicity was observed in F1 males, P1 females and F1 females at 300 ppm Flumioxazin Technical, the highest dose tested and a dose that also produced signs of systemic toxicity. Toxicity was also observed in the F1 and F2 offspring at doses of 200 ppm and greater.

MUTAGENICITY: Flumioxazin Technical was not mutagenic in most *in vitro* assays: gene mutation and a chromosome aberration assay in the absence of metabolic activation. In three *in vivo* assays, chromosome aberration, unscheduled DNA synthesis and micronucleus assay, Flumioxazin Technical was not mutagenic. The only positive response was observed in the *in vitro* chromosome aberration assay in the presence of metabolic activation. Overall, Flumioxazin Technical does not present a genetic hazard.

TOXICITY OF PYROXASULFONE TECHNICAL:

SUBCHRONIC: Pyroxasulfone related effects include increased AST, slight liver and kidney weight increases, increased cardiomyopathy, centrilobular hepatocellular hypertrophy and hyperplastic urinary bladder mucosa. The NOAEL in rats was 50 ppm. No neurotoxicity was observed at acute doses to rats as high as 2000 mg/kg.

CHRONIC/CARCINOGENICITY: Pyroxasulfone produced an increased incidence of urinary bladder transitional cell papillomas in male rats in a two-year carcinogenicity study.

REPRODUCTION: Pyroxasulfone did not produce effects on fertility or the embryo at the dosage of which general toxicity to parental animals was observed.

MUTAGENICITY: Pyroxasulfone is not mutagenic according to results for an *in vitro* reverse mutation test, chromosomal aberration test and *in vivo* mouse bone marrow micronucleus test.

For a summary of the potential for adverse health effects from exposure to this product, refer to Section 2. For information regarding regulations pertaining to this product, refer to Section 15.

12. ECOLOGICAL INFORMATION

AVIAN TOXICITY:

Based upon EPA designation, Flumioxazin Technical is practically non-toxic to avian species. The following results were obtained from studies with Flumioxazin Technical:

Oral LD₅₀ bobwhite quail: greater than 2250 mg/kg
Dietary LC₅₀ bobwhite quail: greater than 5620 ppm
Dietary LC₅₀ mallard duck: greater than 5620 ppm.

Flumioxazin Technical in the diet. In mallard ducks, a slight, but not statistically significant reduction in hatchlings and 14-day old survivors was observed. Based on a possible, slight effect on egg production at 500 ppm, the NOEL for this study was 250 ppm.

The following results were obtained from studies with Pyroxasulfone Technical:

LD₅₀ bobwhite quail: greater than 2250 mg/kg

AQUATIC ORGANISM TOXICITY: Based upon EPA designation, Flumioxazin Technical is slightly to moderately toxic to freshwater fish; moderately toxic to freshwater invertebrates; moderately toxic to estuarine/marine fish and moderately to highly toxic to estuarine/marine invertebrates, based on the following tests:

96-hour LC₅₀ rainbow trout: 2.3 mg/L
96-hour LC₅₀ bluegill sunfish: greater than 21 mg/L
48-hour LC₅₀ Daphnia magna: greater than 5.5 mg/L

96-hour LC₅₀ sheepshead minnow: greater than 4.7 mg/L
 96-hour (shell deposition) EC₅₀ eastern oyster: 2.8 mg/L
 96-hour LC₅₀ mysid shrimp: 0.23 mg/L
 Fish early life-stage (rainbow trout): NOEC >7.7 µg/L, <16 µg/L
 Chronic toxicity (mysid shrimp): NOEC >15 µg/L, <27 µg/L
 Chronic toxicity (Daphnia magna): NOEC >52 µg/L, <99 µg/L.

Pyroxasulfone Technical is very toxic to aquatic organisms; special attention should be given to aquatic plants. Based upon EPA designation, the following test results are based on Pyroxasulfone Technical:

96-hour LC₅₀ rainbow trout: greater than 2.2 mg/L
 96-hour LC₅₀ bluegill: greater than 2.8 mg/L
 48-hour LC₅₀ Daphnia magna: greater than 4.4 mg/L
 96-hour LC₅₀ sheepshead minnow: greater than 3.3 mg/L
 96-hour EC₅₀ algae = 0.00038 mg/L
 7-day EC₅₀ Spirodela polyrhiza = 0.0055 mg/L
 14-day LC₅₀ Earthworm = 997 mg/kg

OTHER NON-TARGET ORGANISM TOXICITY:

Flumioxazin Technical is practically non-toxic to bees. The acute contact LC₅₀ in bees was greater than 105 µg/bee.
 Pyroxasulfone Technical is practically non-toxic to bees. The acute contact (48-hour) LD₅₀ in bees was greater than 100 µg/bee.

OTHER ENVIRONMENTAL INFORMATION:

This product is toxic to non-target plants and aquatic invertebrates.

Do not apply directly to water, to areas where surface water is present or to intertidal areas below mean high water mark. Do not apply where runoff is likely to occur. Do not apply where weather conditions favor drift from areas treated. Do not contaminate water when cleaning equipment or disposing of equipment washwater or rinsate.

13. DISPOSAL CONSIDERATIONS

END USERS MUST DISPOSE OF ANY UNUSED PRODUCT AS PER THE LABEL RECOMMENDATIONS.

PRODUCT DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. Clean container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure 2 more times.

DISPOSAL METHODS: Check government regulations and local authorities for approved disposal of this material. Dispose of in accordance with applicable laws and regulations.

14. TRANSPORTATION INFORMATION

DOT (ground) SHIPPING NAME: Not regulated for domestic ground transport by U.S. DOT
EMERGENCY RESPONSE

GUIDEBOOK NO.:	Not applicable
ICAO/IATA SHIPPING NAME:	UN3082 Environmentally Hazardous Substance, Liquid, N.O.S. (Flumioxazin, Metribuzin), 9, III, Marine Pollutant
REMARKS:	•Single or inner packaging less than 5 L (liquid) or 5 Kg net (solids) excepted from Dangerous Goods regulations -- see IATA Special Provision A197.
IMDG SHIPPING NAME:	UN3082 Environmentally Hazardous Substance, Liquid, N.O.S. (Flumioxazin, Metribuzin), 9, III, Marine Pollutant
REMARKS:	•Single or inner packaging less than 5 L (liquid) or 5 Kg net (solids) excepted from Dangerous Goods regulations – see IMDG 2.10.2.7
EMS NO.:	F-A, S-F

15. REGULATORY INFORMATION

EPA-FIFRA LABEL INFORMATION THAT DIFFERS FROM OSHA-GHS REQUIREMENTS:

Pesticide products in the U.S. are registered by the EPA under FIFRA and are subject to certain labeling requirements under federal pesticide law. These requirements may differ from the classification criteria and hazard information required by OSHA GHS for safety data sheets, and for workplace labels of non-pesticide chemicals. The following is the hazard information as required on the FIFRA pesticide label:

EPA FIFRA SIGNAL WORD: CAUTION

- **Harmful if absorbed through skin**
- **Avoid Contact with skin or clothing.**
- **Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.**

PESTICIDE REGULATIONS: All pesticides are governed under FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act). Therefore, the regulations presented below are pertinent only when handled outside of the normal use and applications of pesticides. This includes waste streams resulting from manufacturing/formulation facilities, spills or misuse of products, and storage of large quantities of products containing hazardous or extremely hazardous substances.

U.S. FEDERAL REGULATIONS: Ingredients in this product are reviewed against an inclusive list of federal regulations. Therefore, the user should consult appropriate authorities. The federal regulations reviewed include: Clean Water Act, SARA, CERCLA, RCRA, DOT, TSCA and OSHA. If no components or information is listed in the space below this paragraph, then none of the regulations reviewed are applicable.

SARA (311, 312):

Immediate Health:	Yes
Chronic Health:	Yes
Fire:	No
Sudden Pressure:	No
Reactivity:	No

STATE REGULATIONS: Each state may promulgate standards more stringent than the federal government. This section cannot encompass an inclusive list of all state regulations. Therefore, the user should consult state or local authorities. The state regulations reviewed include: California Proposition 65, California Directors List of Hazardous Substances, Massachusetts Right to Know, Michigan Critical Materials List, New Jersey Right to Know, Pennsylvania Right to Know, Rhode Island Right to Know and the Minnesota Hazardous Substance list. For Washington State Right

to Know, see Section 8 for Exposure Limit information. For Louisiana Right to Know refer to SARA information listed under U.S. Regulations above. If no components or information is listed in the space below this paragraph, then none of the regulations reviewed are applicable.

Propylene glycol

NJ Right To Know	3595
PA Right To Know	Present
RI Right To Know	Listed
MN Hazardous Substance	Present

For information regarding potential adverse health effects from exposure to this product, refer to Sections 2 and 11.

16. OTHER INFORMATION

REASON FOR ISSUE:	Added the EPA registration number. Updated product name.
SDS NO.:	0522
EPA REGISTRATION NUMBER:	59639-237
REVISION NUMBER:	4
REVISION DATE:	12/03/2018
SUPERCEDES DATE:	12/03/2018
RESPONSIBLE PERSON(S):	Valent U.S.A. LLC, Corporate EH&S, (925) 256-2803

The information provided in this Safety Data Sheet (SDS) is provided in good faith and believed to be accurate at the time of preparation of the SDS. However, to the extent consistent with applicable law, Valent U.S.A. LLC and its subsidiaries or affiliates extend no warranties, make no representations, and assume no responsibility as to the accuracy, suitability, or completeness of such information. Additionally, to the extent consistent with applicable law, neither Valent U.S.A. LLC nor any of its subsidiaries or affiliates represents or guarantees that this information or product may be used without infringing the intellectual property rights of others. Except to the extent a particular use and particular information are expressly stated on the product label, it is the users' own responsibility to determine the suitability of this information for their own particular use of this product. If necessary, contact Valent U.S.A. LLC to confirm that you have the most current product label and SDS.

This SDS provides important health, safety, and environmental information for employers, employees, emergency responders and others handling large quantities of the product in activities generally other than product use as required by the Occupational Health and Safety Act (29 CFR 1910.1200, "Hazcom").

The product label provides information specifically for product use in the ordinary course. All necessary hazard classification and appropriate precautionary use, storage, and disposal information is set forth on that label or labeling accompanying the pesticide or to which reference is made on the label.

2018 Valent U.S.A. LLC