## Bayer CropScience



#### **EVERGOL® ENERGY**

Version 2.0 / USA Revision Date: 10/20/2014 102000022382 Print Date: 10/21/2014

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

**Product identifier** 

Trade name EVERGOL® ENERGY

**Product code (UVP)** 79483929

**SDS Number** 102000022382

**EPA Registration No.** 264-1122

Relevant identified uses of the substance or mixture and uses advised against

**Use** Seed treatment, Fungicide

**Restrictions on use** See product label for restrictions.

Information on manufacturer

Bayer CropScience 2 T.W. Alexander Drive

Research Triangle PK, NC 27709

**United States** 

Emergency telephone no.

Emergency Telephone Number (24hr/ 7 days) 1-800-334-7577

Product Information Telephone Number

1-866-99BAYER (1-866-992-2937)

SDS Information or Request SDSINFO.BCS-NA@bayer.com

#### **SECTION 2: HAZARDS IDENTIFICATION**

#### Classification in accordance with regulation HCS 29CFR §1910.1200

This material is not hazardous under the criteria of the Federal OSHA Hazard Communication Standard 29CFR 1910.1200.

Other hazards

No particular hazards known.

#### **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

Hazardous Component Name	CAS-No.	Concentration % by weight	
Prothioconazole	178928-70-6	7.18	
Penflufen	494793-67-8	3.59	
Metalaxyl	57837-19-1	5.74	
Polyethylene-polypropylene copolymer	9003-11-6	2.00	
1,2-Propanediol	57-55-6	19.90	



#### **EVERGOL® ENERGY**

Version 2.0 / USA Revision Date: 10/20/2014 102000022382 Print Date: 10/21/2014

#### **SECTION 4: FIRST AID MEASURES**

Description of first aid measures

**General advice** When possible, have the product container or label with you when

calling a poison control center or doctor or going for treatment.

Inhalation Move to fresh air. If person is not breathing, call 911 or an ambulance,

then give artificial respiration, preferably mouth-to-mouth if possible. Call

a physician or poison control center immediately.

Take off contaminated clothing and shoes immediately. Wash off Skin contact

immediately with plenty of water for at least 15 minutes. Call a physician

or poison control center immediately.

Eye contact Hold eye open and rinse slowly and gently with water for 15-20 minutes.

> Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center

immediately.

Ingestion Call a physician or poison control center immediately. Rinse out mouth

> and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim

unattended.

Most important symptoms and effects, both acute and delayed

**Symptoms** To date no symptoms are known.

Indication of any immediate medical attention and special treatment needed

**Treatment** Appropriate supportive and symptomatic treatment as indicated by the

patient's condition is recommended. There is no specific antidote.

#### **SECTION 5: FIREFIGHTING MEASURES**

Extinguishing media

Suitable Water spray, Foam, Carbon dioxide (CO2), Dry chemical

Unsuitable None known.

Special hazards arising from the substance or

Dangerous gases are evolved in the event of a fire.

mixture

Advice for firefighters

Special protective Firefighters should wear NIOSH approved self-contained breathing

equipment for fire-fighters apparatus and full protective clothing.

**Further information** Keep out of smoke. Fight fire from upwind position. Cool closed

containers exposed to fire with water spray. Do not allow run-off from

fire fighting to enter drains or water courses.



#### **EVERGOL® ENERGY**

 Version 2.0 / USA
 Revision Date: 10/20/2014

 102000022382
 Print Date: 10/21/2014

Flash point No flash point - Determination conducted up to the boiling point.

Autoignition temperature445 °C / 833 °FLower explosion limitno data availableUpper explosion limitno data available

**Explosivity** Not explosive

92/69/EEC, A.14 / OECD 113

#### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures

**Precautions** Keep unauthorized people away. Isolate hazard area. Avoid contact

with spilled product or contaminated surfaces.

Methods and materials for containment and cleaning up

**Methods for cleaning up** Soak up with inert absorbent material (e.g. sand, silica gel, acid binder,

universal binder, sawdust). Collect and transfer the product into a properly labelled and tightly closed container. Clean contaminated floors and objects thoroughly, observing environmental regulations.

Additional advice Use personal protective equipment. Do not allow to enter soil,

waterways or waste water canal.

**Reference to other sections** Information regarding safe handling, see section 7.

Information regarding personal protective equipment, see section 8.

Information regarding waste disposal, see section 13.

#### SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle and open container in a manner as to prevent spillage. Maintain

exposure levels below the exposure limit through the use of general and

local exhaust ventilation.

**Hygiene measures** Wash hands thoroughly with soap and water after handling and before

eating, drinking, chewing gum, using tobacco, using the toilet or

applying cosmetics.

Remove Personal Protective Equipment (PPE) immediately after handling this product. Before removing gloves clean them with soap and water. Remove soiled clothing immediately and clean thoroughly before

using again. Wash thoroughly and put on clean clothing.

Conditions for safe storage, including any incompatibilities



#### **EVERGOL® ENERGY**

Version 2.0 / USA 102000022382

Revision Date: 10/20/2014 Print Date: 10/21/2014

Requirements for storage areas and containers

Store in a cool, dry place and in such a manner as to prevent cross contamination with other crop protection products, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area.

#### **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### **Control parameters**

Components	CAS-No.	Control parameters	Update	Basis
Prothioconazole	178928-70-6	50ug/m3 (ST ESL)	07 2011	TX ESL
Prothioconazole	178928-70-6	5ug/m3 (AN ESL)	07 2011	TX ESL
Prothioconazole	178928-70-6	1.4 mg/m3 (SK-ABS)		OES BCS*
Metalaxyl	57837-19-1	50ug/m3 (ST ESL)	07 2011	TX ESL
Metalaxyl	57837-19-1	5ug/m3 (AN ESL)	07 2011	TX ESL
Polyethylene-polypropylene copolymer (Vapor.)	9003-11-6	1000ug/m3 (ST ESL)	02 2013	TX ESL
Polyethylene-polypropylene copolymer (Vapor.)	9003-11-6	100ug/m3 (AN ESL)	02 2013	TX ESL
1,2-Propanediol (Vapor.)	57-55-6	1000ug/m3 (ST ESL)	02 2013	TX ESL
1,2-Propanediol (Vapor.)	57-55-6	50ppb (AN ESL)	02 2013	TX ESL
1,2-Propanediol (Vapor.)	57-55-6	500ppb (ST ESL)	02 2013	TX ESL
1,2-Propanediol (Vapor.)	57-55-6	100ug/m3 (AN ESL)	02 2013	TX ESL
1,2-Propanediol (Aerosol.)	57-55-6	10 mg/m3 (TWA)	2010	WEEL

<sup>\*</sup>OES BCS: Internal Bayer CropScience "Occupational Exposure Standard"

#### **Exposure controls**

#### Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

#### **Respiratory protection**

When respirators are required, select NIOSH approved equipment based on actual or potential airborne concentrations and in accordance with the appropriate regulatory standards and/or industry recommendations.



#### **EVERGOL® ENERGY**

Version 2.0 / USA Revision Date: 10/20/2014 Print Date: 10/21/2014

Hand protection Chemical resistant nitrile rubber gloves

**Eye protection** Safety glasses with side-shields

**Skin and body protection** Wear long-sleeved shirt and long pants and shoes plus socks.

General protective measures Follow manufacturer's instructions for cleaning/maintaining PPE. If

no such instructions for washables, use detergent and warm/tepid

water.

Keep and wash PPE separately from other laundry.

#### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

AppearancebeigePhysical StateLiquidOdormusty

Odour Threshold no data available

**pH** 6.0 - 8.0 at 100 % (23 °C)

Vapor Pressureno data availableVapor Density (Air = 1)no data availableDensity1.07 g/cm³ at 20 °CEvapouration rateno data available

Boiling Point no data available
Melting / Freezing Point no data available

Water solubility dispersible

Minimum Ignition Energy not applicable

Decomposition not applicable
temperature

Partition coefficient: n-

octanol/water

**Explosivity** 

not applicable

Viscosity 40 - 100 mPa.s at 20 °C Velocity gradient 100 /s

Flash point No flash point - Determination conducted up to the boiling point.

Autoignition temperature445 °C / 833 °FLower explosion limitno data availableUpper explosion limitno data available

Not explosive 92/69/EEC, A.14 / OECD 113



#### **EVERGOL® ENERGY**

Version 2.0 / USA Revision Date: 10/20/2014 102000022382 Print Date: 10/21/2014

#### **SECTION 10: STABILITY AND REACTIVITY**

Reactivity

Thermal decomposition not applicable

**Chemical stability** Stable under normal conditions.

Possibility of hazardous

reactions

No hazardous reactions when stored and handled according to

prescribed instructions.

**Conditions to avoid** Extremes of temperature and direct sunlight.

**Incompatible materials** no data available

**Hazardous decomposition** 

products

No decomposition products expected under normal conditions of use.

#### **SECTION 11: TOXICOLOGICAL INFORMATION**

**Exposure routes** Skin Absorption, Ingestion, Eye contact, Inhalation

**Immediate Effects** 

**Skin** Harmful if absorbed through skin.

**Ingestion** Harmful if swallowed.

Information on toxicological effects

Acute oral toxicity LD50 (rat) > 2,000 mg/kg
Acute inhalation toxicity LC50 (rat) > 2.205 mg/l

Exposure time: 4 h

Determined in the form of liquid aerosol.

Highest attainable concentration.

Acute dermal toxicityLD50 (rat) > 2,000 mg/kgSkin irritationNo skin irritation (rabbit)Eye irritationNo eye irritation (rabbit)SensitisationNon-sensitizing. (mouse)

#### Assessment repeated dose toxicity

Prothioconazole did not cause specific target organ toxicity in experimental animal studies. Penflufen did not cause specific target organ toxicity in experimental animal studies.

Metalaxyl did not cause specific target organ toxicity in experimental animal studies.

#### **Assessment Mutagenicity**

Prothioconazole was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

Penflufen was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Metalaxyl was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.



#### **EVERGOL® ENERGY**

Version 2.0 / USA 102000022382

#### Revision Date: 10/20/2014 Print Date: 10/21/2014

#### **Assessment Carcinogenicity**

Prothioconazole was not carcinogenic in lifetime feeding studies in rats and mice.

Penflufen caused at high dose levels an increased incidence of tumours in rats in the following organ(s): hematopoietic system, brain, ovaries. The mechanism that triggers these tumours is not relevant to humans.

Metalaxyl was not carcinogenic in lifetime feeding studies in rats and mice.

**ACGIH** 

None.

**NTP** 

None.

**IARC** 

None.

**OSHA** 

None.

#### Assessment toxicity to reproduction

Prothioconazole caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Prothioconazole is related to parental toxicity.

Penflufen did not cause reproductive toxicity in a two-generation study in rats.

Metalaxyl did not cause reproductive toxicity in a multi-generation study in rats.

#### Assessment developmental toxicity

Prothioconazole caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Prothioconazole are related to maternal toxicity.

Penflufen did not cause developmental toxicity in rats and rabbits.

Metalaxyl did not cause developmental toxicity in rats and rabbits.

#### **Further information**

Only acute toxicity studies have been performed on the formulated product.

The non-acute information pertains to the active ingredient(s).

#### **SECTION 12: ECOLOGICAL INFORMATION**

**Toxicity to fish** LC50 (Oncorhynchus mykiss (rainbow trout)) 1.83 mg/l

Exposure time: 96 h

The value mentioned relates to the active ingredient prothioconazole.

LC50 (Cyprinus carpio (Carp)) 0.103 mg/l

Exposure time: 96 h

The value mentioned relates to the active ingredient penflufen.

Toxicity to aquatic invertebrates

EC50 (Water flea (Daphnia magna)) 1.3 mg/l

Exposure time: 48 h



#### **EVERGOL® ENERGY**

Version 2.0 / USA 102000022382

Revision Date: 10/20/2014 Print Date: 10/21/2014

The value mentioned relates to the active ingredient prothioconazole.

EC50 (Water flea (Daphnia magna)) > 4.66 mg/l

Exposure time: 48 h

The value mentioned relates to the active ingredient penflufen. No acute toxicity was observed at its limit of water solubility.

Toxicity to aquatic plants IC50 (Pseudokirchneriella subcapitata) 2.18 mg/l

Growth rate; Exposure time: 72 h

The value mentioned relates to the active ingredient prothioconazole.

EC50 (Pseudokirchneriella subcapitata) > 5.1 mg/l

Growth rate; Exposure time: 96 h

The value mentioned relates to the active ingredient penflufen. No acute toxicity was observed at its limit of water solubility.

**Biodegradability** Prothioconazole: ; not rapidly biodegradable

Penflufen: ; not rapidly biodegradable Metalaxyl: ; not rapidly biodegradable

**Koc** Prothioconazole: Koc: 1765; log Koc: < 3

Penflufen: Koc: 280 Metalaxyl: Koc: 163

**Bioaccumulation** Prothioconazole: Bioconcentration factor (BCF) 19; Does not

bioaccumulate.

Penflufen: Bioconcentration factor (BCF) 142; Does not bioaccumulate. Metalaxyl: Bioconcentration factor (BCF) < 7; Does not bioaccumulate.

**Mobility in soil** Prothioconazole: Slightly mobile in soils

Penflufen: Moderately mobile in soils Metalaxyl: Moderately mobile in soils

**Environmental precautions** Do not allow to get into surface water, drains and ground water.

Do not contaminate surface or ground water by cleaning equipment or

disposal of wastes, including equipment wash water.

Drift and runoff from treated areas may be hazardous to aquatic

organisms in adjacent sites.

Apply this product as specified on the label.

#### **SECTION 13: DISPOSAL CONSIDERATIONS**

#### Waste treatment methods

**Product** Do not contaminate water, food, or feed by disposal.

Dispose in accordance with all local, state/provincial and federal

regulations.

Pesticide, spray mixture or rinse water that cannot be used according to label instructions may be disposed of on site or at an approved waste

disposal facility.

**Contaminated packaging** Do not re-use empty containers.

Triple rinse containers.



#### **EVERGOL® ENERGY**

Version 2.0 / USA Revision Date: 10/20/2014 102000022382 Print Date: 10/21/2014

Dispose of empty container in a sanitary landfill or by incineration, or, if

allowed by State/Provincial and local authorities, by burning.

If burned, stay out of smoke.

Follow advice on product label and/or leaflet.

**RCRA Information** Characterization and proper disposal of this material as a special or

hazardous waste is dependent upon Federal, State and local laws and

are the user's responsibility. RCRA classification may apply.

#### **SECTION 14: TRANSPORT INFORMATION**

**49CFR** Not dangerous goods / not hazardous material

**IMDG** 

UN number 3082
Class 9
Packaging group III
Marine pollutant YES

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(PROTHIOCONAZOLE, PENFLUFEN SOLUTION)

**IATA** 

UN number 3082
Class 9
Packaging group III
Environm. Hazardous Mark YES

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(PROTHIOCONAZOLE, PENFLUFEN SOLUTION)

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

#### **SECTION 15: REGULATORY INFORMATION**

**EPA Registration No.** 264-1122

**US Federal Regulations** 

TSCA list

Polyethylene-polypropylene copolymer 9003-11-6 1,2-Propanediol 57-55-6

US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D) None.

SARA Title III - Section 302 - Notification and Information

None.

SARA Title III - Section 313 - Toxic Chemical Release Reporting



#### **EVERGOL® ENERGY**

Version 2.0 / USA 102000022382

Revision Date: 10/20/2014 Print Date: 10/21/2014

None.

### US States Regulatory Reporting CA Prop65

This product does not contain any substances known to the State of California to cause cancer.

This product does not contain any substances known to the State of California to cause reproductive harm.

**US State Right-To-Know Ingredients** 

1,2-Propanediol 57-55-6 MN

Canadian Regulations
Canadian Domestic Substance List

Polyethylene-polypropylene copolymer 9003-11-6

Environmental CERCLA

None.

**Clean Water Section 307 Priority Pollutants** 

None.

Safe Drinking Water Act Maximum Contaminant Levels

None.

#### **EPA/FIFRA Information:**

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information required on the pesticide label:

Signal word: Caution!

**Hazard statements:** Harmful if swallowed or absorbed through skin.

Avoid contact with skin, eyes and clothing.

#### **SECTION 16: OTHER INFORMATION**

NFPA 704 (National Fire Protection Association):

Health - 2 Flammability - 0 Instability - 0 Others - none

HMIS (Hazardous Materials Identification System, based on the Third Edition Ratings Guide)

Health - 1 Flammability - 0 Physical Hazard - 0 PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

**Reason for Revision:** Revised according to the current OSHA Hazard Communication Standard (29CFR1910.1200)



#### **EVERGOL® ENERGY**

Version 2.0 / USA 102000022382

Revision Date: 10/20/2014 Print Date: 10/21/2014

**Revision Date: 10/20/2014** 

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.