

---

## SUPPLEMENTAL LABELING

---

**Syngenta Crop Protection, LLC**

P. O. Box 18300

Greensboro, North Carolina 27419-8300

SCP 71512A-S11 1021

GROUP	29	FUNGICIDE
-------	----	-----------

**SUPPLEMENTAL DIRECTIONS FOR THE USE OF****OMEGA 500F  
(EPA Reg. No. 71512-1-100)****FOR CONTROL OF DISEASES ON DRIED SHELLLED PEA LEGUME VEGETABLES**

This Supplemental Label expires on October 31, 2024 and must not be used or distributed after this date.

**Directions for Use:**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**CROP: DRIED SHELLLED PEA LEGUME VEGETABLE, PROPOSED SUBGROUP 6-19F;**  
INCLUDES: PEA (*PISUM* spp.; INCLUDES FIELD PEA, DRY PEA, GARDEN PEA, GREEN PEA); CHICKPEA (*GARBANZO*); LENTIL; GRASS-PEA; PIGEON PEA; CULTIVARS, VARIETIES, AND/OR HYBRIDS OF THESE COMMODITIES.

DISEASES	RATE PER ACRE
<i>Ascochyta</i> blight ( <i>Ascochyta</i> spp.)	13.6 fl. oz. (0.443 lbs. a.i.)
Anthrachnose ( <i>Colletotrichum pisi</i> )	8 to 13.6 fl. oz. (0.261 to 0.443 lbs. a.i.)
White mold ( <i>Sclerotinia sclerotiorum</i> )	8 to 13.6 fl. oz. (0.261 to 0.443 lbs. a.i.)
<i>Mycosphaerella</i> blight	13.6 fl. oz. (0.443 lbs. a.i.)

## ***APPLICATION DIRECTIONS***

For control of *Ascochyta* and *Mycosphaerella* blights, Anthracnose, and white mold in peas, make the first application at 10-30% bloom (i.e. when 10-30% of the plants have at least one (1) open bloom). If needed, a second application may be applied 7 to 10 days later. Use adequate water to provide coverage of foliage and flowers.

### **Restrictions**

DO NOT use more than 27.2 fl. oz. of Omega 500F (0.886 lbs. a.i.) per acre per crop cycle.

DO NOT apply more than 2 applications at the rate of 13.6 fl. oz. (0.443 lbs. a.i.) per acre per crop cycle or 3 applications at the rate of 8 fl. oz. (0.261 lbs. a.i.) per acre per crop cycle.

DO NOT apply to more than 2 crop cycles per acre per year for peas, not to exceed 54.4 fl. oz. of Omega 500F (1.77 lbs. a.i.) per acre per year which allows up to 4 applications at the high rate of 13.6 fl. oz. or 6 applications at the low rate of 8 fl. oz.

DO NOT apply within 30 days of harvest for dried shelled peas (30-day PHI).

DO NOT apply within 30 days of harvest of field pea vines or hay (30-day PHI).

Restricted Entry Interval, REI = 12 hours.

The maximum single use rate on peas is 13.6 fl. oz. (0.443 lbs. a.i.)/A with the shortest RTI of 7 days.

OMEGA 500F may be applied through sprinkler system irrigation equipment on peas. See calibration directions elsewhere on the Omega 500F label.

**NOTE:** Follow all applicable directions, restrictions, and precautions on the **Omega 500F** label.

**NOTE:** This labeling must be in the possession of the user at the time of pesticide application.

©2021 Syngenta

**OMEGA 500F - SCP 71512A-S11 1021 – dk – 3/8/22**