

RESTRICTED USE PESTICIDE

May injure (phytotoxic) susceptible non-target plants.

For retail sale to and use only by Wisconsin-certified applicators and only for those uses covered by the Certified Applicator's certification. All applicators must ensure that all persons involved in the use of this product are informed of the requirements on this Product Bulletin.



Bayer CropScience

**Bayer CropScience LP
P.O. Box 12014
2 T.W. Alexander Drive
Research Triangle Park, North Carolina 27709
1-866-99BAYER (1-866-992-2937)**

BALANCE® FLEXX Herbicide

EPA Reg. No. 264-1067

For weed control in field corn, seed corn and corn silage.

WISCONSIN SPECIFIC RESTRICTIONS

In the state of WI use is only allowed in accordance with the Wisconsin Product Bulletin.

This Product Bulletin expires on 02/15/2020 and must not be used or distributed after this date.

Product Bulletin

KEEP OUT OF REACH OF CHILDREN CAUTION

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read the label affixed to the container for BALANCE FLEXX Herbicide before applying. Use of BALANCE FLEXX Herbicide according to this labeling is subject to the use precautions and limitations imposed by the label affixed to the container for BALANCE FLEXX Herbicide.

FOR DISTRIBUTION AND USE ONLY IN THE STATE OF WISCONSIN

In Wisconsin, this product must only be used in accordance with the Wisconsin Product Bulletin. The Wisconsin Product Bulletin which accompanies the sale and packaging of the product, must be in possession of the user at the time of pesticide application.

USE RESTRICTIONS

- Isoxaflutole herbicide products can only be used in the following twelve counties: Columbia, Dane, Dodge, Fond du Lac, Grant, Green, Jefferson, Lafayette, Rock, Sauk, Walworth and Waukesha.
- No use of isoxaflutole herbicide products on sites classified as a coarse-textured soil (sand, loamy sand and sandy loam texture classes) if the depth to groundwater at the field is less than 25 ft. or if the depth to groundwater is unknown.
- Isoxaflutole herbicide products can only be applied between April 1 and July 31 of any year.
- Isoxaflutole products may not be applied by ground within 66 feet of the points where field surface water runoff enters perennial streams and rivers or within 200 feet of natural or impounded lakes and reservoirs. If these products are applied to highly erodible land, the 66-foot buffer or setback from runoff entry points must be planted to crop, seeded with grass, or other suitable crop.

For MEDICAL And TRANSPORTATION Emergencies ONLY Call 24 Hours A Day 1-800-334-7577

For PRODUCT USE Information Call 1-866-99BAYER (1-866-992-2937)

As with any crop-protection product, always read and follow label directions.

For additional information call toll-free 1-866-99BAYER (1-866-992-2937).