



**FIFRA Section 24(c)  
Special Local Need  
Label**

**K-SALT® FRUIT FIX® 800**

**FOR THE REDUCTION OF PRE-  
HARVEST DROP IN D'ANJOU PEARS  
IN OREGON**

**FOR DISTRIBUTION AND USE ONLY WITHIN THE STATE OF OREGON**

**K-SALT® FRUIT FIX® 800**

**EPA REG. NO. 5481-413**

**EPA SLN NO. OR-010003**

**THIS LABEL IS VALID UNTIL DECEMBER 31, 2020 OR UNTIL OTHERWISE AMENDED, WITHDRAWN,  
CANCELED, OR SUSPENDED.**

**ACTIVE INGREDIENT:**

1-Naphthaleneacetic Acid, Potassium Salt..... 24.2%

**INERT INGREDIENTS:** ..... 75.8%

**TOTAL:** ..... 100.0%

Equivalent to 20.2% 1-Naphthaleneacetic Acid (1-NAA) or 830 grams (1.83 lbs.) 1-NAA per gallon.

**KEEP OUT OF REACH OF CHILDREN  
WARNING**

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.  
(If you do not understand the label, find someone to explain it to you in detail.)

**ENVIRONMENTAL HAZARDS**

Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water by disposal of equipment washwaters. Do not contaminate irrigation ditches or water used for irrigation or domestic purposes. Do not apply when conditions favor drift from treated areas. Do not use in a greenhouse.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Follow all applicable directions, restrictions and precautions on this Special Local Need (SLN) label and on the EPA-registered product label. This SLN label and the EPA-registered product label must be in the possession of the user at the time of mixing and pesticide application.

**To Reduce Pre-Harvest Drop in D'Anjou Pears**

K-Salt Fruit Fix 800 becomes effective in 3 to 4 days after application and controls drop for two (2) weeks. K-Salt Fruit Fix 800 may be applied by ground or air. For optimum results, apply 7 to 14 days before harvest. For maximum effectiveness, sprays should be applied when the temperature is 70°F or higher. The lower rate of K-Salt Fruit Fix 800 can be used under normal weather conditions. If warmer temperature conditions (i.e. 90-95°F) are expected to occur for a period greater than 3 consecutive days following the application, then the higher rate of K-Salt Fruit Fix 800 (up to 8 fl. oz. per acre) may be used. A repeat application of K-Salt Fruit Fix 800 is recommended only if the efficacy of the first application of the product is declining, such as due to high temperatures. Consult your local Extension Pomologist as to time of application and rates to be used in your area for your specific stop drop situation.

**GROUND APPLICATION:** For dilute spray, mix 0.9 to 1.2 fl. oz. K-Salt Fruit Fix 800 per 100 gallons of water and apply 300 to 600 gallons of the spray mixture per acre of trees. For concentrate spray, use 4.0 to 8.0 fl. oz. K-Salt Fruit Fix 800 (25 to 50 grams of 1-NAA) per acre in sufficient water to ensure good coverage of trees.

**AERIAL APPLICATION:** Use 4.0 to 8.0 fl. oz. K-Salt Fruit Fix 800 (25 to 50 grams of 1-NAA) in 5 to 10 gallons of water per acre. Aircraft should utilize spray equipment which gives thorough coverage to all portions of the trees. Apply only when weather conditions favor minimal spray drift.

**USE RESTRICTIONS**

1. Do not make more than two (2) applications of K-Salt Fruit Fix 800 at 4.0 fl. oz (25 grams 1-NAA/A) or one (1) application of K-Salt Fruit Fix 800 at 8.0 fl. oz. (50 grams 1-NAA/A) per stop drop season. Allow 7 to 14 days between applications.
2. Do not delay picking beyond optimum maturity.
3. PHI - Do not apply within two (2) days of harvest.
4. Do not apply this product through any type of irrigation system.

FIFRA § 24(c) Registrant: AMVAC Chemical Corporation  
4100 E. Washington Blvd.  
Los Angeles, CA 90023 U.S.A.  
1-888-462-6822