

Product Bulletin

Dow AgroSciences LLC

9330 Zionsville Road

Indianapolis, IN 46268-1054 USA

Milestone®

EPA Reg. No. 62719-519

2(ee) Recommendation †

For Distribution and Use Only in the State of Texas

This product bulletin expires December 31, 2023, and must not be used or distributed after this date.

Control of Susceptible Weeds Pre or Post Planting of Certain Annual and Perennial Grasses

On Rangeland, Permanent Grass Pastures, Conservation Reserve Program (CRP) Acres,
Natural Areas, and Grazed Areas in and Around These Sites

ATTENTION

† This recommendation is permitted under FIFRA Section 2(ee) and has not been submitted to or approved by the EPA.

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- Read and follow all applicable directions for use, precautions, and limitations on the product label attached to the container for this product.

Directions for Use

Milestone provides preemergence and postemergence control of susceptible broadleaf plants on rangeland, permanent grass pastures, CRP acres, non-crop areas, natural areas, and grazed areas in and around these sites. See the Milestone main label for a list of susceptible weeds.

Precautions

Postemergence applications on newly emerged or established sorghum-sudangrass, teff, crabgrass, and pearl millet are not recommended. Unacceptable injury or death of these grasses may occur with Milestone applications.

Pre-plant applications for control of susceptible emerged weeds

Apply Milestone at a maximum of 5 fl oz/acre with a non-ionic surfactant to control susceptible weeds no sooner than 15 days prior to planting tall fescue, orchardgrass, timothy, and annual ryegrass. Milestone can also be used at 5 fl oz/acre prior to planting sorghum-sudangrass, teff, crabgrass, and pearl millet, but a minimum 30-day interval must be observed between the application and planting.

Post planting applications for control of susceptible emerged weeds

Apply Milestone at a maximum of 5 fl oz/acre with a non-ionic surfactant to tall fescue, orchardgrass, timothy, and annual ryegrass after seedling plants have at least reached the V3 stage (three collared leaves).

®™ Trademarks of Dow AgroSciences, DuPont or Pioneer and their affiliated companies or respective owners

R879-084

Issued: 08/10/2020

Replaces R879-066