

# SAFETY DATA SHEET

## DOW AGROSCIENCES LLC

**Product name: CLINCHER™ CA Herbicide**

**Issue Date: 08/30/2016**

**Print Date: 08/30/2016**

---

DOW AGROSCIENCES LLC encourages and expects you to read and understand the entire (M)SDS, as there is important information throughout the document. We expect you to follow the precautions identified in this document unless your use conditions would necessitate other appropriate methods or actions.

---

### 1. IDENTIFICATION

---

**Product name:** CLINCHER™ CA Herbicide

**Recommended use of the chemical and restrictions on use**

**Identified uses:** End use herbicide product

#### COMPANY IDENTIFICATION

DOW AGROSCIENCES LLC  
9330 ZIONSVILLE RD  
INDIANAPOLIS IN 46268-1053  
UNITED STATES

**Customer Information Number:**

800-992-5994  
info@dow.com

#### EMERGENCY TELEPHONE NUMBER

**24-Hour Emergency Contact:** 800-992-5994

**Local Emergency Contact:** 352-323-3500

---

### 2. HAZARDS IDENTIFICATION

---

#### Hazard classification

This material is hazardous under the criteria of the Federal OSHA Hazard Communication Standard 29CFR 1910.1200.

Flammable liquids - Category 3

Acute toxicity - Category 4 - Oral

Skin irritation - Category 2

Eye irritation - Category 2A

Carcinogenicity - Category 2

Specific target organ toxicity - single exposure - Category 3

Aspiration hazard - Category 1

#### Label elements

**Hazard pictograms**



Signal word: **DANGER!**

**Hazards**

Flammable liquid and vapour.  
Harmful if swallowed.  
May be fatal if swallowed and enters airways.  
Causes skin irritation.  
Causes serious eye irritation.  
May cause respiratory irritation.  
May cause drowsiness or dizziness.  
Suspected of causing cancer.

**Precautionary statements**

**Prevention**

Obtain special instructions before use.  
Do not handle until all safety precautions have been read and understood.  
Keep away from heat/sparks/open flames/hot surfaces. No smoking.  
Keep container tightly closed.  
Ground/bond container and receiving equipment.  
Use explosion-proof electrical/ ventilating/ lighting/ equipment.  
Use only non-sparking tools.  
Take precautionary measures against static discharge.  
Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.  
Wash skin thoroughly after handling.  
Do not eat, drink or smoke when using this product.  
Use only outdoors or in a well-ventilated area.  
Wear protective gloves/ eye protection/ face protection.  
Use personal protective equipment as required.

**Response**

IF SWALLOWED: Immediately call a POISON CENTER/doctor.  
IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.  
IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/ physician if you feel unwell.  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
IF exposed or concerned: Get medical advice/ attention.  
Do NOT induce vomiting.  
If skin irritation occurs: Get medical advice/ attention.  
If eye irritation persists: Get medical advice/ attention.  
Take off contaminated clothing and wash before reuse.  
In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.

**Storage**

Store in a well-ventilated place. Keep container tightly closed.

Store in a well-ventilated place. Keep cool.  
Store locked up.

**Disposal**

Dispose of contents/ container to an approved waste disposal plant.

**Other hazards**

No data available

---

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

---

This product is a mixture.

Component	CASRN	Concentration
Cyhalofop-butyl	122008-85-9	29.6%
Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts	68953-96-8	>= 2.6 - <= 5.2 %
Heavy aromatic naphtha	64742-94-5	>= 1.0 - <= 2.6 %
Hexanol	111-27-3	>= 1.0 - <= 2.6 %
Solvent naphtha (petroleum), light arom	64742-95-6	58.9%
1,2,4-Trimethylbenzene	95-63-6	17.7%
1,3,5-Trimethylbenzene	108-67-8	4.8%
Cumene	98-82-8	2.4%
Xylene	1330-20-7	0.6%
Naphthalene	91-20-3	0.2%

---

### 4. FIRST AID MEASURES

---

**Description of first aid measures**

**Inhalation:** Move person to fresh air. If person is not breathing, call an emergency responder or ambulance, then give artificial respiration; if by mouth to mouth use rescuer protection (pocket mask etc). Call a poison control center or doctor for treatment advice. If breathing is difficult, oxygen should be administered by qualified personnel.

**Skin contact:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

**Eye contact:** Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. Call a poison control center or doctor for treatment advice.

**Ingestion:** Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.

**Most important symptoms and effects, both acute and delayed:** Aside from the information found under Description of first aid measures (above) and Indication of immediate medical attention and special treatment needed (below), any additional important symptoms and effects are described in Section 11: Toxicology Information.

**Indication of any immediate medical attention and special treatment needed**

**Notes to physician:** Maintain adequate ventilation and oxygenation of the patient. If lavage is performed, suggest endotracheal and/or esophageal control. Danger from lung aspiration must be weighed against toxicity when considering emptying the stomach. The decision of whether to induce vomiting or not should be made by a physician. No specific antidote. Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient. Have the Safety Data Sheet, and if available, the product container or label with you when calling a poison control center or doctor, or going for treatment.

---

## 5. FIREFIGHTING MEASURES

---

**Suitable extinguishing media:** Water fog or fine spray. Dry chemical fire extinguishers. Carbon dioxide fire extinguishers. Foam. Alcohol resistant foams (ATC type) are preferred. General purpose synthetic foams (including AFFF) or protein foams may function, but will be less effective.

**Unsuitable extinguishing media:** No data available

**Special hazards arising from the substance or mixture**

**Hazardous combustion products:** During a fire, smoke may contain the original material in addition to combustion products of varying composition which may be toxic and/or irritating. Combustion products may include and are not limited to: Nitrogen oxides. Hydrogen fluoride. Carbon monoxide. Carbon dioxide.

**Unusual Fire and Explosion Hazards:** Violent steam generation or eruption may occur upon application of direct water stream to hot liquids.

**Advice for firefighters**

**Fire Fighting Procedures:** Keep people away. Isolate fire and deny unnecessary entry. Consider feasibility of a controlled burn to minimize environment damage. Use water spray to cool fire exposed containers and fire affected zone until fire is out and danger of reignition has passed. Burning liquids may be extinguished by dilution with water. Do not use direct water stream. May spread fire. Eliminate ignition sources. Burning liquids may be moved by flushing with water to protect personnel and minimize property damage. Contain fire water run-off if possible. Fire water run-off, if not contained, may cause environmental damage. Review the "Accidental Release Measures" and the "Ecological Information" sections of this (M)SDS.

**Special protective equipment for firefighters:** Wear positive-pressure self-contained breathing apparatus (SCBA) and protective fire fighting clothing (includes fire fighting helmet, coat, trousers, boots, and gloves). Avoid contact with this material during fire fighting operations. If contact is likely, change to full chemical resistant fire fighting clothing with self-contained breathing apparatus. If this is

not available, wear full chemical resistant clothing with self-contained breathing apparatus and fight fire from a remote location. For protective equipment in post-fire or non-fire clean-up situations, refer to the relevant sections.

---

## 6. ACCIDENTAL RELEASE MEASURES

---

**Personal precautions, protective equipment and emergency procedures:** Isolate area. Keep unnecessary and unprotected personnel from entering the area. Refer to section 7, Handling, for additional precautionary measures. Ventilate area of leak or spill. Eliminate all sources of ignition in vicinity of spill or released vapor to avoid fire or explosion. No smoking in area. Vapor explosion hazard. Keep out of sewers. Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.

**Environmental precautions:** Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12, Ecological Information. Spills or discharge to natural waterways is likely to kill aquatic organisms.

**Methods and materials for containment and cleaning up:** Contain spilled material if possible. Small spills: Absorb with materials such as: Clay. Dirt. Sand. Sweep up. Collect in suitable and properly labeled containers. Large spills: Contact Dow AgroSciences for clean-up assistance. See Section 13, Disposal Considerations, for additional information.

---

## 7. HANDLING AND STORAGE

---

**Precautions for safe handling:** Keep away from heat, sparks and flame. No smoking, open flames or sources of ignition in handling and storage area. Electrically ground and bond all equipment. Keep out of reach of children. Do not swallow. Avoid contact with eyes, skin, and clothing. Avoid breathing vapor or mist. Wash thoroughly after handling. Keep container closed. Use with adequate ventilation. Containers, even those that have been emptied, can contain vapors. Do not cut, drill, grind, weld, or perform similar operations on or near empty containers. Use of non-sparking or explosion-proof equipment may be necessary, depending upon the type of operation. See Section 8, EXPOSURE CONTROLS AND PERSONAL PROTECTION.

**Conditions for safe storage:** Store in a dry place. Store in original container. Keep container tightly closed when not in use. Do not store near food, foodstuffs, drugs or potable water supplies.

### Storage stability

1 year

Other data: Ambient

---

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

---

### Control parameters

Exposure limits are listed below, if they exist.

Component	Regulation	Type of listing	Value/Notation
Heavy aromatic naphtha	Dow IHG	TWA	100 mg/m <sup>3</sup>
	Dow IHG	STEL	300 mg/m <sup>3</sup>
Hexanol	Dow IHG	TWA	50 ppm
	US WEEL	TWA	40 ppm

Solvent naphtha (petroleum), light arom	Dow IHG	TWA	100 mg/m3	
	Dow IHG	STEL	300 mg/m3	
	OSHA Z-1	TWA	2,000 mg/m3 500 ppm	
	ACGIH	TWA	200 mg/m3 , total hydrocarbon vapor	
1,2,4-Trimethylbenzene	ACGIH	TWA	25 ppm	
1,3,5-Trimethylbenzene	ACGIH	TWA	25 ppm	
Cumene	ACGIH	TWA	50 ppm	
	OSHA Z-1	TWA	245 mg/m3 50 ppm	
	OSHA Z-1	TWA	SKIN	
	OSHA P0	TWA	245 mg/m3 50 ppm	
	CAL PEL	PEL	245 mg/m3 50 ppm	
	ACGIH	TWA	BEI	
Xylene	ACGIH	STEL	BEI	
	OSHA Z-1	TWA	435 mg/m3 100 ppm	
	ACGIH	TWA	100 ppm	
	ACGIH	STEL	150 ppm	
	Naphthalene	Dow IHG	TWA	10 ppm
		Dow IHG	TWA	SKIN
Dow IHG		STEL	15 ppm	
Dow IHG		STEL	SKIN	
ACGIH		TWA	10 ppm	
ACGIH		TWA	SKIN	
OSHA Z-1		TWA	50 mg/m3 10 ppm	

RECOMMENDATIONS IN THIS SECTION ARE FOR MANUFACTURING, COMMERCIAL BLENDING AND PACKAGING WORKERS. APPLICATORS AND HANDLERS SHOULD SEE THE PRODUCT LABEL FOR PROPER PERSONAL PROTECTIVE EQUIPMENT AND CLOTHING.

**Exposure controls**

**Engineering controls:** Use local exhaust ventilation, or other engineering controls to maintain airborne levels below exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, general ventilation should be sufficient for most operations. Local exhaust ventilation may be necessary for some operations.

**Individual protection measures**

**Eye/face protection:** Use chemical goggles.

**Skin protection**

**Hand protection:** Use gloves chemically resistant to this material. Examples of preferred glove barrier materials include: Chlorinated polyethylene. Neoprene. Nitrile/butadiene rubber ("nitrile" or "NBR"). Polyethylene. Ethyl vinyl alcohol laminate ("EVAL"). Viton. Examples of acceptable glove barrier materials include: Butyl rubber. Natural rubber ("latex"). Polyvinyl chloride ("PVC" or "vinyl"). NOTICE: The selection of a specific glove for a particular application and duration of use in a workplace should also take into account all relevant workplace factors such as, but not limited to: Other chemicals which may be handled, physical requirements (cut/puncture protection, dexterity, thermal protection), potential body reactions to glove materials, as well as the instructions/specifications provided by the glove supplier.

Use gloves chemically resistant to this material. Examples of preferred glove barrier materials include: Chlorinated polyethylene. Neoprene. Nitrile/butadiene rubber ("nitrile" or "NBR"). Polyethylene. Ethyl vinyl alcohol laminate ("EVAL"). Viton. Examples of

acceptable glove barrier materials include: Butyl rubber. Natural rubber ("latex"). Polyvinyl chloride ("PVC" or "vinyl"). **NOTICE:** The selection of a specific glove for a particular application and duration of use in a workplace should also take into account all relevant workplace factors such as, but not limited to: Other chemicals which may be handled, physical requirements (cut/puncture protection, dexterity, thermal protection), potential body reactions to glove materials, as well as the instructions/specifications provided by the glove supplier.

**Other protection:** Use protective clothing chemically resistant to this material. Selection of specific items such as face shield, boots, apron, or full body suit will depend on the task.

**Respiratory protection:** Respiratory protection should be worn when there is a potential to exceed the exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, wear respiratory protection when adverse effects, such as respiratory irritation or discomfort have been experienced, or where indicated by your risk assessment process. For most conditions no respiratory protection should be needed; however, if discomfort is experienced, use an approved air-purifying respirator. The following should be effective types of air-purifying respirators: Organic vapor cartridge with a particulate pre-filter.

---

## 9. PHYSICAL AND CHEMICAL PROPERTIES

---

<b>Appearance</b>	
<b>Physical state</b>	Liquid.
<b>Color</b>	Yellow to brown
<b>Odor</b>	Aromatic
<b>Odor Threshold</b>	No test data available
<b>pH</b>	6.73 1% <i>pH Electrode</i> (1% aqueous suspension)
<b>Melting point/range</b>	Not applicable
<b>Freezing point</b>	No test data available
<b>Boiling point (760 mmHg)</b>	No test data available
<b>Flash point</b>	<b>closed cup</b> 44.8 °C ( 112.6 °F) <i>Setaflash Closed Cup ASTM D3828</i>
<b>Evaporation Rate (Butyl Acetate = 1)</b>	No test data available
<b>Flammability (solid, gas)</b>	No data available
<b>Lower explosion limit</b>	No test data available
<b>Upper explosion limit</b>	No test data available
<b>Vapor Pressure</b>	No test data available
<b>Relative Vapor Density (air = 1)</b>	No test data available
<b>Relative Density (water = 1)</b>	No data available
<b>Water solubility</b>	emulsifiable
<b>Partition coefficient: n-octanol/water</b>	No data available
<b>Auto-ignition temperature</b>	No test data available
<b>Decomposition temperature</b>	No data available
<b>Dynamic Viscosity</b>	3.93 mPa.s at 25 °C (77 °F)
<b>Kinematic Viscosity</b>	No data available

<b>Explosive properties</b>	No data available
<b>Oxidizing properties</b>	No data available
<b>Liquid Density</b>	0.9615 g/cm <sup>3</sup> at 20 °C (68 °F) <i>Digital density meter</i>
<b>Molecular weight</b>	No data available

NOTE: The physical data presented above are typical values and should not be construed as a specification.

---

## 10. STABILITY AND REACTIVITY

---

**Reactivity:** No dangerous reaction known under conditions of normal use.

**Chemical stability:** Thermally stable at recommended temperatures and pressures.

**Possibility of hazardous reactions:** Polymerization will not occur.

**Conditions to avoid:** Exposure to elevated temperatures can cause product to decompose.

**Incompatible materials:** Avoid contact with: Oxidizers.

**Hazardous decomposition products:** Decomposition products depend upon temperature, air supply and the presence of other materials. Decomposition products can include and are not limited to: Carbon monoxide. Carbon dioxide. Hydrogen fluoride. Nitrogen oxides.

---

## 11. TOXICOLOGICAL INFORMATION

---

*Toxicological information appears in this section when such data is available.*

### Acute toxicity

#### Acute oral toxicity

Low toxicity if swallowed. Small amounts swallowed incidentally as a result of normal handling operations are not likely to cause injury; however, swallowing larger amounts may cause injury.

As product:

LD50, Rat, male, 1,612 mg/kg

As product:

LD50, Rat, female, > 2,000 - 5,000 mg/kg

#### Acute dermal toxicity

Prolonged skin contact is unlikely to result in absorption of harmful amounts.

As product:

LD50, Rabbit, > 5,000 mg/kg

#### Acute inhalation toxicity

No adverse effects are anticipated from single exposure to mist. Excessive exposure may cause irritation to upper respiratory tract (nose and throat) and lungs. Symptoms of excessive exposure may be anesthetic or narcotic effects; dizziness and drowsiness may be observed.



As product:

LC50, Rat, 4 Hour, dust/mist, > 5.19 mg/l No deaths occurred at this concentration.

**Skin corrosion/irritation**

Brief contact may cause slight skin irritation with local redness.

May cause drying and flaking of the skin.

Effects may be slow to heal.

**Serious eye damage/eye irritation**

May cause moderate eye irritation which may be slow to heal.

May cause slight corneal injury.

**Sensitization**

Did not cause allergic skin reactions when tested in guinea pigs.

For respiratory sensitization:

No relevant data found.

**Specific Target Organ Systemic Toxicity (Single Exposure)**

May cause respiratory irritation.

May cause drowsiness or dizziness.

**Specific Target Organ Systemic Toxicity (Repeated Exposure)**

For the active ingredient(s):

In animals, effects have been reported on the following organs:

Kidney.

Liver.

Gall bladder.

For the solvent(s):

In animals, effects have been reported on the following organs:

Blood.

Kidney.

Liver.

Respiratory tract.

Cataracts were observed in rats exposed to cumene vapors.

For the minor component(s):

In animals, effects have been reported on the following organs:

Kidney.

**Carcinogenicity**

For the active ingredient(s): Did not cause cancer in laboratory animals. For the minor component(s):

Has caused cancer in laboratory animals. However, the relevance of this to humans is unknown.

**Teratogenicity**

For the active ingredient(s): Has been toxic to the fetus in laboratory animals at doses toxic to the

mother. Did not cause birth defects in laboratory animals.

For the solvent(s): Has been toxic to the fetus in laboratory animals at doses toxic to the mother. Has

caused birth defects in laboratory animals only at doses producing severe toxicity in the mother.

**Reproductive toxicity**

For the active ingredient(s): In animal studies, did not interfere with reproduction. For the solvent(s): In laboratory animal studies, effects on reproduction have been seen only at doses that produced significant toxicity to the parent animals.

**Mutagenicity**

For the active ingredient(s): For the solvent(s): In vitro genetic toxicity studies were negative. Animal genetic toxicity studies were negative.

**Aspiration Hazard**

May be fatal if swallowed and enters airways.

**Carcinogenicity**

Component	List	Classification
Cumene	IARC	Group 2B: Possibly carcinogenic to humans
	US NTP	Reasonably anticipated to be a human carcinogen
Naphthalene	IARC	Group 2B: Possibly carcinogenic to humans
	US NTP	Reasonably anticipated to be a human carcinogen
	ACGIH	A3: Confirmed animal carcinogen with unknown relevance to humans.

---

## 12. ECOLOGICAL INFORMATION

---

*Ecotoxicological information appears in this section when such data is available.*

**Toxicity****Cyhalofop-butyl****Acute toxicity to fish**

Material is highly toxic to aquatic organisms on an acute basis (LC50/EC50 between 0.1 and 1 mg/L in the most sensitive species tested).

LC50, Lepomis macrochirus (Bluegill sunfish), flow-through test, 96 Hour, 0.76 mg/l, OECD Test Guideline 203

**Acute toxicity to aquatic invertebrates**

EC50, Daphnia magna (Water flea), 48 Hour, > 2.7 mg/l, OECD Test Guideline 202

EC50, eastern oyster (Crassostrea virginica), flow-through test, 96 Hour, 0.52 mg/l

**Acute toxicity to algae/aquatic plants**

EbC50, Pseudokirchneriella subcapitata (green algae), 96 Hour, Biomass, > 1 mg/l

**Toxicity to bacteria**

EC50, activated sludge, > 100 mg/l

**Chronic toxicity to fish**

NOEC, Pimephales promelas (fathead minnow), flow-through test, 28 d, survival, 0.134 mg/l

LOEC, Pimephales promelas (fathead minnow), flow-through test, 28 d, survival, 0.287 mg/l

MATC (Maximum Acceptable Toxicant Level), Pimephales promelas (fathead minnow), flow-through test, 28 d, survival, 0.196 mg/l

**Chronic toxicity to aquatic invertebrates**

NOEC, Daphnia magna (Water flea), flow-through test, 21 d, growth, 0.0474 mg/l

**Toxicity to Above Ground Organisms**

Material is practically non-toxic to birds on an acute basis (LD50 > 2000 mg/kg).

Material is practically non-toxic to birds on a dietary basis (LC50 > 5000 ppm).

oral LD50, Anas platyrhynchos (Mallard duck), > 2250mg/kg bodyweight.

dietary LC50, Anas platyrhynchos (Mallard duck), 8 d, > 5620mg/kg diet.

oral LD50, Apis mellifera (bees), 48 Hour, > 100µg/bee

contact LD50, Apis mellifera (bees), > 100µg/bee

**Toxicity to soil-dwelling organisms**

LC50, Eisenia fetida (earthworms), 7 d, > 1,120 mg/kg

**Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts**

**Acute toxicity to fish**

Material is slightly toxic to aquatic organisms on an acute basis (LC50/EC50 between 10 and 100 mg/L in the most sensitive species tested).

For similar material(s):

LC50, zebra fish (Brachydanio rerio), 96 Hour, 31.6 mg/l

**Acute toxicity to aquatic invertebrates**

EC50, Daphnia magna (Water flea), 48 Hour, 62 mg/l

**Acute toxicity to algae/aquatic plants**

For similar material(s):

ErC50, Selenastrum capricornutum (green algae), 96 Hour, Growth rate inhibition, 29 mg/l

**Toxicity to bacteria**

For similar material(s):

EC50, activated sludge, 3 Hour, Respiration rates., 550 mg/l

**Chronic toxicity to fish**

For similar material(s):

NOEC, Rainbow trout (Salmo gairdneri), 72 d, survival, 0.23 mg/l

**Chronic toxicity to aquatic invertebrates**

For similar material(s):

NOEC, Daphnia magna (Water flea), 21 d, number of offspring, 1.18 mg/l

**Heavy aromatic naphtha**

**Acute toxicity to fish**

Material is slightly toxic to aquatic organisms on an acute basis (LC50/EC50 between 10 and 100 mg/L in the most sensitive species tested).

LC50, Gambusia affinis (Mosquito fish), 96 Hour, 811 mg/l

**Acute toxicity to algae/aquatic plants**

EC50, Algae, 72 Hour, 21 - 165 mg/l

**Hexanol**

**Acute toxicity to fish**

Material is slightly toxic to aquatic organisms on an acute basis (LC50/EC50 between 10 and 100 mg/L in the most sensitive species tested).

LC50, Pimephales promelas (fathead minnow), flow-through test, 96 Hour, 97.2 mg/l, Other guidelines

**Acute toxicity to aquatic invertebrates**

EC50, Daphnia magna (Water flea), static test, 24 Hour, 201 mg/l, OECD Test Guideline 202 or Equivalent

**Acute toxicity to algae/aquatic plants**

ErC50, Pseudokirchneriella subcapitata (green algae), static test, 72 Hour, Growth rate inhibition, 79.7 mg/l, OECD Test Guideline 201 or Equivalent

**Toxicity to bacteria**

EC50, Protozoa, 48 Hour, 300.4 mg/l

**Solvent naphtha (petroleum), light arom**

**Acute toxicity to fish**

Material is moderately toxic to aquatic organisms on an acute basis (LC50/EC50 between 1 and 10 mg/L in the most sensitive species tested).

LC50, Oncorhynchus mykiss (rainbow trout), static test, 96 Hour, 9.22 mg/l, OECD Test Guideline 203 or Equivalent

**Toxicity to Above Ground Organisms**

Material is practically non-toxic to birds on an acute basis (LD50 > 2000 mg/kg).

Material is practically non-toxic to birds on a dietary basis (LC50 > 5000 ppm).

dietary LC50, Colinus virginianus (Bobwhite quail), 8 d, > 6500mg/kg diet.

oral LD50, Colinus virginianus (Bobwhite quail), 21 d, > 2150mg/kg bodyweight.

**1,2,4-Trimethylbenzene**

**Acute toxicity to fish**

Material is moderately toxic to aquatic organisms on an acute basis (LC50/EC50 between 1 and 10 mg/L in the most sensitive species tested).

LC50, Pimephales promelas (fathead minnow), flow-through test, 96 Hour, 7.7 mg/l

**Acute toxicity to aquatic invertebrates**

EC50, Daphnia magna (Water flea), 48 Hour, 3.6 mg/l

**1,3,5-Trimethylbenzene**

**Acute toxicity to fish**

Material is moderately toxic to aquatic organisms on an acute basis (LC50/EC50 between 1 and 10 mg/L in the most sensitive species tested).

LC50, Carassius auratus (goldfish), flow-through test, 96 Hour, 12.5 mg/l, Method Not Specified.

**Acute toxicity to aquatic invertebrates**

EC50, Daphnia magna (Water flea), Static, 48 Hour, 6 mg/l, OECD Test Guideline 202 or Equivalent

**Acute toxicity to algae/aquatic plants**

EbC50, Desmodesmus subspicatus (green algae), 48 Hour, Biomass, 25 mg/l, OECD Test Guideline 201 or Equivalent

**Chronic toxicity to aquatic invertebrates**

NOEC, Daphnia magna (Water flea), semi-static test, 21 d, number of offspring, 0.4 mg/l

### Cumene

#### **Acute toxicity to fish**

Material is moderately toxic to aquatic organisms on an acute basis (LC50/EC50 between 1 and 10 mg/L in the most sensitive species tested).

LC50, Oncorhynchus mykiss (rainbow trout), semi-static test, 96 Hour, 2.7 mg/l, OECD Test Guideline 203 or Equivalent

#### **Acute toxicity to aquatic invertebrates**

EC50, Daphnia magna (Water flea), static test, 48 Hour, 4.0 mg/l, OECD Test Guideline 202 or Equivalent

#### **Acute toxicity to algae/aquatic plants**

EbC50, Pseudokirchneriella subcapitata (green algae), static test, 72 Hour, Biomass, 2.6 mg/l, OECD Test Guideline 201 or Equivalent

#### **Chronic toxicity to aquatic invertebrates**

NOEC, Daphnia magna (Water flea), semi-static test, 21 d, number of offspring, 0.35 mg/l

#### **Toxicity to Above Ground Organisms**

oral LD50, redwing blackbird (Agelaius phoeniceus), > 98 mg/kg

### Xylene

#### **Acute toxicity to fish**

Material is moderately toxic to aquatic organisms on an acute basis (LC50/EC50 between 1 and 10 mg/L in the most sensitive species tested).

LC50, Oncorhynchus mykiss (rainbow trout), semi-static test, 96 Hour, 2.6 mg/l, OECD Test Guideline 203 or Equivalent

#### **Acute toxicity to aquatic invertebrates**

IC50, Daphnia magna (Water flea), 24 Hour, 1 - 4.7 mg/l, OECD Test Guideline 202 or Equivalent

#### **Acute toxicity to algae/aquatic plants**

ErC50, Pseudokirchneriella subcapitata (algae), Static, 73 Hour, Growth rate, 4.36 mg/l, OECD Test Guideline 201 or Equivalent

NOEC, Pseudokirchneriella subcapitata (green algae), 73 Hour, Growth rate, 0.44 mg/l, OECD Test Guideline 201 or Equivalent

#### **Chronic toxicity to fish**

NOEC, Oncorhynchus mykiss (rainbow trout), flow-through, 56 d, mortality, > 1.3 mg/l

### Naphthalene

#### **Acute toxicity to fish**

Material is highly toxic to aquatic organisms on an acute basis (LC50/EC50 between 0.1 and 1 mg/L in the most sensitive species tested).

LC50, Oncorhynchus mykiss (rainbow trout), 96 Hour, 0.11 mg/l

#### **Acute toxicity to aquatic invertebrates**

EC50, Daphnia magna (Water flea), static test, 48 Hour, 1.6 - 24.1 mg/l

#### **Acute toxicity to algae/aquatic plants**

ErC50, Skeletonema costatum (marine diatom), Growth rate inhibition, 72 Hour, 0.4 mg/l

**Chronic toxicity to fish**

NOEC, Other, flow-through, 40 d, mortality, 0.37 mg/l

**Persistence and degradability****Cyhalofop-butyl**

**Biodegradability:** Based on stringent OECD test guidelines, this material cannot be considered as readily biodegradable; however, these results do not necessarily mean that the material is not biodegradable under environmental conditions.

10-day Window: Fail

**Biodegradation:** 40 %**Exposure time:** 29 d**Method:** OECD Test Guideline 301B or Equivalent**Theoretical Oxygen Demand:** 1.93 mg/mg**Stability in Water (1/2-life)**

, 7 d

**Photodegradation****Atmospheric half-life:** 5.88 Hour**Method:** Measured**Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts****Biodegradability:** 10-day Window: Fail**Biodegradation:** 2.9 %**Exposure time:** 28 d**Method:** OECD Test Guideline 301E or Equivalent**Heavy aromatic naphtha****Biodegradability:** Material is not readily biodegradable according to OECD/EEC guidelines.**Hexanol****Biodegradability:** Material is readily biodegradable. Passes OECD test(s) for ready biodegradability.

10-day Window: Pass

**Biodegradation:** 61 %**Exposure time:** 30 d**Method:** OECD Test Guideline 301D or Equivalent

10-day Window: Pass

**Biodegradation:** 77 %**Exposure time:** 30 d**Method:** OECD Test Guideline 301D or Equivalent**Solvent naphtha (petroleum), light arom**

**Biodegradability:** For the major component(s): Biodegradation under aerobic static laboratory conditions is high (BOD<sub>20</sub> or BOD<sub>28</sub>/ThOD > 40%). For some component(s): Biodegradation under aerobic static laboratory conditions is low (BOD<sub>20</sub> or BOD<sub>28</sub>/ThOD between 2.5 and 10%).

**1,2,4-Trimethylbenzene**

**Biodegradability:** Material is expected to biodegrade very slowly (in the environment). Fails to pass OECD/EEC tests for ready biodegradability.

10-day Window: Not applicable

**Biodegradation:** 4 - 18 %

**Exposure time:** 28 d

**Method:** OECD Test Guideline 301C or Equivalent

**Theoretical Oxygen Demand:** 3.19 mg/mg

**Photodegradation**

**Test Type:** Half-life (indirect photolysis)

**Sensitizer:** OH radicals

**Atmospheric half-life:** 0.641 d

**Method:** Estimated.

**1,3,5-Trimethylbenzene**

**Biodegradability:** Based on stringent OECD test guidelines, this material cannot be considered as readily biodegradable; however, these results do not necessarily mean that the material is not biodegradable under environmental conditions.

10-day Window: Not applicable

**Biodegradation:** 0 %

**Exposure time:** 28 d

**Method:** OECD Test Guideline 301C or Equivalent

10-day Window: Not applicable

**Biodegradation:** 50 %

**Exposure time:** 4.4 d

**Method:** Calculated.

**Theoretical Oxygen Demand:** 3.19 mg/mg

**Photodegradation**

**Test Type:** Half-life (indirect photolysis)

**Sensitizer:** OH radicals

**Atmospheric half-life:** 3.7 Hour

**Method:** Estimated.

**Cumene**

**Biodegradability:** Material is readily biodegradable. Passes OECD test(s) for ready biodegradability.

10-day Window: Pass

**Biodegradation:** 86 %

**Exposure time:** 28 d

**Method:** OECD Test Guideline 301D or Equivalent

**Theoretical Oxygen Demand:** 3.20 mg/mg Estimated.

**Biological oxygen demand (BOD)**

Incubation Time	BOD
5 d	40%
10 d	62%
20 d	70%

**Photodegradation****Test Type:** Half-life (indirect photolysis)**Sensitizer:** OH radicals**Atmospheric half-life:** 1.55 d**Method:** Estimated.**Xylene****Biodegradability:** Material is expected to be readily biodegradable.

10-day Window: Pass

**Biodegradation:** > 60 %**Exposure time:** 10 d**Method:** OECD Test Guideline 301F or Equivalent**Theoretical Oxygen Demand:** 3.17 mg/mg**Biological oxygen demand (BOD)**

Incubation Time	BOD
5 d	37.000 %
10 d	58.000 %
20 d	72.000 %

**Photodegradation****Test Type:** Half-life (indirect photolysis)**Sensitizer:** OH radicals**Atmospheric half-life:** 19.7 Hour**Method:** Estimated.**Naphthalene****Biodegradability:** Biodegradation under aerobic static laboratory conditions is high (BOD20 or BOD28/ThOD > 40%).**Theoretical Oxygen Demand:** 3.00 mg/mg**Biological oxygen demand (BOD)**

Incubation Time	BOD
5 d	57.000 %
10 d	71.000 %
20 d	71.000 %

**Photodegradation****Test Type:** Half-life (indirect photolysis)**Sensitizer:** OH radicals**Atmospheric half-life:** 5.9 Hour**Method:** Estimated.**Bioaccumulative potential**



**Cyhalofop-butyl**

**Bioaccumulation:** Bioconcentration potential is low (BCF < 100 or Log Pow < 3).

**Partition coefficient: n-octanol/water(log Pow):** 3.32 Measured

**Bioconcentration factor (BCF):** < 7 Fish 28 d Measured

**Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts**

**Bioaccumulation:** Bioconcentration potential is moderate (BCF between 100 and 3000 or Log Pow between 3 and 5).

**Partition coefficient: n-octanol/water(log Pow):** 4.6 OECD Test Guideline 107 or Equivalent

**Heavy aromatic naphtha**

**Bioaccumulation:** For similar material(s): Bioconcentration potential is high (BCF > 3000 or Log Pow between 5 and 7).

**Hexanol**

**Bioaccumulation:** Bioconcentration potential is low (BCF < 100 or Log Pow < 3).

**Partition coefficient: n-octanol/water(log Pow):** 1.8 Measured

**Solvent naphtha (petroleum), light arom**

**Bioaccumulation:** For the major component(s): Bioconcentration potential is moderate (BCF between 100 and 3000 or Log Pow between 3 and 5). For the minor component(s): Bioconcentration potential is low (BCF < 100 or Log Pow < 3).

**1,2,4-Trimethylbenzene**

**Bioaccumulation:** Bioconcentration potential is moderate (BCF between 100 and 3000 or Log Pow between 3 and 5).

**Partition coefficient: n-octanol/water(log Pow):** 3.63 Measured

**Bioconcentration factor (BCF):** 33 - 275 Cyprinus carpio (Carp) 56 d Measured

**1,3,5-Trimethylbenzene**

**Bioaccumulation:** Bioconcentration potential is moderate (BCF between 100 and 3000 or Log Pow between 3 and 5).

**Partition coefficient: n-octanol/water(log Pow):** 3.42 Measured

**Bioconcentration factor (BCF):** 161 Pimephales promelas (fathead minnow) Measured

**Cumene**

**Bioaccumulation:** Bioconcentration potential is low (BCF < 100 or Log Pow < 3).

**Partition coefficient: n-octanol/water(log Pow):** 3.4 - 3.7 Measured

**Bioconcentration factor (BCF):** 35.5 Fish Measured

**Xylene**

**Bioaccumulation:** Bioconcentration potential is low (BCF < 100 or Log Pow < 3).

**Partition coefficient: n-octanol/water(log Pow):** 3.12 Measured

**Bioconcentration factor (BCF):** 25.9 Rainbow trout (Salmo gairdneri) Measured

**Naphthalene**

**Bioaccumulation:** Bioconcentration potential is moderate (BCF between 100 and 3000 or Log Pow between 3 and 5).

**Partition coefficient: n-octanol/water(log Pow):** 3.3 Measured

**Bioconcentration factor (BCF):** 40 - 300 Fish 28 d Measured

**Mobility in soil**

**Cyhalofop-butyl**

Expected to be relatively immobile in soil (Koc > 5000).

**Partition coefficient (Koc):** 5247 Measured

**Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts**

No relevant data found.

**Heavy aromatic naphtha**

No relevant data found.

**Hexanol**

Potential for mobility in soil is very high (Koc between 0 and 50).

**Partition coefficient (Koc):** 8.3

**Solvent naphtha (petroleum), light arom**

For the major component(s):

Potential for mobility in soil is low (Koc between 500 and 2000).

**1,2,4-Trimethylbenzene**

Potential for mobility in soil is low (Koc between 500 and 2000).

**Partition coefficient (Koc):** 720 Estimated.

**1,3,5-Trimethylbenzene**

Potential for mobility in soil is low (Koc between 500 and 2000).

**Partition coefficient (Koc):** 741.65 Estimated.

**Cumene**

Potential for mobility in soil is low (Koc between 500 and 2000).

**Partition coefficient (Koc):** 800 - 2800 Estimated.

**Xylene**

Potential for mobility in soil is medium (Koc between 150 and 500).

**Partition coefficient (Koc):** 443 Estimated.

**Naphthalene**

Potential for mobility in soil is medium (Koc between 150 and 500).

**Partition coefficient (Koc):** 240 - 1300 Measured

---

**13. DISPOSAL CONSIDERATIONS**

---

**Disposal methods:** If wastes and/or containers cannot be disposed of according to the product label directions, disposal of this material must be in accordance with your local or area regulatory authorities. This information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. If the material as supplied becomes a waste, follow all applicable regional, national and local laws.

---

## 14. TRANSPORT INFORMATION

---

**DOT**

<b>Proper shipping name</b>	Petroleum products, n.o.s.(Solvent naphtha (petroleum), light aromatic, 1,2,4-Trimethylbenzene)
<b>UN number</b>	UN 1268
<b>Class</b>	3
<b>Packing group</b>	III
<b>Reportable Quantity</b>	Xylene

**Classification for SEA transport (IMO-IMDG):**

<b>Proper shipping name</b>	PETROLEUM PRODUCTS, N.O.S.(Solvent naphtha (petroleum), light aromatic, 1,2,4-Trimethylbenzene)
<b>UN number</b>	UN 1268
<b>Class</b>	3
<b>Packing group</b>	III
<b>Marine pollutant</b>	Solvent naphtha (petroleum), light aromatic, Cyhalofop-butyl
<b>Transport in bulk according to Annex I or II of MARPOL 73/78 and the IBC or IGC Code</b>	Consult IMO regulations before transporting ocean bulk

**Classification for AIR transport (IATA/ICAO):**

<b>Proper shipping name</b>	Petroleum products, n.o.s.(Solvent naphtha (petroleum), light aromatic, 1,2,4-Trimethylbenzene)
<b>UN number</b>	UN 1268
<b>Class</b>	3
<b>Packing group</b>	III

This information is not intended to convey all specific regulatory or operational requirements/information relating to this product. Transportation classifications may vary by container volume and may be influenced by regional or country variations in regulations. Additional transportation system information can be obtained through an authorized sales or customer service representative. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material.

---

## 15. REGULATORY INFORMATION

---

**OSHA Hazard Communication Standard**

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

**Superfund Amendments and Reauthorization Act of 1986 Title III (Emergency Planning and Community Right-to-Know Act of 1986) Sections 311 and 312**

Fire Hazard  
Acute Health Hazard  
Chronic Health Hazard

**Superfund Amendments and Reauthorization Act of 1986 Title III (Emergency Planning and Community Right-to-Know Act of 1986) Section 313**

<b>Components</b>	<b>CASRN</b>
Cumene	98-82-8
1,2,4-Trimethylbenzene	95-63-6

**Pennsylvania Worker and Community Right-To-Know Act:**

The following chemicals are listed because of the additional requirements of Pennsylvania law:

<b>Components</b>	<b>CASRN</b>
Hexanol	111-27-3
1,2,4-Trimethylbenzene	95-63-6
1,3,5-Trimethylbenzene	108-67-8
Cumene	98-82-8

**California Proposition 65 (Safe Drinking Water and Toxic Enforcement Act of 1986)**

WARNING: This product contains a chemical(s) known to the State of California to cause cancer.

**California Proposition 65 (Safe Drinking Water and Toxic Enforcement Act of 1986)**

WARNING: This product contains a chemical(s) known to the State of California to cause birth defects or other reproductive harm.

**United States TSCA Inventory (TSCA)**

This product contains chemical substance(s) exempt from U.S. EPA TSCA Inventory requirements. It is regulated as a pesticide subject to Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) requirements.

**Federal Insecticide, Fungicide and Rodenticide Act**

EPA Registration Number: 62719-356

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

**WARNING**

Causes substantial but temporary eye injury  
 Causes skin irritation  
 Harmful if swallowed

---

**16. OTHER INFORMATION**

---

**Hazard Rating System**

**NFPA**

Health	Fire	Reactivity
1	2	0

**Revision**

Identification Number: 101194575 / A211 / Issue Date: 08/30/2016 / Version: 5.1

DAS Code: NAF-541

Most recent revision(s) are noted by the bold, double bars in left-hand margin throughout this document.

### Legend

ACGIH	USA. ACGIH Threshold Limit Values (TLV)
BEI	Biological Exposure Indices
CAL PEL	California permissible exposure limits for chemical contaminants (Title 8, Article 107)
Dow IHG	Dow Industrial Hygiene Guideline
OSHA P0	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000
OSHA Z-1	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
PEL	Permissible exposure limit
SKIN	Absorbed via skin
STEL	Short term exposure limit
TWA	Time weighted average
US WEEL	USA. Workplace Environmental Exposure Levels (WEEL)

### Information Source and References

This SDS is prepared by Product Regulatory Services and Hazard Communications Groups from information supplied by internal references within our company.

DOW AGROSCIENCES LLC urges each customer or recipient of this (M)SDS to study it carefully and consult appropriate expertise, as necessary or appropriate, to become aware of and understand the data contained in this (M)SDS and any hazards associated with the product. The information herein is provided in good faith and believed to be accurate as of the effective date shown above. However, no warranty, express or implied, is given. Regulatory requirements are subject to change and may differ between various locations. It is the buyer's/user's responsibility to ensure that his activities comply with all federal, state, provincial or local laws. The information presented here pertains only to the product as shipped. Since conditions for use of the product are not under the control of the manufacturer, it is the buyer's/user's duty to determine the conditions necessary for the safe use of this product. Due to the proliferation of sources for information such as manufacturer-specific (M)SDSs, we are not and cannot be responsible for (M)SDSs obtained from any source other than ourselves. If you have obtained an (M)SDS from another source or if you are not sure that the (M)SDS you have is current, please contact us for the most current version.