



# PISTACHIO NUT MIX

*A Formulation for the Correction of Copper, Magnesium, and Zinc Deficiencies in Crops*

### GENERAL INFORMATION

CM PISTACHIO NUT MIX is formulated for tree nut crops as well as field, vegetable, row, fruit, tree, vine, ornamental and turf crops.

CM PISTACHIO NUT MIX may be applied through drip systems, aircraft, or by ground sprayers (high-volume or low-volume).

CM PISTACHIO NUT MIX may be applied alone or with fertilizers or pesticides. It can be applied either to the plant foliage or to the soil.

CM PISTACHIO NUT MIX is compatible with most pesticides and fertilizers. However, a compatibility test is recommended if the desired combination has not been used in the past.

### SHAKE WELL BEFORE USING

Information regarding content and level of metals in this product is available by calling (800) 355-4457.

### CONDITIONS OF SALE:

Follow directions carefully. Timing and method of application, weather and crop conditions, mixture with other chemicals not specifically recommended and other influencing factors in the use of the product are beyond the control of the manufacturer. Buyer assumes all risk

### MANUFACTURED BY:

CUSTOM AGRICULTURAL FORMULATORS  
P.O. BOX 26104, FRESNO, CA 93729

### GUARANTEED ANALYSIS

Magnesium(Mg).....	2.0%
Sulfur (S).....	5.7%
Copper (Cu).....	2.0%
Zinc(Zn).....	1.0%
<b>Derived from Copper, Magnesium, and Zinc Lignosulfonates.</b>	
Weight per gal.: 10.00lbs. @ 68°F	1.2 kg/ltr @ 20°C

### DIRECTIONS FOR USE

Always add this product to spray tank before adding a pesticide.

### RATES FOR ALL CROPS

#### Foliar Application:

Apply 2 to 4 quarts/ acre as needed on a 10- 14 day schedule.

When rates of over 2 quarts are required, split applications are recommended.

**Avoid** foliar applications of CM PISTACHIO NUT MIX when plants are under stress due to lack of moisture. **AVOID FOLIAR APPLICATION ON DECIDUOUS TREE CROPS DURING BLOOM PERIOD.**

#### Soil Application:

For fertilizer maintenance apply 1-3 quarts per acre

For mild deficiency apply 2-6 quarts per acre

For high deficiency apply 1 - 3 gals per acre.

#### Aerial Application:

Apply 1 quart of this product per 5 to 10 gallons of water per acre.

#### Drip Irrigation Application:

Apply the suggested rate of this product in multiple applications 10 -14 days apart throughout the growing season of the crop.

### KEEP OUT OF REACH OF CHILDREN

## WARNING



### PRECAUTIONARY STATEMENTS

**WARNING** Hazardous to humans and animals. Causes eye and skin irritations. When mixing or applying agricultural sprays, always wear spray goggles and impervious gloves plus protective clothing as recommended on pesticide labels.

### FIRST AID

If this product gets into the eyes, immediately wash the eyes with large amounts of water for at least 15 minutes, occasionally lifting the upper and lower lids. Obtain immediate medical treatment. If this product gets on the skin, immediately wash the contaminated area. Seek medical attention if skin irritation persists. If this product has been swallowed and the person is conscious, immediately give large volumes of water. Do not induce vomiting. Seek immediate medical attention.

### STORAGE AND DISPOSAL

**Do not contaminate water, food or feed by storage or disposal. Follow all governmental procedures for the disposal of pesticide spray solutions. Rinse container; empty rinsate into spray tank. Dispose of empty container according to approved local practices. Contact county agricultural commissioner for disposal information.**