FIFRA Section 2(ee) Recommendation

This recommendation is made as permitted under FIFRA Section 2(ee) and has not been submitted to or approved by the EPA.

TOLFENPYRAD GROUP 21A INSECTICIDE GROUP 39 FUNGICIDE



EPA Reg. No. 71711-36

For Use On: Diaprepes in Citrus

Application Method: Ground Only

State(s): Florida

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This labeling and the EPA approved container label must be in the possession of the user at the time of application. Read the label affixed to the container for APTA® Insecticide before applying. Use of APTA Insecticide according to this labeling is subject to the use precautions and limitations imposed by the label affixed to the container for APTA Insecticide.

Citrus		
Pest	Rate/Acre	Directions for Use
Diaprepes	21.0 to 27.0 fl oz/acre	For high air velocity, low volume or air curtain sprayers, apply using a minimum of 30 gallons of water per acre.
	(0.22 to 0.28 lb ai/acre)	 USE RESTRICTIONS Do not apply by air on citrus fruit. Apply by ground only, using a minimum of 100 gallons of water per acre. Do not use on nursery stock. Do not apply more than 27.0 fluid ounces (0.28 lb ai) per acre per growing season. Do not make more than 1 application per growing season. Do not make more than 2 applications per year. Preharvest Interval (PHI): 3 days

©2019 Nichino America, Inc. APTA and Nichino America logo are registered trademarks of Nichino America, Inc.



Nichino America, Inc. 4550 Linden Hill Road, Suite 501 Wilmington, DE 19808 888-740-7700