

1/12

**TRILEX® 2000** 

Version 5.0 / USA 102000020382

Revision Date: 05/21/2024 Print Date: 05/23/2024

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

**Product identifier** 

Trade name TRILEX® 2000

Product code (UVP) 85410563

**SDS Number** 102000020382

**EPA Registration No.** 264-1068

Relevant identified uses of the substance or mixture and uses advised against

**Use** Seed treatment, Fungicide

**Restrictions on use**See product label for restrictions.

Information on supplier

**Supplier** Bayer CropScience LP

800 North Lindbergh Blvd. St. Louis, MO 63167

USA

Responsible Department Email: SDSINFO.BCS-NA@bayer.com

Emergency telephone no.

Emergency Telephone Number (24hr/ 7 days) 1-800-334-7577

Product Information Telephone Number

1-866-99BAYER (1-866-992-2937)

#### **SECTION 2: HAZARDS IDENTIFICATION**

Classification in accordance with regulation HCS 29CFR §1910.1200

Acute toxicity(Inhalation): Category 4

Reproductive toxicity: Effects on or via lactation

Labelling in accordance with regulation HCS 29CFR §1910.1200



Signal word: Warning Hazard statements



TRILEX® 2000 2/1

 Version 5.0 / USA
 Revision Date: 05/21/2024

 102000020382
 Print Date: 05/23/2024

Harmful if inhaled.

May cause harm to breast-fed children.

## **Precautionary statements**

Obtain special instructions before use.

Do not breathe dust or mist.

Avoid contact during pregnancy/ while nursing. Use only outdoors or in a well-ventilated area.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Call a POISON CENTER/doctor/physician if you feel unwell.

IF exposed or concerned: Get medical advice/ attention.

#### **Hazards Not Otherwise Classified (HNOC)**

No physical hazards not otherwise classified. No health hazards not otherwise classified.

#### **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

Hazardous Component Name	CAS-No.	Concentration % by weight		
Trifloxystrobin	141517-21-7	7.12		
Metalaxyl	57837-19-1	5.69		

#### **SECTION 4: FIRST AID MEASURES**

## **Description of first aid measures**

**General advice** When possible, have the product container or label with you when

calling a poison control center or doctor or going for treatment.

**Inhalation** Move to fresh air. If person is not breathing, call 911 or an ambulance,

then give artificial respiration, preferably mouth-to-mouth if possible.

Call a physician or poison control center immediately.

**Skin contact** Wash off immediately with plenty of water for at least 15 minutes. Take

off contaminated clothing and shoes immediately. Call a physician or

poison control center immediately.

**Eye contact** Hold eye open and rinse slowly and gently with water for 15-20

minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center

immediately.

**Ingestion** Call a physician or poison control center immediately. Rinse out mouth

and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim

unattended.

Most important symptoms and effects, both acute and delayed



**TRILEX® 2000** 

Version 5.0 / USA 102000020382

Revision Date: 05/21/2024 Print Date: 05/23/2024

**Symptoms** To date no symptoms are known.

Indication of any immediate medical attention and special treatment needed

Appropriate supportive and symptomatic treatment as indicated by the **Treatment** 

patient's condition is recommended.

## **SECTION 5: FIREFIGHTING MEASURES**

**Extinguishing media** 

Suitable Use water spray, alcohol-resistant foam, dry chemical or carbon

dioxide.

Unsuitable High volume water jet

Special hazards arising from the substance or

mixture

Dangerous gases are evolved in the event of a fire.

Advice for firefighters

Special protective

In the event of fire and/or explosion do not breathe fumes. Firefighters equipment for firefighters should wear NIOSH approved self-contained breathing apparatus and

full protective clothing.

**Further information** Keep out of smoke. Fight fire from upwind position. Cool closed

containers exposed to fire with water spray. Do not allow run-off from

fire fighting to enter drains or water courses.

Specific hazards from the substance or mixture which can increase the fire

Flash point No data available **Auto-ignition temperature** No data available Lower explosion limit No data available No data available **Upper explosion limit Explosivity** Not applicable



**TRILEX® 2000** 

Version 5.0 / USA 102000020382

Revision Date: 05/21/2024 Print Date: 05/23/2024

#### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures

**Precautions** Keep unauthorized people away. Isolate hazard area. Avoid contact

with spilled product or contaminated surfaces.

Methods and materials for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid Methods for cleaning up

binder, universal binder, sawdust). Collect and transfer the product

into a properly labelled and tightly closed container. Clean

contaminated floors and objects thoroughly, observing environmental

regulations.

Additional advice Use personal protective equipment. If the product is accidentally

spilled, do not allow to enter soil, waterways or waste water canal.

Reference to other sections Information regarding safe handling, see section 7.

Information regarding personal protective equipment, see section 8.

Information regarding waste disposal, see section 13.

#### **SECTION 7: HANDLING AND STORAGE**

Precautions for safe handling

Advice on safe handling Use only in area provided with appropriate exhaust ventilation. Handle

and open container in a manner as to prevent spillage.

Advice on protection against fire and explosion

Keep away from heat and sources of ignition.

Hygiene measures Wash hands thoroughly with soap and water after handling and before

eating, drinking, chewing gum, using tobacco, using the toilet or

applying cosmetics.

Remove Personal Protective Equipment (PPE) immediately after handling this product. Remove soiled clothing immediately and clean thoroughly before using again. Wash thoroughly and put on clean

clothing.

Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Store in a cool, dry place and in such a manner as to prevent cross contamination with other crop protection products, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area. Keep away from direct sunlight.

**Advice on common storage** Keep away from food, drink and animal feedingstuffs.

## **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### **Control parameters**



# **TRILEX® 2000**

 Version 5.0 / USA
 Revision Date: 05/21/2024

 102000020382
 Print Date: 05/23/2024

Components	CAS-No.	Control parameters	Update	Basis
Trifloxystrobin	141517-21-7	2.7 mg/m3		OES BCS*
		(SK-SEN)		

<sup>\*</sup>OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

## **Exposure controls**

#### Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

**Respiratory protection** When respirators are required, select NIOSH approved equipment

based on actual or potential airborne concentrations and in

accordance with the appropriate regulatory standards and/or industry

recommendations.

**Hand protection** Chemical-resistant gloves (barrier laminate, butyl rubber, nitrile

rubber or Viton)

**Eye protection** Tightly fitting safety goggles

**Skin and body protection** Wear long-sleeved shirt and long pants and shoes plus socks.

General protective measures Follow manufacturer's instructions for cleaning/maintaining PPE. If

no such instructions for washables, use detergent and warm/tepid

water.

Keep and wash PPE separately from other laundry.

## **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

#### Information on basic physical and chemical properties

Form suspension

**Colour** white to light beige

**Odour** characteristic

Odour Threshold No data available

**pH** 6.3 - 7.8 (100 %) (23 °C)

Melting point/range No data available

**Boiling Point** 

No data available

Flash point
No data available

Minimum ignition energy Not applicable

Self-accelarating No data available



**TRILEX® 2000** 

Version 5.0 / USA 102000020382

Revision Date: 05/21/2024 Print Date: 05/23/2024

decomposition temperature

(SADT)

Upper explosion limit

Lower explosion limit

No data available

Vapour pressure

No data available

Water solubility dispersible

Partition coefficient: n-

octanol/water

Trifloxystrobin: log Pow: 4.5 (25 °C)

Viscosity, dynamic
Viscosity, kinematic
Oxidizing properties
No data available
No data available
No data available
Not applicable

**Other information** Further safety related physical-chemical data are not known.

#### **SECTION 10: STABILITY AND REACTIVITY**

**Reactivity** Stable under normal conditions.

**Chemical stability** Stable under recommended storage conditions.

Possibility of hazardous

reactions

No hazardous reactions when stored and handled according to

prescribed instructions.

**Conditions to avoid** Extremes of temperature and direct sunlight.

Incompatible materials Strong acids, Strong bases, Oxidizing agents

**Hazardous decomposition** 

products

No decomposition products expected under normal conditions of use.

## **SECTION 11: TOXICOLOGICAL INFORMATION**

**Exposure routes** Eye contact, Inhalation, Skin contact, Ingestion



TRILEX® 2000

Version 5.0 / USA 102000020382

Revision Date: 05/21/2024 Print Date: 05/23/2024

**Immediate Effects** 

Eye May cause temporary eye irritation.

Skin May be harmful in contact with skin.

**Ingestion** May be harmful if swallowed.

Inhalation Harmful if inhaled.

Information on toxicological effects

Acute oral toxicity LD50 (female Rat) > 2,000 mg/kg

Acute inhalation toxicity LC50 (Rat) > 2.59 mg/l

Exposure time: 4 h

Determined in the form of liquid aerosol.

highest concentration tested

No deaths

Acute dermal toxicityLD50 (Rat) > 5,000 mg/kgSkin corrosion/irritationslight irritation (Rabbit)

Serious eye damage/eye

irritation

Minimally irritating. (Rabbit)

**Respiratory or skin** Skin: Non-sensitizing. (Guinea pig) sensitisation OECD Test Guideline 406, Buehler test

#### Assessment STOT Specific target organ toxicity - single exposure

Trifloxystrobin: Based on available data, the classification criteria are not met. Metalaxyl: Based on available data, the classification criteria are not met.

#### Assessment STOT Specific target organ toxicity - repeated exposure

Trifloxystrobin did not cause specific target organ toxicity in experimental animal studies. Metalaxyl did not cause specific target organ toxicity in experimental animal studies.

## Assessment mutagenicity

Trifloxystrobin was not mutagenic or genotoxic in a battery of in vitro and in vivo tests. Metalaxyl was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

#### Assessment carcinogenicity

Trifloxystrobin was not carcinogenic in lifetime feeding studies in rats and mice. Metalaxyl was not carcinogenic in lifetime feeding studies in rats and mice.

## **ACGIH**

None.

NTP

None.

**IARC** 

None.

#### Assessment toxicity to reproduction

Trifloxystrobin caused reduced body weight development in offspring during lactation only at doses also



**TRILEX® 2000** 

Version 5.0 / USA 102000020382 Revision Date: 05/21/2024 Print Date: 05/23/2024

producing systemic toxicity in adult rats.

Metalaxyl did not cause reproductive toxicity in a multi-generation study in rats.

## Assessment developmental toxicity

Trifloxystrobin caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Trifloxystrobin are related to maternal toxicity.

Metalaxyl did not cause developmental toxicity in rats and rabbits.

## **Aspiration hazard**

Based on available data, the classification criteria are not met.

#### **Further information**

Only acute toxicity studies have been performed on the formulated product.

The non-acute information pertains to the active ingredient(s).

No further toxicological information is available.

#### **SECTION 12: ECOLOGICAL INFORMATION**

**Toxicity to fish** LC50 (Oncorhynchus mykiss (rainbow trout)) 0.015 mg/l

Exposure time: 96 h

The value mentioned relates to the active ingredient trifloxystrobin.

Toxicity to aquatic

invertebrates

EC50 (Daphnia magna (Water flea)) 0.016 mg/l

Exposure time: 48 h

The value mentioned relates to the active ingredient trifloxystrobin.

LC50 (Mysidopsis bahia (mysid shrimp)) 0.00862 mg/l

Exposure time: 96 h

The value mentioned relates to the active ingredient trifloxystrobin.

**Toxicity to aquatic plants** IC50 (Desmodesmus subspicatus (green algae)) 0.0053 mg/l

Growth rate; Exposure time: 72 h

The value mentioned relates to the active ingredient trifloxystrobin.

EC10 (Desmodesmus subspicatus (green algae)) 0.0025 mg/l

Growth rate; Exposure time: 72 h

The value mentioned relates to the active ingredient trifloxystrobin.

Biodegradability Trifloxystrobin:

Not rapidly biodegradable

Metalaxyl:

Not rapidly biodegradable

**Koc** Trifloxystrobin: Koc: 2377

Metalaxyl: Koc: 163

**Bioaccumulation** Trifloxystrobin: Bioconcentration factor (BCF) 431

Does not bioaccumulate.

Metalaxyl: Bioconcentration factor (BCF) < 7

Does not bioaccumulate.

Mobility in soil Trifloxystrobin: Slightly mobile in soils



**TRILEX® 2000** 

Version 5.0 / USA 102000020382

Revision Date: 05/21/2024 Print Date: 05/23/2024

Metalaxyl: Moderately mobile in soils

Results of PBT and vPvB assessment

**PBT and vPvB assessment** Trifloxystrobin: This substance is not considered to be persistent,

bioaccumulative and toxic (PBT). This substance is not considered to be

very persistent and very bioaccumulative (vPvB).

Metalaxyl: This substance is not considered to be persistent,

bioaccumulative and toxic (PBT). This substance is not considered to be

very persistent and very bioaccumulative (vPvB).

Additional ecological

information

Exposed treated seed may be hazardous to birds.

**Environmental precautions** Do not allow to get into surface water, drains and ground water.

Do not contaminate surface or ground water by cleaning equipment or

disposal of wastes, including equipment wash water.

Apply this product as specified on the label.

## **SECTION 13: DISPOSAL CONSIDERATIONS**

Waste treatment methods

**Product** Dispose in accordance with all local, state/provincial and federal

regulations.

**Contaminated packaging** Consult state and local regulations regarding the proper disposal of

container.

Follow advice on product label and/or leaflet.

RCRA Information Characterization and proper disposal of this material as a special or

hazardous waste is dependent upon Federal, State and local laws and

are the user's responsibility. RCRA classification may apply.

#### **SECTION 14: TRANSPORT INFORMATION**

**49CFR** Not dangerous goods / not hazardous material

**IMDG** 

UN number 3082
Class 9
Packaging group III
Marine pollutant YES

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S

(TRIFLOXYSTROBIN SOLUTION)

**IATA** 

UN number 3082
Class 9
Packaging group III



TRILEX® 2000

Version 5.0 / USA Revision Date: 05/21/2024 102000020382 Print Date: 05/23/2024

Environm. Hazardous Mark YES

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(TRIFLOXYSTROBIN SOLUTION)

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

Freight Classification: INSECTICIDES OR FUNGICIDES O/T POISON

INSECTICIDES OR FUNGICIDES, N.O.I., OTHER THAN

**POISON** 

#### **SECTION 15: REGULATORY INFORMATION**

**EPA Registration No.** 264-1068

**US Federal Regulations** 

**TSCA list** 

Water 7732-18-5 Glycerine 56-81-5 1,2-Propanediol 57-55-6

US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)

No export notification needs to be made.

SARA Title III - Section 302 - Notification and Information

Not applicable.

SARA Title III - Section 313 - Toxic Chemical Release Reporting

None.

# **US States Regulatory Reporting**

CA Prop65

This product does not contain any substances known to the State of California to cause cancer.

WARNING: This product contains a chemical known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Crystalline quartz (respirable) 14808-60-7 Carcinogenic.

**US State Right-To-Know Ingredients** 

Glycerine 56-81-5 MN, RI 1,2-Propanediol 57-55-6 MN, RI

**Environmental** 

**CERCLA** 

None.

Clean Water Section 307(a)(1)

None.

Safe Drinking Water Act Maximum Contaminant Levels

None.



**TRILEX® 2000** 

Version 5.0 / USA Revision Date: 05/21/2024 102000020382 Print Date: 05/23/2024

#### **EPA/FIFRA Information:**

This chemical is a pesticide product regulated by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information required on the pesticide label:

Signal word: Caution!

Hazard statements: Harmful if swallowed, inhaled or absorbed through the skin.

Causes moderate eye irritation.

#### **SECTION 16: OTHER INFORMATION**

## Abbreviations and acronyms

49CFR Code of Federal Regulations, Title 49
ACGIH US. ACGIH Threshold Limit Values

ATE Acute toxicity estimate

CAS-Nr. Chemical Abstracts Service number

CERCLA Comprehensive Environmental Response, Compensation, and Liability Act

EINECS European inventory of existing commercial substances

ELINCS European list of notified chemical substances
IARC International Agency for Research on Cancer
IATA International Air Transport Association
IMDG International Maritime Dangerous Goods

N.O.S. Not otherwise specified

NTP US. National Toxicology Program (NTP) Report on Carcinogens
OECD Organization for Economic Co-operation and Development

TDG Transportation of Dangerous Goods

TWA Time weighted average

UN United Nations

WHO World health organisation

## NFPA 704 (National Fire Protection Association):

Health - 2 Flammability - 1 Instability - 0 Others - none

## HMIS (Hazardous Materials Identification System, based on the Fourth Edition Ratings Guide)

Health - 1\* Flammability - 1 Physical Hazard - 0 PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard,

\* = chronic health hazard

**Reason for Revision:** The following sections have been revised: Section 11: Toxicological Information. Section 15: Regulatory information. Section 16: Other Information. Reviewed and updated for general editorial purposes.

**Revision Date: 05/21/2024** 



**TRILEX® 2000** 

Version 5.0 / USA 102000020382

**12/12**Revision Date: 05/21/2024
Print Date: 05/23/2024

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.