# SAFETY DATA SHEET



### 1. Identification

Product identifier 415 SUPERIOR SPRAY OIL

Other means of identification None

**Recommended use** Ag Product / Pro Product - Plant Protection

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company nameWilbur-Ellis Company LLCAddressWilbur-Ellis Company LLC

16300 Christensen Rd. Ste 135

Tukwila, WA 98188 United States

**Telephone** Branded Products Information (800) 500-1698

E-mail SDS@wilburellis.com

Emergency phone number Chemtrec - Domestic (800) 424-9300 Chemtrec - International +1 703-741-5970

## 2. Hazard(s) identification

Physical hazards Not classified.
Health hazards Not classified.
Environmental hazards Not classified.
OSHA defined hazards Not classified.

Label elements

Hazard symbol None.
Signal word None.

**Hazard statement** The mixture does not meet the criteria for classification.

**Precautionary statement** 

Prevention Not applicable.

Response Not applicable.

Storage Not applicable.

Disposal Not applicable.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

## 3. Composition/information on ingredients

### **Mixtures**

Chemical name	Common name and synonyms	CAS number	%
Distillates (petroleum), hydrotreate light paraffinic	ed	64742-55-8	40 - < 50
Highly refined hydrotreated parafinnic distillate		72623-84-8	40 - < 50
Other components below reportab	le levels		< 1

<sup>\*</sup>Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

# 4. First-aid measures

**Inhalation** If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing.

Call a physician if symptoms develop or persist.

**Skin contact** Rinse skin with water/shower. Get medical attention if irritation develops and persists.

Material name: 415 SUPERIOR SPRAY OIL

1133 Version #: 02 Revision date: 06-22-2017 Issue date: 02-23-2016

V OII

Eye contact Rinse with water. Get medical attention if irritation develops and persists.

Rinse mouth. If ingestion of a large amount does occur, call a poison control center immediately. Ingestion

Direct contact with eyes may cause temporary irritation.

Most important

symptoms/effects, acute and

delayed

Treat symptomatically.

Indication of immediate medical attention and special

treatment needed **General information** 

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

## 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

Special protective equipment

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

and precautions for firefighters Fire fighting

equipment/instructions

Move containers from fire area if you can do so without risk.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

During fire, gases hazardous to health may be formed.

General fire hazards No unusual fire or explosion hazards noted.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. For waste disposal, see section 13 of the SDS.

Never return spills to original containers for re-use.

**Environmental precautions** Avoid discharge into drains, water courses or onto the ground.

# 7. Handling and storage

Precautions for safe handling

Use care in handling/storage. Avoid prolonged exposure.

Conditions for safe storage, including any incompatibilities Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

# 8. Exposure controls/personal protection

## Occupational exposure limits

## US. OSHA Table 7-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	Form
Distillates (petroleum),	PEL	5 mg/m3	Mist.
hydrotreated light paraffinic (CAS 64742-55-8)			

## . . . . . . . . . . . .

Components	Туре	Value	Form
Distillates (petroleum), hydrotreated light paraffinic (CAS 64742-55-8)	TWA	5 mg/m3	Inhalable fraction.
Highly refined hydrotreated parafinnic distillate (CAS 72623-84-8)	TWA	5 mg/m3	Inhalable fraction.

Material name: 415 SUPERIOR SPRAY OIL

SDS US

1133 Version #: 02 Revision date: 06-22-2017 Issue date: 02-23-2016

US. NIOSH: Pocket Guide to Chemical Hazards
Components Type Value Form

Distillates (petroleum), STEL 10 mg/m3 Mist.
hydrotreated light paraffinic (CAS 64742-55-8)

**Biological limit values**No biological exposure limits noted for the ingredient(s).

**TWA** 

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates

should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

5 mg/m3

Mist.

Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove

supplier.

Other Wear suitable protective clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

## 9. Physical and chemical properties

Appearance Light liquid
Physical state Liquid.
Form Liquid.

Color Not available.

Odor Hydrocarbon-like.

Odor threshold Not available.

pH Not available.

Melting point/freezing point Not available.

Initial boiling point and boiling Not available.

range

Flash point > 200.0 °F (> 93.3 °C)

Evaporation rate Not available.
Flammability (solid, gas) Not applicable.

Upper/leger flammability or explosive limits

Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%

Flammability limit - upper

Not available.

(%)

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure Not available.

Vapor density Not available.

Relative density Not available.

Solubility(ies)

Solubility (water) Soluble

Partition coefficient Not avail

(n-octanol/water)

Not available.

Auto-ignition temperature Not available.

Decomposition temperature Not available.

Not available. **Viscosity** 

Other information

**Density** 7.09 lb/gal **Explosive properties** Not explosive.

Flammability class Combustible IIIB estimated

Oxidizing properties Not oxidizing.

Specific gravity 0.85

# 10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Material is stable under normal conditions. Chemical stability

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Avoid temperatures exceeding the flash point. Contact with incompatible materials.

Strong oxidizing agents. Incompatible materials

Hazardous decomposition

products

Irritating and/or toxic fumes and gases may be emitted upon the product's decomposition.

## 11. Toxicological information

## Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful.

Skin contact No adverse effects due to skin contact are expected. Eye contact Direct contact with eyes may cause temporary irritation.

Ingestion Expected to be a low ingestion hazard.

Symptoms related to the

physical, chemical and

toxicological characteristics Direct contact with eyes may cause temporary irritation.

#### Information on toxicological effects

**Acute toxicity** 

Components **Species Test Results** 

Distillates (petroleum), hydrotreated light paraffinic (CAS 64742-55-8)

**Acute Dermal** 

LD50 Rabbit

Inhalation

LC50 Rat > 5.2 mg/l, 4 Hours > 5 mg/l, 4 Hours

> 5000 mg/kg, 24 Hours

Oral

LD50 Rat > 5000 mg/kg

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation. Serious eye damage/eye

irritation

Direct contact with eyes may cause temporary irritation.

#### Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

This product is not expected to cause skin sensitization. Skin sensitization

No data available to indicate product or any components present at greater than 0.1% are Germ cell mutagenicity

mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

#### IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

Material name: 415 SUPERIOR SPRAY OIL

4/6 1133 Version #: 02 Revision date: 06-22-2017 Issue date: 02-23-2016

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

## OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

## US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

This product is not expected to cause reproductive or developmental effects. Reproductive toxicity

Specific target organ toxicity - single exposure Not classified.

Specific target organ toxicity - repeated

Not classified.

exposure

**Aspiration hazard** Not an aspiration hazard.

**Chronic effects** Prolonged inhalation may be harmful.

**Further information** This product has no known adverse effect on human health.

# 12. Ecological information

The product is not classified as environmentally hazardous. However, this does not exclude the **Ecotoxicity** 

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Persistence and degradability

No data is available on the degradability of this product.

Bioaccumulative potential Mobility in soil

No data available. No data available.

Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

## 13. Disposal considerations

**Disposal instructions** Collect and reclaim or dispose in sealed containers at licensed waste disposal site.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging

Since emptied containers may retain product residue, follow label warnings, if applicable, even after container is emptied. Empty containers should be taken to an approved waste handling site

for recycling or disposal.

## 14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and Not established.

the IBC Code

# 15. Regulatory information

US federal regulations This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard

Communication Standard, 29 CFR 1910.1200.

All components are listed on or exempted from the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

Not listed.

SARA 304 Emergency release notification

Not regulated.

Material name: 415 SUPERIOR SPRAY OIL

1133 Version #: 02 Revision date: 06-22-2017 Issue date: 02-23-2016

## OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

#### Superfund Amendments and Reauthorization Act of 1986 (SARA)

No

Hazard categories Immediate Hazard - No

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

#### SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

chemical

SARA 313 (TRI reporting)

Not regulated.

#### Other federal regulations

### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

### Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

### **US state regulations**

# US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd.

(a))

Distillates (petroleum), hydrotreated light paraffinic (CAS 64742-55-8) Highly refined hydrotreated parafinnic distillate (CAS 72623-84-8)

#### **US. California Proposition 65**

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

# 16. Other information, including date of preparation or last revision

 Issue date
 02-23-2016

 Revision date
 06-22-2017

Version # 02

NFPA ratings Health: 0

Flammability: 0 Instability: 0

**NFPA** ratings



# **Disclaimer** This information was developed from information on the constituent materials. No warranty is

expressed or implied regarding the completeness or continuing accuracy of the information contained herein, and Wilbur-Ellis disclaims all liability for reliance thereon. The user should satisfy

himself that he has all current data relevant to his particular use.

Material name: 415 SUPERIOR SPRAY OIL

SDS US