

For Commercial Use Only



## MITICIDE - INSECTICIDE & REPELLENT



### GENERAL INFORMATION

AlliCURB™ MAX is a unique garlic oil-based formulation designed to deliver highly effective garlic oil components that control and repel a broad range of pests, such as mites, Lepidoptera and other soft-bodied insects on all crops. AlliCURB MAX acts as an odor-masking compound to confuse pests during mate pairing, deters egg laying on treated crops, and is a feeding deterrent for insect pests. In addition, AlliCURB MAX is a contact insecticide and does not leave a garlic taste on food crops.

### ACTIVE INGREDIENTS

Castor Oil ..... 27%  
Garlic Oil ..... 8%

### OTHER INGREDIENTS

Glycerol Monooleate, Sorbitol, Isopropyl Myristate, Butyl Lactate, Lauric Acid, Myristic Acid, Palmitic Acid,  
Stearic Acid, Oleic Acid ..... 65%  
**TOTAL:** ..... 100%

**KEEP OUT OF REACH OF CHILDREN • WARNING (AVISO) **

#### FIRST AID

<b>IF IN EYES</b>	Rinse with water. Get medical attention if irritation develops and persists.
<b>IF ON SKIN OR CLOTHING</b>	Remove contaminated clothing immediately and wash skin with soap and water. If skin irritation or rash occurs, seek medical attention. Wash contaminated clothing before reuse.
<b>IF INHALED</b>	Move to fresh air. Call a physician if symptoms develop or persist.
<b>IF INGESTED</b>	Rinse mouth with clean water. Get medical attention if symptoms occur.

#### HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor or going for treatment. For emergency information concerning this product, call the National Pesticides Information Center at 1-800-858-7378, 6:30 a.m. to 4:30 p.m. Pacific time (PT), seven days a week. During other times, call the poison control center at 1-800-222-1222. For non-emergency Kemin product inquiries, please call Customer Service at 1-800-752-2864 between the hours of 7 a.m. to 4:30 p.m. (Central Standard Time) Monday-Friday.

### PRECAUTIONARY STATEMENTS

If you do not understand the label, find someone to explain it to you in detail (Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle). Causes skin irritation. Wear protective clothing/protective gloves/eye protection/face protection.

Manufactured by:  
**Kemin Industries, Inc.**  
2100 Maury Street,  
Des Moines, Iowa USA 50317  
[www.kemin.com/croptech](http://www.kemin.com/croptech)

**NET CONTENTS: 2.5 GALLONS**

\* \*\* Trademarks of Kemin Industries, Inc., USA  
© Kemin Industries, Inc. and its group of companies 2022. All rights reserved.

# DIRECTIONS FOR USE

READ THE ENTIRE LABEL - USE IN ACCORDANCE WITH LABEL INSTRUCTIONS

**USE SITES:** For use on all agricultural crops, including food crops. Indoor and outdoor fields and rows including but not limited to all fruits and vegetables, orchards, fruit trees, nut crops, grapes, hops, greenhouses, nurseries, ornamentals and landscapes.

**THIS PRODUCT IS A CONCENTRATE AND MUST BE DILUTED BEFORE USE.**

## RECOMMENDED APPLICATION RATES (PER ACRE)

PREVENTATIVE	MODERATE INFESTATION	HEAVY INFESTATION
16 fl. oz./100 gal.	32 fl. oz./100 gal.	48-64 fl. oz./100 gal.
<ul style="list-style-type: none"><li>• The lower rate should be used for the prevention of pest population establishment</li><li>• The moderate rate should be used once populations are observed but at low pressure</li><li>• Use the higher rates and short intervals when pest pressure increases or when severe insect populations are observed</li><li>• A minimum of 100 gallons of finished solution to treat one acre is recommended</li><li>• For best results, use in an IPM program with a minimum of 2-3 applications of AlliCURB MAX over a 2-week interval (5 to 7 days treatment interval)</li></ul>		

## MIXING INSTRUCTIONS - SHAKE WELL BEFORE USING -

**Use dilution immediately - Do not store diluted solution.**

The use of an adjuvant is not required with AlliCURB MAX. Fill a clean tank with half the amount of required clean water. With the agitator running, add the desired amount of AlliCURB MAX to the mix tank, following the application rate table. Continue agitation while filling the tank with the remaining required amount of water. Thoroughly mix until a homogeneous mixture is obtained. After AlliCURB MAX has completely dispersed into the mixed water, start applying the solution. For best results, maintain constant agitation in spray equipment.

**COMPATIBILITY OF SPRAY MIXTURES** - Limited compatibility testing has been conducted for AlliCURB MAX with other commonly used chemistries. As such, tank mixing or use of AlliCURB MAX with any other products shall be the exclusive risk and responsibility of the user. Do not tank mix this product with oxidizing agents such as bleach, or highly alkaline or acidic products. Consult specific product labels for additional information. Conduct a tank mix compatibility test when you mix AlliCURB MAX with other products and test the mixture on a small scale before making large-scale applications. pH: It is advisable to maintain the final spray mixture at a neutral to slightly acidic pH (pH 6-7.5).

**PLANT SAFETY- PHYTOTOXICITY** - Since plant varieties are numerous and may react differently to AlliCURB MAX, test the product on a small scale before making large-scale applications. Do not apply on plants under stress or when the temperature is 90 °F or above.

**APPLICATIONS** - Apply the diluted solution using clean standard sprayers, backpacks, or other hand-held spray equipment to achieve uniform and complete spray coverage on the crop and all leaf surfaces until runoff.

**TIMING** - Begin spraying when pest pressure is expected or when pests first appear. Do not wait until plants are heavily infested. Apply in the early morning or late afternoon. AlliCURB MAX has a 0-day preharvest interval (PHI); it may be applied to crops at any time, including the day of harvest. Repeat as needed to maintain the desired level of control (5-day minimum interval). AlliCURB MAX has a 0-hour restricted entry interval (REI).

### STORAGE AND DISPOSAL

**STORAGE:** Do not contaminate water or food by storage and disposal. Store in original container in a cool, well-ventilated, dry place (68-80 °F). Do not freeze. Keep container closed when not in use. **CONTAINER DISPOSAL:** Nonrefillable container. Do not reuse or refill this container. **IF EMPTY:** Offer for recycling if available or reconditioning if appropriate or puncture and dispose of in a sanitary landfill or by incineration. **IF PARTLY FILLED:** Call your local waste agency for disposal instructions.

The manufacturer makes no warranties, expressed or implied, concerning this product or its use, which extend beyond the description on the face hereof. All statements made concerning this product apply only when used as directed.

FIFRA 25(b) Exempt: This product is a minimum-risk pesticide that has not been registered with the United States Environmental Protection Agency because it qualifies for exemption from registration under Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) Section 25(b).

This product may not be registered or authorized for distribution or sale in all States. Consult your Kemin representative or your state pesticide regulatory representative to ascertain if the product is registered or authorized in your state and for specific application and labeling requirements.

**KEMIN**  
CROP TECHNOLOGIES

MITICIDE - INSECTICIDE  
& REPELLENT



**AlliCURB**<sup>™</sup>  
MAX